

**Univar Solutions USA LLC.**

8201 S. 212th  
Kent, WA 98032-1994  
USA

**T** 253-872-5040

**F** 253-572-5041

[www.univarusa.com](http://www.univarusa.com)



February 16, 2024

Bay Area Clean Water Agencies

RE: Bid for Sodium, Hypochlorite, BACC Bid No. 13-2024

To Whom it may concern:

Univar Solutions USA LLC. is pleased to offer a price quote on your ITB due Thursday, February 22, 2024, and has done so on the attached required paperwork.

Our contact information for all things bid and contract related, as well as the information for your local branch, is also attached.

We look forward to hearing the results of your request – we have included a self-addressed, stamped envelope for the bid tabulations.

Thank you,

*Jennifer Perras*

Sr. Municipal Bid Specialist

Western Region

Univar Solutions USA LLC.

[Muniteam-west@univarsolutions.com](mailto:Muniteam-west@univarsolutions.com)

[www.univarsolutions.com](http://www.univarsolutions.com)

**Please Note:** Where applicable, any State, Federal or other appropriate taxes and/or the California Mill Assessment will appear as separate line items on any invoices from Univar. If Univar's offer (pricing) was inclusive of these charges – they will be backed out of the "product" line item and shown as their own line item(s) at the time of billing.

**Please Note:** Cooperative Purchasing/Contract Piggy-Back Clauses: Unless otherwise checked "yes" within the attached offer, it is Univar's standard policy NOT to agree to/participate in Cooperative Purchasing but rather to work with each individual agency and reach a pricing agreement that is based on their needs and is advantageous for both parties. Unless otherwise noted within the attached offer – pricing within is only applicable for the locations (and any potential locations) listed within these bid documents.



## CERTIFICATE OF SECRETARY

I, Jumoke Onibokun, hereby certify that:

1. I am the duly elected, qualified and acting Assistant Secretary of Univar Solutions USA LLC, a Washington Limited Liability Company (the "Company"), and am a custodian of the corporate records of the Company and am familiar with the matters herein certified.
2. The below list of persons are authorized to execute, for and on behalf of the Company, written municipal bids or municipal proposals for the sale of other disposition of products up to \$2.5 million handled by the Company.

Shawnasey McCarthy- Municipal Commercial Manager

Victoria Meakim - Municipal Specialist

Roise Holiday-Henry- Municipal Specialist

Jennifer Perras – Sr. Municipal Specialist

Shelley Riggle - Municipal Specialist

Stacy Ziegler- Municipal Specialist

Raven Claudio - Municipal Specialist

Ileana Caballero – Municipal Specialist

IN WITNESS WHEREOF, I have executed this Certificate of Secretary of the Company this 4<sup>th</sup> day of January 2024.

DocuSigned by:

*Jumoke Onibokun*

F781477FB84F470...

Jumoke Onibokun, Assistant Secretary


State of Illinois )

)

County of DuPage )

This Certificate of Secretary was signed and sworn before me on this 4<sup>th</sup> day of January 2024 by Jumoke Onibokun, Assistant Secretary of Univar Solutions USA LLC.

Seal



DocuSigned by:

*Sanema Gorodetsky*

EB3185C32E35401

Sanema Gorodetsky

Notary Public

My commission expires July 25, 2026

Univar Solutions USA LLC.  
2461 Crocker Circle  
Fairfield, CA 94533



T 408-435-8700  
F 408-435-1735  
800-659-5908

[www.univarsolutions.com](http://www.univarsolutions.com)

## GENERAL INFORMATION

### **Regular Office Hours during which orders may be placed:**

Monday – Friday 7:00 am – 5:00 pm (PST)

### **In case of an emergency during non-business hours:**

For Non-Chemical Emergencies:

After-hours emergency – 24-hour response:

Jennifer Bernhard - (650) 216-8909 (cell)  
Brian Wills- (650) 670-7267 (cell)  
CS Afterhours/emergency number: 480-573-4726

For Chemical Related Emergencies: ChemTrec: (800) 424-9300

### **Names, telephone/FAX numbers of those responsible for taking orders and initiating delivery:**

Office Phone: (800) 659-5908  
Office Fax: (408) 435-1735  
Customer Service: (800) 659-5908

[CustSolWR@univarsolutions.com](mailto:CustSolWR@univarsolutions.com)

### **Sales Contact:**

Danielle Pruett  
Sales Account Manager  
Phone: 559-365-0273  
[Danielle.Pruett@univarsolutions.com](mailto:Danielle.Pruett@univarsolutions.com)

### **For anything pertaining to bids:**

Please send all bid packets/documents to:  
(Unless otherwise specified)

Univar Solutions USA Inc.  
Attn: WER Muni Team  
8201 S. 212<sup>th</sup>  
Kent, WA 98032-1994

Contacts: [muniteam-west@univarsolutions.com](mailto:muniteam-west@univarsolutions.com)

Jennifer Perras  
Municipal Specialist  
Phone: (253) 872-5040  
Fax: (253) 872-5041  
[Jennifer.perras@univarsolutions.com](mailto:Jennifer.perras@univarsolutions.com)

Roise Holiday  
Municipal Specialist  
(253) 872-5068  
(253) 872-5041  
[Roise.Holiday@univarsolutions.com](mailto:Roise.Holiday@univarsolutions.com)

Stacy Ziegler  
Municipal Specialist  
(253) 872-5023  
(253) 872-5041  
[Stacy.ziegler@univarsolutions.com](mailto:Stacy.ziegler@univarsolutions.com)

Shawnasey McCarthy  
Municipal Business Manager  
(253)872-5052  
(253) 872-5041  
[Shawnasey.mccarthy@univarsolutions.com](mailto:Shawnasey.mccarthy@univarsolutions.com)

**Remittance Address:**

Univar Solutions USA Inc.  
62190 Collections Center Drive  
Chicago, IL 60693-0621  
Please include remit information

**Standard Payment Terms:**

Net 30 days



## Mission Statement

*Univar sets out to be the preferred quality partner for the distribution of chemicals and services. We combine economic success with social and environmental responsibility.*

## Vision Statement

*Be the benchmark of excellence.*

## Quality Policy

*Univar USA Inc. is committed to the success of our customers and supplier/partners by providing value-added products and services that consistently meet requirements. In the spirit of innovation, management encourages full employee participation in the continuous review and improvement of Univar's business processes and its total quality process.*

## Statement of Core Values

- *Safety: Safety is the first priority, the most important aspect of our work.*
- *Continuous Improvement: We will improve results for all our stakeholders by doing the right things better every time.*
- *Employees: We respect and value every employee and are committed to support and develop each other personally and professionally.*
- *Environment: We are committed to protecting the health and well being of our employees, our customers, the community and the environment.*
- *Ethics: We treat every individual in our business and personal practices ethically with integrity and honesty.*
- *Leadership: Each of us strives to lead and motivate by example and consistently live up to these core values. We coach, train, develop and empower employees to reach their full potential.*



**Univar Solutions USA Inc.  
Supplier Information  
Company Overview**

Univar is a leading global distributor of industrial and specialty chemicals, with an extensive network of over 260 distribution facilities in North America, Europe, the Asia-Pacific region, and Latin America, and additional sales offices in Eastern Europe, the Middle East, and Africa.

We serve over 115,000 customers in more than 115 countries, representing nearly every major industry and a highly diverse set of end markets.

We source chemicals from more than 3,500 producers, including the premier global chemical manufacturers, and distribute more than 4,500 chemical products in over 110,000 stock keeping units.

In addition to our vast product offering, we provide important value-added services for our customers and suppliers, including:

- Product availability and inventory management
- Product specification and technical expertise
- Blending and mixing
- Repackaging and labeling
- Just-in-time delivery
- Vendor rationalization programs
- Waste management

Our scale, geographic reach, diversified distribution channels, industry expertise, and comprehensive product portfolio enable us to develop strong, long-term relationships with our suppliers and to provide a single-source solution for our customers.

As a world leader in chemical distribution, Univar is committed to being a responsible corporate citizen with a global focus on safety, health, the environment, and sustainability.



## **Univar Solutions USA Inc. Quality Assurance Statement**

Univar USA Inc. ("Univar") offers this statement in regards to those quality measures it takes to provide quality products to you, its customer.

- Univar provides products that meet the manufacturer's specifications.
- Univar retains packaging samples and quality-related documents in accordance with its record retention program, which specifically calls for the retention of FDA regulated samples, and quality-related documents for three (3) years and EP samples and quality-related documents for six (6) years.
- Under Univar's Management of Change process, Univar forwards notices from a product's manufacturer related to ingredients, changes in processing sites, and manufacturing processes in a timely manner.
- Univar has a formalized recall process and provides notice of any known recalls or other matters that come to its attention that may directly or indirectly impact a product.
- Univar's quality control, employee training, and Safety, Health & Environmental programs meet industry standards.
- Univar develops, and maintains operational plans to meet, all federal, state, and local laws, rules, and regulations related to the packaging, storing, and distribution of products.
- Univar has facilities in the U.S. that are ISO 9001:2008 registered, including Univar's corporate office.
- Univar's facilities that handle FDA regulated product meet FDA cGMP standards.
- Univar's computer systems maintain various security controls to ensure proper management of information.

For food grade and pharmaceutical grade products:

- Univar treats FDA products under cGMP standards.
- Univar maintains strict laboratory controls, including Out of Specification ("OOS").
- Univar has a formal complaint process for all FDA regulated products.
- Univar performs bi-annual audits on its food grade packaging facilities to ensure quality and safety.
- Univar FDA packaging facilities and processes meet 21 CFR Part 210.
- Univar packages, stores, and transports under cGMP standards.
- Univar provides a Certificate of Analysis ("COA") with each shipment.
- Univar performs stability testing on all FDA Univar-packaged products.
- Univar maintains master files and individual batch files for all lots of FDA Univar-packaged products allowing full traceability.
- Univar assigns unique lot numbers and sequential numbers to its FDA Univar-packaged products.

Univar USA Inc



**Univar Solutions USA Inc.  
Delivery & Supply Assurance**

In the event of an emergency situation such as a hurricane or other natural disaster, Univar's municipal water and wastewater accounts are given priority service over industrial customers.

Univar USA, Inc., has 124 locations across the US with thousands of trucks, 39 million gallons of bulk storage and over 10 million square feet of warehouse storage.

Our trucks are equipped with power and do not need electricity to deliver.

Our drivers are trained each year in spill control and containment, hazardous communication and modules of the Hazardous Waste Operations and Emergency Response Standard (HAZWOPER).

**BAY AREA CHEMICAL CONSORTIUM**

**REQUEST FOR BIDS**

**BID NO. 13-2024**

**FOR SUPPLY AND DELIVERY OF SODIUM HYPOCHLORITE 12.5%**

**BID DUE DATE: 4:00 P.M. PT, Thursday, February 22, 2024**

**BID OPENING DATE: 4:00 P.M. PT, Thursday, February 22, 2024**

**Coordinating Agency:**

**Bay Area Clean Water Agencies**

## **TABLE OF CONTENTS**

Notice Inviting Sealed Bids	Page No. 3
<b><u>Section I – General</u></b>	
1. General Provisions	5
2. Instructions to Bidders	5
3. Special Instructions to Bidders	11
4. Terms and Conditions	16
<b><u>Section II – Technical Specifications</u></b>	
1. Product Technical Specifications	21
<b><u>Section III – Participating Agencies</u></b>	
1. Estimated Annual Quantities	24
2. Delivery Details	28
3. Contact List	39
<b><u>Section IV – Bid Contract Documents</u></b>	
1. Standard Agreement	50
2. Non-Collusion Affidavit	52
3. Bid Form and Worksheet	53

**NOTICE INVITING SEALED BIDS  
FOR SUPPLY AND DELIVERY OF SODIUM HYPOCHLORITE  
BAY AREA CHEMICAL CONSORTIUM (BACC)  
BID NO. 13-2024**

The Bay Area Chemical Consortium (BACC), a cooperative group of public agencies, is seeking competitive sealed bids for the supply and delivery of SODIUM HYPOCHLORITE. All sealed bids to be considered for this solicitation must be received via our electronic bid platform <https://bacwa.org/bacc/> by **4:00 P.M. PT, Thursday, February 22, 2024**. Bids received after said date and time will not be considered under any circumstances. Bids submitted by mail or by facsimile will not be accepted. BACC and its member agencies reserves the right to reject any and all bids and to waive informalities and immaterial irregularities or technical defects in the bids received.

For additional information or any questions concerning this bid, use the public Q&A Forum in our electronic bid system.

## **SECTION I**

**BAY AREA CHEMICAL CONSORTIUM**

**GENERAL**

**FOR BID NO. 13-2024**

**SODIUM HYPOCHLORITE**



**BAY AREA CHEMICAL CONSORTIUM  
REQUEST FOR BIDS  
FOR SUPPLY AND DELIVERY OF SODIUM HYPOCHLORITE 12.5%  
BID NO. 13-2024**

Sealed bids will only be received electronically via our electronic bid platform <https://bacwa.org/about-bacc/> no later than 4:00 P.M. PT, Thursday February 22, 2024.

**1. GENERAL PROVISIONS**

The Bay Area Chemical Consortium (BACC) is a cooperative group of public agencies each individually established under the laws of the State of California. For this particular bid solicitation, the participating member agencies include those listed in Section III-1, Estimated Annual Quantities. These participating BACC agencies, acting collectively through their authorized agents, are seeking competitive sealed bids for the supply and delivery of SODIUM HYPOCHLORITE 12.5%.

Sealed bids will only be received electronically via our electronic bid platform <https://bacwa.org/about-bacc/> no later than 4:00 P.M. PT, Thursday February 22, 2024. Bids received after said date and time will not be considered under any circumstances.

BACC and its member agencies reserves the right to reject any and all bids and to waive informalities and immaterial irregularities or technical defects in the bids received.

If you have any questions regarding this bid, please contact the BACC Coordinators via the electronic bid platform <https://bacwa.org/about-bacc/> Q&A forum. Preliminary bid results will be available via our electronic bid platform shortly after the opening date and time.

**2. INSTRUCTIONS TO BIDDERS**

To receive consideration, bids must be made in accordance with the following instructions:

**2.1 Bid Contract Documents**

Bids must be submitted only using the forms provided in Section IV, Bid Contract Documents that includes the following: **Bid Form**, **Standard Agreement**, and **Non-Collusion Affidavit**, collectively, the bid contract documents. Bidder must submit bids price per unit of measure as specified via the electronic bid platform <https://bacwa.org/about-bacc/>. Do not submit the Worksheet. Bid prices submitted on Worksheet will NOT be accepted. All items in the bid contract documents must be filled out completely, signed and dated. The bid contract documents may be rejected if they show any omissions, alterations of form, the addition

of information not requested, a conditional bid, or irregularities of any kind. A complete bid submittal must include all of the following components of the bid contract documents:

- A completed and signed **Bid Form**, including all the attachments requested;
- A fully executed **Standard Agreement**, including references and acknowledgement of receiving any and all addenda, with any deviations duly noted;
- A fully executed **Non-collusion Affidavit**.
- The information required by Section 2.21 as referenced in the Bid Form.
- Name and address of any Third Party Hauler as required by Section 2.5 and the Bid Form, as well as the affidavit referenced in the Bid Form.

Bidder must submit bids price per unit of measure as specified via the electronic bid platform <https://bacwa.org/about-bacc/> (Line Items section).

## **2.2 Estimated Quantity**

The quantities indicated are estimates of anticipated usage for a 12-month period and are given for informational purposes only. Nothing in these estimated annual quantities must be construed as obligating any participating BACC agency to purchase specific quantities, as these quantities may vary depending on actual operating conditions and demands during the contract term. All participating BACC agencies reserve the right to purchase any volume of the chemical listed, at the contract price, regardless of stated estimates of quantities. No price adjustments will be allowed as a result of an increase or a decrease in the quantity purchased. For this particular bid solicitation, the estimated annual chemical quantity of each participating member agencies is listed in Section III-1, Estimated Annual Quantities.

## **2.3 Delivery Locations**

The participating BACC agencies are grouped according to their location by relative geographic region. The bidder must quote uniform bid prices for deliveries made to each of the distinct geographic regions. For this particular bid solicitation, the distinct geographic regions for each agency are defined in Section III-1, Estimated Annual Quantities, as well as in Section III-2, Delivery Details.

## **2.4 Bid Pricing**

All bids submitted must include a base unit price, FOB destination, for the chemical for each geographic region per paragraph 2.3 Delivery Locations. Bidders shall provide bid prices via the electronic bid platform <https://bacwa.org/about-bacc/> including all costs associated with providing and delivering the chemical to the agency's facility, including materials, labor, equipment, transportation, insurance, overhead, profit, and all applicable taxes except sales tax in effect at the time of delivery. Bids qualified by additional or conditional charges such CPI, escalators, fuel surcharges, or transportation charges between the supplier and the final delivery points will not be allowed.

BACC agencies that use a chemical for treating water for resale may be exempt from paying sales tax, and it will be the responsibility of each BACC agency to notify the successful bidder if some or all of their purchases will be exempt from sales tax per paragraph 3.6 Taxes.

**Bid prices must be based on bulk deliveries amount as specified via the electronic bid platform <https://bacwa.org/about-bacc/> .** Bids that do not include unit prices for bulk deliveries to each geographic region specified on the electronic bid platform will be considered irregular and, at the option of BACC and the participating BACC agencies, may be eliminated from further consideration. For bulk deliveries of less than this specified amount, the bidder may, at their option, assess additional charges for "short loads" unless specific requirements for smaller deliveries are described in paragraph 3.7 Delivery Requirements. Any additional "short load" charges must be shown by the bidder as a specific deviation on the bid contract documents. Bidders and/or third party haulers will not be allowed to refuse to make "short load" deliveries.

Any optional item will be shown as a separate line item in the electronic bid platform <https://bacwa.org/about-bacc/> and bidders may, at their option, submit unit prices for the optional item. Bids that do not include unit prices for optional item will not be considered irregular and therefore such bids will not be rejected for that reason.

If participating BACC agencies require non-bulk deliveries in containers such as buckets, barrels, or totes, it will be shown as a separate line item in the electronic bid platform <https://bacwa.org/about-bacc/> . Bidders may, at their option, submit unit prices for deliveries in buckets, barrels, or totes. Bids that do not include unit prices for buckets, barrels, or totes will not be considered irregular and therefore such bids will not be rejected for that reason. If none of the participating BACC agencies require non-bulk deliveries in containers such as buckets, barrels, or totes, the electronic bid platform <https://bacwa.org/about-bacc/> will not include spaces to enter bid prices for such non-bulk deliveries in containers such as buckets, barrels, or totes, however, if a participating BACC agency later decides that they need deliveries in containers, bidders may, at their option, negotiate with the BACC agency to determine a price for deliveries in containers such as buckets, barrels, or totes.

## **2.5 Bidder Qualifications**

A qualified bidder is one determined by BACC and the participating BACC agencies to meet standards of business competence, reputation, financial ability, and product quality. A responsive bidder is a firm/person who has submitted a bid that conforms in all material respects to the terms and conditions, the specifications of the chemical, and any other requirement of the bid instructions. A responsible bidder is a firm/person who has the capability in all aspects to perform full contract requirements, and who has the integrity and reliability that will assure good faith and specific performance. Bidders that intend to utilize a third-party hauling company for completing some or all of their deliveries must indicate the name and contact information of the third-party hauling company on the Bid Form. Before submitting a bid, the bidder must carefully examine and read all parts of the bid contract documents and be fully informed as to all existing conditions and limitations. It should be noted that, upon selection and approval of the successful bidder, the entire contents of the bid contract documents will become part of the full contract between the participating BACC agency and successful bidder (see paragraph 3.5 Purchase Orders / Contracts).

## **2.6 Authorized Signatory of Bid Contract Documents**

The person signing the submitted bid must be fully authorized to represent and legally bind the bidding company to the terms and conditions described herein. A corporate officer must sign bids by corporations in the corporate name. The State of incorporation must be written in below the corporate name. Bids by partnerships must be signed in the partnership's name and signed by a partner with his/her title shown.

## **2.7 References**

The bidder must submit with the bid a list of a minimum of three references that have purchased similar chemicals and services from the bidder. The bidder must provide the company or agency name, contact name, and telephone number for each reference. Whenever possible, bidders should provide references for customers from the same geographic regions as the participating BACC agencies. Bidders may provide references from BACC agencies. These references must be shown on the Standard Agreement contained herein.

## **2.8 Bid Submittal**

Electronic bids will only be received via the electronic bid platform <https://bacwa.org/about-bacc/> by no later than 4:00 P.M. PT, Thursday, February 22, 2024. Electronic bids shall contain all required attachments and information. Bidders must submit bids price per unit of measure as specified via the electronic bid platform <https://bacwa.org/about-bacc/> (Line Item section). Bidders are cautioned that failure to comply may result in non-acceptance of the bid. Bids received after said date and time will not be considered under any circumstances. BACC will not be responsible for any delays or transmission errors. Bidder accepts all risks of late delivery of electronic bids. It is the bidder's responsibility to ensure that bid submitted is received by the electronic bid platform <https://bacwa.org/about-bacc/> prior to scheduled bid opening. Any attachment will remain sealed and will not be opened until the appointed bid opening date and time. Bidders not receiving confirmation receipt should contact the electronic bid platform vendor <https://bacwa.org/about-bacc/> to make sure that their electronic submittal has gone through.

## **2.9 Modification, Addenda, and Interpretations**

Any explanation desired by the bidders regarding the meaning or interpretation of this particular bid solicitation including the bid contract documents must be requested via the electronic bid platform Q&A Forum at least five (5) business days prior to the time set for the bid opening. Any and all such interpretations or modifications must be in the form of a written request to the BACC Coordinator via the electronic bid platform Q&A Forum. All changes to this particular bid solicitation document including the bid contract documents initiated by the BACC Coordinator will be through written addenda and furnished to all bidders via the electronic bid platform. Addendum will be issued no later than 72 hours before bid opening. Any written addendum issued 72 hours before the date and time of the bid opening will become a part of the bid contract documents and must be acknowledged on the Standard Agreement form that each bidder submits. Failure to acknowledge any and all the addendum(s) on the Standard Agreement form may be cause for rejection of the bid.

### **2.10 Modification of Bids**

A bidder may modify their bid via the electronic bid platform prior to the date and time of the bid opening. Modifications of any bid prices, terms and conditions must be electronically submitted via the electronic bid platform prior to the time of the bid opening. It shall be the responsibility of the respective bidder to determine if their written modification was received in time by electronic bid platform. BACC reserves the right to accept or reject any proposed modifications of the bid terms and conditions.

### **2.11 Withdrawal of Bids**

Any bid may be withdrawn any time prior to the stated bid opening date and time (closing time) only via the electronic bid platform. The withdrawal request must be executed by the bidder or a duly authorized representative. The withdrawal of the bid does not prejudice the right of the bidder to file a new bid prior to the bid closing time. No bids may be withdrawn after the bid opening date and time.

### **2.12 Proposed Deviations from the Specifications by the Bidder**

Any deviation from the specifications described herein or in a written addendum that is proposed by a bidder must be noted in detail on the Standard Agreement form, and a copy of the proposed specification must be attached to the Standard Agreement form at the time of submission. The absence of a proposed change in the specifications will hold the bidder strictly accountable to the specifications as described herein. If proposed deviations from the specifications are submitted, the bidder's name should be clearly shown on each document. Each BACC agency will be responsible for individually accepting or rejecting any proposed deviations from the described specifications.

### **2.13 Competency of Bidders**

Before any contract is awarded, the bidder may be required to furnish a complete statement of financial ability and experience in performing the proposed services. In accordance with the provisions of the California Business and Professions Code and other regulations, the bidder must have and maintain current any and all necessary licenses or certificates.

### **2.14 Rejection of Bids**

The BACC and/or its individual agencies reserves the right to reject any and all bids and reserves the right to waive a bid deficiency or reject a bid for any reason, including but not limited to the following: informalities, nonconforming, non-responsive or conditional bids, bids showing any alterations of form or erasures or irregularities of any kind, additional information not requested, incomplete bids, or bids not conforming with the instructions in any way. Bidders that plan to utilize a third-party hauling company that refused to deliver to one or more of the participating agencies in the past three (3) years will be rejected as non-responsive.

### **2.15 Opening Bids**

A preliminary bid results showing apparent lowest bid will be available on the electronic bid platform shortly after the bid opening date / time.

### **2.16 Method of Award**

Bids may be awarded to the lowest responsive and responsible bidder for each listed region meeting the specifications for bulk loads for the chemical. The lowest responsive bidder for this chemical will be determined for each region listed on the Bid Form. The bidder that meets the specifications and submits the lowest overall bid price for a particular region may be awarded the bid by the participating agencies in that region, assuming the bid is determined by BACC to be complete and in compliance with the bid requirements. The lowest overall bid price for each region will be determined by multiplying the estimated annual quantity for each participating agency within the particular region by the bid prices for the region, and adding up the aggregate cost. BACC has the right to delete terms or options from the bid contract documents, and reserves the right to reject any and all bids and to waive irregularities in said bids. The following is a non-inclusive list of criteria that must be used in award of the bid:

- a. Unit cost of the chemical
- b. Product specifications
- c. Warranties or standards of quality
- d. Capabilities to deliver product throughout the contract term
- e. Bidder's reputation, competency, and previous customer service record
- f. Third party hauling company's reputation, competency, and previous customer service record (if applicable)
- g. Fully executed non-collusion affidavit

#### **2.17 Disqualification of Duplicate or Collusive Bidders**

More than one bid proposal from an individual, a firm or partnership, a corporation or an association under the same or different names will not be considered. Reasonable grounds for believing that any bidder is interested in more than one bid for the bid contemplated will cause rejection of all bids in which such bidder is interested. If there is reason for believing that collusion exists among the bidders, any and all bids may be rejected. Bidders must execute and submit with their bid the Non-Collusion Affidavit included in the bid document.

#### **2.18 Identical Bids**

In the case of tied or identical bids corresponding to the proposed unit costs, BACC reserves the right to award the bid based on additional criteria. If a tied bid is not rejected for any reason as described in paragraph 2.16 Method of Award, then any additional costs described in the "Specific Deviations" such as short load adders, will be used to determine the lowest responsive bidder. If considering additional costs as described in the "Specific Deviations" still doesn't produce a winning bidder (i.e. if the tied bidders quote identical short load adder prices), then any exceptions or conditions described in the "Specific Deviations" will be considered in an effort to determine the lowest responsive bidder. If the latter still fails to produce a winning bidder, then BACC will draw lots by placing the names of the tied bidders in a hat and drawing a name. If drawing lots is deemed necessary, BACC will schedule a time to draw lots and the tied bidders will be invited to attend and witness the drawing.

### **2.19 Material Warranty**

Before the bid is awarded and, if applicable, the bidder may be required to furnish a complete statement of the origin, composition and manufacture of any or all chemicals to be supplied, together with samples. The samples may be subjected to tests to determine their quality and fitness for the intended uses.

### **2.20 Bid Summary**

Bid proposals will be summarized and reviewed with the BACC agencies following the bid opening. Bid summaries or tabulations will also be provided to the responsive bidders within ten (10) business days following the bid opening. After a careful review of the bids by each of the participating BACC agencies, bids may be awarded based on the criteria outlined in paragraph 2.16 Method of Award.

### **2.21 Manufacturer's Information**

Bidders must submit with their bid contract documents the following:

- a. In accordance with Section 64590, Title 22 of the California Code of Regulations (CCR), no chemical or product shall be added to drinking water by a water supplier unless the chemical or product is certified as meeting the specifications of NSF International/American National Standard Institute (NSF/ANSI) 60-2005 (Drinking Water Treatment Chemicals—Health Effects). Certification shall be from an ANSI accredited product certification organization whose certification system includes the criteria for ensuring the chemical or product meets NSF/ANSI Standard 60 per Section 64590 of the CCR. Bidders must submit an affidavit of compliance from the ANSI accredited product certification organization. Bidders must include a statement by the chemical manufacturer, signed by an authorized representative on letterhead stationery, attesting to the affidavit's validity. In lieu of submitting an affidavit of compliance and a letter attesting to the affidavit's validity, a current printout from the ANSI accredited product certification organization is acceptable.
- b. A representative analysis of the chemical to be supplied, as prepared by a reputable outside laboratory or bidder's in-house laboratory if ISO certified.
- c. Name and address of the chemical manufacturer.
- d. Product Bulletin and Typical Properties.
- e. Safety Data Sheet (SDS).

## **3. SPECIAL INSTRUCTIONS TO BIDDERS**

### **3.1 Chemical Requirements**

The chemical to be provided under the terms and conditions of this bid must meet the bid specifications described in the pages that follow.

### **3.2 Safety Requirements**

The bidder, their employees, subcontractors, and/or agents must conform to the rules and regulations pertaining to safety established by the California Division of Industrial Safety, and they must adhere to all State, Federal and Occupational Safety and Health Act (OSHA) safety standards, including compliance with any applicable State or local health order related to COVID-19 while they are on the premises of any BACC

agency. Furnished equipment, materials, and/or services must comply with all OSHA standards and regulations, and all applicable governmental laws and orders. The BACC agencies reserve the right to individually refuse any shipment, at their sole discretion, which cannot be unloaded using safe and proper techniques. Any such refusal must result in the return of the chemical at the successful bidder's sole expense. If requested by a participating BACC agency, the successful bidder and/or the firm providing transportation of the chemical shall submit to a safety briefing at the BACC agency's site before commencing deliveries to the respective BACC agency. The successful bidder and/or the firm providing transportation of the chemical are required to comply with the site specific safety requirements of each participating BACC agency. Bidders should be aware that some BACC agencies do not allow smoking on site. Site safety requirements will be available for review during the bid period upon request to the BACC Coordinator. In addition, if requested by a participating BACC agency, the successful bidder and/or the firm providing transportation of the chemical may be asked to review site safety materials and provide a signed acknowledgement of their receipt of the site safety materials.

### **3.3 Spillage**

The successful bidder must be prepared to provide safety training on the safe handling and use of the chemical and emergency procedures in the event of a leak or spill. Should a chemical spill or leak result due to negligence, faulty equipment, or inferior packaging on the part of the bidder or their agents, the bidder and their agents must be responsible for cleaning the spill or leakage and for bearing any cost incurred due to spill or leakage clean-up. It must be the successful bidder's responsibility to effect immediate containment, clean-up, disposal, and restoration activities in accordance with the individual facility's requirements and any and all applicable laws and regulations. All material associated with such clean-up operations must be hauled away and lawfully disposed of at no charge to the agency where the delivery is being made. The property of the agency where the delivery is being made must not be used for such disposal. If the spill is NOT cleaned up, the agency will hire a certified hazardous material handling company to clean up the spill, and the costs incurred, including any fines or penalties which may be imposed by regulating authorities, will be charged to the bidder or deducted from amounts owed. Chemicals must stay in the possession of the bidder and must not be unloaded until accepted by the participating BACC agency. All chemicals must be delivered in accordance with Department of Transportation regulations.

### **3.4 Chemical Orders**

All orders placed throughout the contract period, as defined in paragraph 4.11 Term of Contract, will be initiated separately by each participating BACC agency, and each BACC agency will be responsible for the coordination of all aspects of those orders with the successful bidder. Inquiries in reference to individual orders during the contract period must be directed to the appropriate BACC agency.

### **3.5 Purchase Orders / Contracts**

Individual purchase orders, purchase agreements, and / or contracts will be issued to the successful bidder by each participating BACC agency, and all chemical sales must be invoiced separately to the respective BACC agency. Each BACC agency may require additional contract requirements specific to the agency which are not included in this bid document and bidders need to contact the agencies for specific details



and perform due diligence prior to submitting a bid. The contracted unit cost of the chemical is the awarded bid price. The successful bidder may seek a price increase for any nontrivial change requested by the participating BACC agency in the terms and conditions of the participating BACC agency's purchase order, purchase agreements, and / or contracts. The successful bidder may not change the price throughout the term of the contract unless by mutual written agreement between BACC agency and successful bidder per Section 4.4 Modification of Contract.

### **3.6 Taxes**

Pursuant to the Sales and Use Tax Law, water treatment facilities are entitled to submit *Resale Certificates* to the California State Board of Equalization which exempt that utility from paying sales tax on any chemical purchased for the expressed use of producing a consumable water product. The participating BACC agencies that provide potable and/or recycled water to customers will be responsible for providing the successful bidder with these certificates or letter documenting their determination if the chemical they seek to purchase is exempt from sales tax. BACC agencies that do not notify the successful bidder that their agency is exempt from paying sales tax shall be invoiced with sales tax shown as a separate, itemized cost on the invoice. Chemicals purchased solely for the use in wastewater treatment and disposal facilities are subject to sales tax.

### **3.7 Delivery Requirements**

Bidders are responsible for reviewing each of the listed delivery locations or geographic regions for each participating BACC agency and ensuring that their product can be delivered to each location prior to submitting a bid. Bidders that intend to utilize the services of a third party hauling company for some or all of their deliveries are responsible for ensuring that the hauler they have selected can and will deliver their product to each location listed in Section III-2, Delivery Details, and for submitting an affidavit pertaining to assurance with their bid. Failure to provide this assurance and submit an affidavit may be cause for rejecting their bid. Delivery bills of lading must be provided for each shipment. All bulk shipments must include a weight ticket from a certified weigh station in addition to a shipping manifest. Delivery times and dates must be coordinated between the successful bidder and each participating BACC agency on a schedule that meets the needs of the BACC agency, but at no time can a delivery occur more than seven (7) days after the order is placed unless the respective BACC agency requests a later delivery. No delivery can be made when a BACC agency representative is not on site. The successful bidder must notify the BACC agency of any anticipated late deliveries at least 24 hours in advance of the scheduled delivery time and date, unless delivery delays are the result of in-route transportation delays, then notification must be provided as soon as possible to inform the BACC agency of the anticipated delivery date and time. Persistently late or cancelled deliveries (defined as three or more over the contract period) may be used as a basis for contract termination. Failure to provide notice of late delivery as required by this section may also be a basis for contract termination. Any deliveries not meeting chemical quality, regulatory, safety, or delivery requirements will be returned to the successful bidder at no cost to the BACC agency, and must be re-delivered by the bidder within 48 hours of the unacceptable delivery.

### **3.8 Force Majeure**

Any bidder that anticipates a workforce interruption, including due to COVID-19 restrictions, or a production shutdown that could affect delivery of the chemical must fax or e-mail notifications to all participating BACC agencies to notify them of the potential interruption in deliveries. A telephone call must also be made to each BACC agency as a follow-up notification.

### **3.9 Safety Data Sheet (SDS)**

Bidders must submit a Safety Data Sheet (SDS) for the product offered with the bid. The successful bidder must provide a new SDS for the chemical with the first delivery or if the SDS is modified during the contract term.

### **3.10 Payments**

Payments for all chemicals will be made individually by each participating BACC agency thirty (30) days after receipt of a complete and accurate invoice. BACC itself does not have any legal authority to conduct business and therefore cannot be held responsible for the financial arrangements made between each individual BACC agency and the successful bidder. Cash discounts for early remittance of payment must be stated on the invoice, if applicable. The bidder is responsible for submitting accurate invoices to each BACC agency. The BACC agencies are not responsible for late payments resulting from the submission of inaccurate invoices. If bidder continues to submit inaccurate invoices after being put on notice by the BACC agency, the contract between the bidder and the BACC agency may be terminated.

### **3.11 Legislative Impacts**

In the event the legislative body of any BACC agency fails to appropriate funds for the purchase of the chemical, the respective BACC agency may terminate such contract without penalty and thereupon be released of further obligation.

### **3.12 Subcontracting**

No portion of the bid award may be subcontracted to another chemical manufacturer or supplier without the prior written approval of all of the participating BACC agencies.

### **3.13 Laws and Regulations**

All applicable State of California and Federal laws, City, County, and Special District ordinances, licenses, and regulations of all participating BACC agencies having jurisdiction must apply during the contract period, including any applicable State or local health order related to COVID-19.

### **3.14 Insurance**

For services requiring the supplier's or their subcontractor's presence on any BACC agency property, the successful bidder must acquire and maintain at their expense for the duration of the term of the contract the following insurance policies: Workers' Compensation, Employer's Liability, Commercial General Liability, Business Vehicle and Automobile Liability, and Contractor's Pollution Liability Insurance coverage from insurers either (i) admitted by the California Insurance Commissioner to do business in the State of California and rated no less than A.M. Best's rating of no less than A:VII, or (ii) authorized by the BACC agency's risk manager(s) or his/her designee at any time in his/her sole discretion, all relating to the

supplier's services to be performed hereunder covering the BACC agency's risks. The minimum amounts of coverage, and the breadth of coverage, corresponding to the aforesaid categories of insurance per insurable event, must be as follows, however, the insurance limits available to each participating BACC agency, their officers, officials, employees, agents and volunteers as additional insured parties, shall be the greater of the minimum limits specified herein or the full limit of any insurance proceeds available to the named insured:

INSURANCE CATEGORY	MINIMUM LIMITS
Workers' Compensation Insurance	California Statutory Minimum
Employer's Liability Insurance	\$2,000,000 per accident, and \$1,000,000 per employee for bodily injury or disease.
Commercial General Liability Insurance	\$5,000,000 per occurrence for bodily injury, personal injury, and property damage.
Business Vehicle and Automobile Liability Insurance	\$2,000,000 per accident for bodily injury and property damage.
Contractor's Pollution Liability	\$1,000,000 per occurrence, \$2,000,000 policy aggregate.

Prior to commencement of any performance under the contract, the successful bidder must furnish to each participating BACC agency an original Certificate of Insurance, and copies of information or declaration pages for the insurance required with respect to evidence of all policies of insurance required as noted above. All policies of insurance must be endorsed to name the respective BACC agency, their officials, officers, employees, agents, and volunteers as additional insured parties. For any claims related to the contract, bidder's insurance coverage shall be primary insurance with respect to each participating BACC agency, their officials, officers, employees, agents and volunteers. Any insurance or self-insurance maintained by any BACC agency party, their officials, officers, employees, agents and volunteers shall be excess of the bidder's insurance and shall not contribute with it. The successful bidder will be responsible for contacting each participating BACC agency to ascertain the proper name or names of the agency specific entities to be included in the endorsements.

The successful bidder must also provide each participating BACC agency with a MSC-90 endorsement, required for transporters of hazardous materials and/or wastes.

The successful bidder hereby agrees to waive subrogation which any insurer of the bidder may acquire from vendor by virtue of the payment of any loss. Bidder agrees to obtain and provide to each BACC agency any endorsement that may be necessary to affect this waiver of subrogation. The Workers' Compensation policy shall be endorsed with a waiver of subrogation in favor of each participating BACC agency for all work performed by the bidder, its employees, agents and subcontractors.

The successful bidder must maintain the required insurance at all times while the contract is in effect, and must replace any certificate, policy or endorsement which will expire prior to that date. All policies of insurance must be endorsed to provide the required insurance and must not be suspended, voided,

reduced, canceled, or allowed to expire except on thirty (30) days prior written notice to each participating BACC agency. The Certificate of Insurance must have a cancellation statement worded as follows: *"Should any of the above described policies be cancelled before the expiration date thereof, the issuing company must mail thirty calendar (30) written notice to the Certificate holder named to the left."*

#### **4. TERMS AND CONDITIONS**

##### **4.1 Indemnification**

To the fullest extent allowed by law, the successful bidder and its employees, subcontractors, and agents shall defend, indemnify, and save and hold harmless each participating BACC agency, its officers, agents, employees and volunteers from any claims, suits or actions of every name, kind and description brought forth, or on account of, injuries to or death of any person (including but not limited to workers and the public), or damage to property, resulting from or arising out of the successful bidder's or its personnel, employees, agents, or subcontractors' willful misconduct or negligent act or omission while engaged in the performance of services described in this bid document, except those matters arising from the participating BACC agency's sole negligence or willful misconduct. The parties intend that this provision shall be broadly construed.

This indemnification includes, without limitation, the payment of all penalties, fines, forfeitures, judgments, awards, decrees, attorney's fees, and related costs or expenses, and the reimbursement of any BACC agency, its officials, officers, employees, agents, and volunteers for all legal expenses and costs incurred by each of them.

The successful bidder's responsibility for such defense and indemnity obligations shall survive the termination or completion of the contract for the full period of time allowed by law. The defense and indemnity obligations of the contract are undertaken in addition to, and shall not in any way be limited by, the insurance obligations contained in the contract.

If the successful bidder should subcontract all or any portion of the work to be performed under the contract, the successful bidder shall require each subcontractor to indemnify, hold harmless and defend each participating BACC agency and each of its officials, officers, employees, agents and volunteers in accordance with the terms of the preceding paragraphs.

##### **4.2 Bid Protests**

Any bid protest must be submitted electronically via email to the BACC Coordinator before 3:30 p.m. on the fifth (5th) business day following bid opening (jdyment@bacwa.org).

- a. The protest document must be provided as one PDF and must contain a complete statement of the basis for the protest and all supporting documentation and evidence.
- b. The party filing the protest must have actually submitted a bid for the chemical. A subcontractor of a party submitting a bid for the chemical may not submit a bid protest. A party may not rely on the bid protest submitted by another bidder, but must timely pursue its own protest.

- c. The protest must refer to the specific portion of the bid document which forms the basis for the protest.
- d. The protest must include the name, address and telephone number of the person representing the protesting party.
- e. The party filing the protest must concurrently transmit a copy of the protest document and any attached documentation to all other parties with a direct financial interest which may be adversely affected by the outcome of the protest. Such parties shall include all other bidders who appear to have a reasonable prospect of receiving an award depending upon the outcome of the protest.
- f. BACC will give the bidder that is the subject of the protest five (5) business days after the receipt of the protest to submit a written response. The responding bidder shall submit the response to the protesting bidder concurrent with delivery to BACC.
- g. The procedure and time limits set forth in this paragraph are mandatory and are the bidder's sole and exclusive remedy in the event of bid protest. All protests and responses received after the time set forth herein will be rejected. The bidder's failure to comply with these procedures shall constitute a waiver of any right to further pursue the bid protest.
- h. BACC will not be responsible for any delays or transmission errors. The protesting bidder accepts all risk of late delivery of electronic protests. It is the protesting bidder's responsibility to ensure that a submittal protest is received by the bid coordinator listed in this solicitation by the due date and time. Protesting bidders should contact the bid coordinator to make sure that their electronic submittal has gone through.
- i. If BACC determines that a protest is frivolous, the protesting bidder may be determined to be non-responsible and that bidder may be determined to be ineligible for future contract awards.

#### **4.3 Equal Opportunity**

The successful bidder must agree not to refuse the hire, discharge, promote, or to otherwise discriminate in the matters of compensation against any person otherwise qualified solely because of race, creed, sex, national origin, ancestry, or physical handicap. It must be a condition that any company firm or corporation supplying goods or services, must be in compliance with the Americans with Disabilities (ADA) Act of 1990. A certificate stating compliance with the ADA may be required, upon request, by any BACC agency.

#### **4.4 Modification of Contract**

This bid solicitation document including the bid contract documents, in conjunction with each BACC agency's purchase order, purchase agreement and / or contract, will constitute the entire contract between each BACC agency and the successful bidder. The contract may not be modified, altered, or amended except by the mutual written agreement of the respective BACC agency and the successful bidder.

#### **4.5 Common Language**

Unless otherwise specified in this document, all words must be given their plain, common and ordinary meaning unless the context in which they are used clearly requires a different meaning. Words in the singular number include the plural, and in the plural include the singular. Additionally, words in the masculine gender include the feminine and the neuter, and when the sense so indicates, words of the neuter gender may refer to any gender.

#### **4.6 Proprietary Information**

All information included in any bid proposal that is of a propriety nature must be clearly marked as such. Each BACC agency must be held harmless from any claims arising from the release of proprietary information not clearly designated as such by the Bidder.

#### **4.7 Patent Guarantee**

The bidder must, with respect to any bidder's standard products, indemnify, defend and hold harmless each participating BACC agency, its employees and agents, from any and all costs and damages because of claims or litigation on account of infringement or alleged infringement of any letters patent or patent rights by reason of the sale or normal use of such products, provided that the bidder is promptly notified of all such actual or potential infringement suits, and is given an opportunity to participate in the defense of the participating BACC agencies.

#### **4.8 Quality Control**

The bidder's chemical may be inspected and/or sampled before, during, or after any delivery and tested to confirm compliance with all of the specifications. Persistent clogging, deliveries containing significant amounts of debris, and/or chemical not meeting the technical specifications will be considered to be deficiencies. If deficiencies are detected, the chemical will be rejected and the bidder will be required to remove and replace any and all of the chemical and clean the associated tanks and piping that are contaminated by a delivery that is determined to be deficient, at no cost to the participating BACC agency. If the bidder fails to remove and replace the deficient chemical in a timely manner after being notified of the problem by the participating agency, the participating agency may remove and dispose of the contaminated chemical and clean the chemical storage tank or tanks and the associated piping all at the bidder's expense. Payment for the delivered chemical will not be made until the defects are corrected and the chemical is properly replaced and accepted. Repeat failures to comply with the specifications must constitute grounds for termination of the contract.

#### **4.9 Term of Contract**

The term of the contract between the respective BACC agency and the successful bidder will be twelve (12) months commencing July 1, 2024, and expiring June 30, 2025, with an option to extend the contract on a year-to-year basis, not to exceed three (3) yearly renewals if conditions and service are satisfactory to both the respective BACC agency and the successful bidder. The price for any succeeding periods of service shall be determined by negotiation between the respective BACC agency and the successful bidder.

#### **4.10 Good Faith Bidding and Contracting**

The participating BACC agencies listed on this bid solicitation are bidding in good faith and have agreed not to extend an existing bid in lieu of contracting with the lowest responsive bidder. However, nothing in this bid solicitation shall prevent a BACC agency from rejecting all bids and separately procuring the services they require, if deemed in the best interest of their respective agency.

#### **4.11 Termination of Contract**

Any BACC agency may terminate their contract with the successful bidder for any reason by providing the successful bidder written notice of termination, and specifying the effective date thereof, at least thirty (30) days before the effective date. Termination of the contract by one BACC agency does not affect the contractual relationship between the successful bidder and any other BACC agency.

#### **4.12 Termination for Cause**

In the event of a breach of any term or provision of the contract by the successful bidder, a BACC agency may terminate the contract with respect to supply of chemicals for that agency by providing the successful bidder with written notice of such termination, and specifying the effective date thereof, at least ten (10) days before the effective date. Termination of the contract by one BACC agency does not affect the contractual relationship between the successful bidder and any other BACC agency.

#### **4.13 Effect of Termination**

Any termination by a BACC agency, with or without cause, must not affect the validity of the contract between the successful bidder and any other BACC agency, nor must such action affect any rights, remedies, or obligations of the successful bidder or any other BACC agency.

#### **4.14 Assignment**

The successful bidder must under no circumstances assign the contract without the prior written consent of each participating BACC agency. Any assignment, or attempt at assignment, made without such consent of each participating BACC agency may be considered a breach of contract.

#### **4.15 Competitiveness and Integrity**

The participating BACC agencies have assigned control of the acquisition process to the BACC coordinating agency identified in the *Notice Inviting Sealed Bids* of this document, to prevent biased evaluations and to preserve the competitiveness and integrity of such acquisition efforts. Bidders are to direct all communications regarding this bid to the designated BACC Coordinator, unless otherwise specifically noted, or unless approved in writing by the BACC Coordinator. Attempts by bidders to circumvent this requirement will be viewed negatively and may result in rejection of the offending bidder's offer. The BACC Coordinator may refer communications to other participating BACC agencies for clarification.

-END OF SECTION-

## **SECTION II**

**BAY AREA CHEMICAL CONSORTIUM  
PRODUCT TECHNICAL SPECIFICATIONS  
FOR BID NO. 13-2024  
SODIUM HYPOCHLORITE**



**PRODUCT TECHNICAL SPECIFICATIONS**  
**12.5% SODIUM HYPOCHLORITE FOR BOTH POTABLE AND NON-POTABLE USES**

1. Chemical and Physical Properties:

All sodium hypochlorite supplied under this bid must conform to the current version of the American Water Works Association (AWWA) B300-18 Standard for Hypochlorite, the American National Standards Institute/National Sanitation Foundation Standard 60-2005 (ANSI/NSF 60) Drinking Water Treatment Chemicals, except as modified or supplemented herein. Current AWWA B300-18 and ANSI/NSF 60 certification for the manufacturing facility of facilities is required with the submission of the bid. It is the responsibility of the vendor to inform the participating BACC Agencies (within 24 hours, from the time of verbal or written notification) that NSF certification has been revoked or lapsed. Loss of NSF certification shall constitute sufficient grounds for immediate termination of the contract. Bill of Lading must clearly identify product delivered to be AWWA B300-18 and ANSI/NSF 60 certified by stamp or type written statement – no handwritten notation will be accepted. Failure to provide clear identification that the product meets the AWWA and ANSI/NSF specifications will result in rejection of the load at no cost to the BACC Agency.

2. Disclaimer: The sodium hypochlorite must contain nothing that will adversely affect the public water supply, or be injurious to typical sodium hypochlorite feeding equipment.

3. Documentation: The successful Supplier must provide documentation as specified and required under Title 22, California Code of Regulations, Chapter 16, Article 7, §64590, prior to the start of the contract for the sodium hypochlorite.

4. General Specifications:

pH	pH12-13
Available Chlorine	12.5 wt% minimum
Available Chlorine	125 grams/Liter minimum
Total Free Alkali (as NaOH)	≤ 1.5% by weight
Insoluble Matter	≤ 0.15% by weight
Age of Product at Delivery	3 days (72 hours) maximum

Sodium Hypochlorite should be stored in a dark area where the temperature does not exceed 80° F (i.e. 30° C) prior to delivery. Preferably sodium hypochlorite should be stored at temperatures below 68° F (i.e. 20° C) prior to delivery.

5. Contaminant Concentration Limits:

Iron	<1.0 mg/L	Nickel (Ni <sup>2+</sup> )	<0.1 mg/L
Copper ](Cu <sup>+2</sup> )	<0.1 mg/L	Cobalt	<0.1 mg/L
Chlorate	<2,380 mg/L		

6. Filtration Limitations: 100 mL of the sodium hypochlorite product supplied under this contract must pass through a 0.8 micron filter (Millipore, Type AA) under vacuum (25 inches Hg) within 30 minutes. Plant staff may conduct this test prior to accepting a delivery.

7. Certificate of Analysis:

a. A certificate of analysis prepared by a reputable outside laboratory or bidder's in-house laboratory if ISO certified, shall be submitted for each liquid sodium hypochlorite delivery. The certificate of analysis shall be based on a representative sample of the specific batch or lot of chemical currently being used to make deliveries. This report shall contain the following:

- Date of manufacture
- Date of delivery
- Shipper ID
- pH

- Specific gravity
- Density @ 60°F
- Insoluble Matter
- Available Chlorine: Percent by weight and pounds per gallon
- Total free alkali (expressed as NaOH): Percent by weight and pounds per gallon
- Excess NaOH: Percent by weight and pounds per gallon
- Excess Na<sub>2</sub>CO<sub>3</sub>: Percent by weight and pounds per gallon

No deliveries will be accepted by the BACC Agency unless accompanied by said certificate of analysis for the specific batch or lot of chemical delivered and the quality specifications listed in the bid contract documents are met.

- b. Charges for certificate of analysis shall be included in the bid price.
- c. Failure to supply the required certificate of analysis shall be sufficient cause to reject the load. A certificate of analysis that does not meet current version of the AWWA Standard B300-18 shall be cause to reject the load.

8. Liquid sodium hypochlorite supplied under this contract shall not cause excessive scaling of feed lines when combined with carriage water. Excessive scaling is defined as plugging of, or precipitation in, the chlorine solution lines that causes disruption of flow. The liquid sodium hypochlorite shall be free from contaminating substances which could interfere with normal operation of BACC Agency facilities by causing clogging or blockage of feed lines, valves, strainers, or measuring devices.

## **SECTION III – 1**

**BAY AREA CHEMICAL CONSORTIUM  
ESTIMATED ANNUAL QUANTITIES  
FOR BID NO. 13-2024  
SODIUM HYPOCHLORITE**

**BAY AREA CHEMICAL CONSORTIUM**  
**ESTIMATED ANNUAL QUANTITIES FOR FISCAL YEAR 2024/2025**  
**BID NO. 13-2024**

	Unit of Measure	Estimated Annual Qty for Treatment Applications:	
		Water	Wastewater
<b>Sodium Hypochlorite 12.5%</b>	<b>gal</b>	<b>3,232,618</b>	<b>8,106,000</b>
<b><u>Central Valley</u></b>			
City of Merced	gal	85,000	0
City of Stockton	gal	350,000	500,000
City of Turlock	gal	65,000	657,000
Oakwood Lake Water District	gal	6,000	0
Stanislaus Regional Water Authority	gal	291,818	0
		<b>797,818</b>	<b>1,157,000</b>
<b><u>East Bay</u></b>			
Alameda County Water District	gal	282,000	0
City of Hayward	gal	0	250,000
City of San Leandro	gal	0	215,000
Oro Loma Sanitary District	gal	0	208,000
Union Sanitary District	gal	0	900,000
		<b>282,000</b>	<b>1,573,000</b>
<b><u>Marin Sonoma</u></b>			
Central Marin Sanitation Agency	gal	0	240,000
City of Mill Valley - Sewerage Agency of Southern Marin	gal	0	60,000
County of Sonoma	gal	28,800	0
Las Gallinas Valley Sanitary District	gal	0	120,000
Marin Municipal Water District	gal	220,000	0
Napa Sanitation District	gal	0	310,000
North Marin Water District	gal	3,200	0
Sanitary District No. 5 of Marin County	gal	0	36,000
Sausalito Marin City Sanitary District	gal	0	60,000
		<b>252,000</b>	<b>826,000</b>

**ESTIMATED ANNUAL QUANTITIES FOR FISCAL YEAR 2024/2025**

**BID NO. 13-2024**

	Unit of Measure	Estimated Annual Qty for Treatment Applications:	
		Water	Wastewater
<b><u>North Bay</u></b>			
Central Contra Costa Sanitary District	gal	0	450,000
City of Antioch	gal	225,000	0
City of Brentwood	gal	0	140,000
City of Martinez	gal	55,000	0
City of Pinole (Pinole/Hercules WPCP)	gal	0	115,000
Contra Costa Water District	gal	352,000	0
Delta Diablo Sanitation District	gal	0	390,000
Diablo Water District	gal	7,500	0
Ironhouse Sanitary District	gal	0	8,000
Pleasant Hill Recreation & Park District	gal	4,700	0
Rodeo Sanitary District	gal	0	50,000
Town of Discovery Bay CSD	gal	28,000	0
West County Wastewater District	gal	0	290,000
		<b>672,200</b>	<b>1,443,000</b>
<b><u>Peninsula</u></b>			
City of South San Francisco	gal	0	165,000
City of Daly City/North San Mateo County Sanitation	gal	0	135,000
City of Millbrae	gal	0	65,000
City of San Mateo	gal	0	400,000
Sewer Authority Mid-Coastside	gal	0	120,000
		<b>0</b>	<b>885,000</b>
<b><u>Sacramento</u></b>			
Carmichael Water District	gal	45,000	0
City of Roseville	gal	247,900	125,000
City of Sacramento	gal	0	192,000
City of Yuba City	gal	10,000	0
El Dorado Irrigation District	gal	245,000	40,000
Nevada Irrigation District	gal	45,000	0
Sacramento County Water Agency	gal	200,000	0
		<b>792,900</b>	<b>357,000</b>
<b><u>South Bay</u></b>			
City of Morgan Hill	gal	15,000	0
City of Santa Clara	gal	35,000	0
City of Sunnyvale	gal	0	160,000
City of Watsonville	gal	0	60,000
San Jose - Santa Clara Regional Wastewater Facility	gal	0	1,040,000
		<b>50,000</b>	<b>1,260,000</b>

**ESTIMATED ANNUAL QUANTITIES FOR FISCAL YEAR 2024/2025**

**BID NO. 13-2024**

	Unit of Measure	Estimated Annual Qty for Treatment Applications:	
		Water	Wastewater
<u>Tri Valley</u>			
City of Livermore	gal	0	260,000
Dublin San Ramon Services District	gal	5,700	345,000
Zone 7 Water Agency	gal	380,000	0
		<b>385,700</b>	<b>605,000</b>
Sodium Hypochlorite 12.5% in 275 gal totes (OPTIONAL BID ITEM)	gal	2,200	2,750
<u>Central Valley</u>			
City of Stockton	gal	0	2,750
		<b>0</b>	<b>2,750</b>
<u>North Bay</u>			
Contra Costa Water District	gal	2,200	0
		<b>2,200</b>	<b>0</b>
<u>Sodium Hypochlorite 12.5% in Carboys (OPTIONAL BID ITEM)</u>			
	gal	0	16,000
<u>Marin Sonoma</u>			
County of Sonoma	gal	0	16,000
		<b>0</b>	<b>16,000</b>
<u>Sodium Hypochlorite 5.25% (OPTIONAL BID ITEM)</u>			
	gal	95,000	0
<u>Sacramento</u>			
Nevada Irrigation District	gal	95,000	0
		<b>95,000</b>	<b>0</b>

## **SECTION III – 2**

**BAY AREA CHEMICAL CONSORTIUM  
DELIVERY DETAILS  
FOR BID NO. 13-2024  
SODIUM HYPOCHLORITE**

**BAY AREA CHEMICAL CONSORTIUM  
DELIVERY DETAILS  
BID NO. 13-2024  
SODIUM HYPOCHLORITE 12.5%**

*The frequency of deliveries and typical delivery size are estimates of anticipated usage for a 12-month period and are given for informational purposes only and are not used in any calculations to determine the lowest overall bid (Section I, Paragraph 2.16 Method of Award).*

<u>Per Region, Agency and Delivery Facility Name and Location</u>			<u>Frequency of Deliveries</u>	<u>Typical Delivery Size</u>
<b><u>CENTRAL VALLEY</u></b>				
<b>City of Merced</b>				
City of Merced WWTF	10260 Gove Road	Merced, Ca. 95340	approximately every two weeks	Full load, Approx 4,000 gallons
<b>City of Stockton</b>				
Delta Water Supply Plant	11373 N. Lower Sacramento Road	Lodi	2-5x per month	5,000 gallons
NSPAF	4502 White Forge Drive	Stockton	2-3x per month	120-300 gal
Stockton Regional Wastewater Control Facility	2500 Navy Drive	Stockton	As needed	3 totes
Stockton Regional Wastewater Control Facility	2500 Navy Drive	Stockton	1-3x per week	5,000 gallons
Well #10R	2418 Arden Way	Stockton	2-3x per month	120-300 gallons
Well #27	1696 Bonaire Cir	Stockton	2-3x per month	120-300 gallons
Well #29	10442 Muir Woods Ave	Stockton	2-3x per month	120-300 gallons
Well #30	6373 Brook Hallow Circle	Stockton	2-3x per month	120-300 gallons
Well #31	3871 Ivano Lane	Stockton	2-3x per month	120-300 gallons
Well #32	9151 S. 99 Frontage Road	Stockton	2-3x per year	120-300 gallons
Well #3R	7400 N. West Lane	Stockton	2-3x per month	120-300 gallons
Well SSS8	4151 Logan Ln,	Stockton	5x per month	60 gallons



**BAY AREA CHEMICAL CONSORTIUM  
DELIVERY DETAILS  
BID NO. 13-2024  
SODIUM HYPOCHLORITE 12.5%**

*The frequency of deliveries and typical delivery size are estimates of anticipated usage for a 12-month period and are given for informational purposes only and are not used in any calculations to determine the lowest overall bid (Section I, Paragraph 2.16 Method of Award).*

<u>Per Region, Agency and Delivery Facility Name and Location</u>			<u>Frequency of Deliveries</u>	<u>Typical Delivery Size</u>
<b>City of Turlock</b>				
NW Storage Tank	4706 Fulkerth	Turlock	weekly	250 gal
SE Storage Tank	401 Third St	Turlock	weekly	250 gal
SW Storage Tank	512 S Kilroy	Turlock	weekly	250 gal
Turlock Regional Water Quality Control Facility	901 S. Walnut Rd	Turlock	2-3x per week	5,000 gallons
Well 13	1261 E. Canal Dr	Turlock	weekly	160 gal
Well 15	1500 W Main St	Turlock	weekly	55 gal
Well 20	1200 Monte Vista Ave	Turlock	weekly	250 gal
Well 22	120 E Linwood Ave	Turlock	weekly	160 gal
Well 24	1900 N Qunicy Rd	Turlock	weekly	405 gal
Well 27	420 E Zeering	Turlock	weekly	250 gal
Well 28	2080 W Tuolumne Rd	Turlock	weekly	160 gal
Well 29	201 E Hawkeye Ave	Turlock	weekly	160 gal
Well 30	991 S Orange St	Turlock	weekly	160 gal
Well 31	3761 N Walnut Rd	Turlock	weekly	160 gal
Well 32	1623 Alex Way	Turlock	weekly	250 gal
Well 33	500 S Berkeley Ave	Turlock	weekly	250 gal
Well 34	600 Dianne Dr	Turlock	weekly	160 gal
Well 36	1317 N Soderquist Rd	Turlock	weekly	160 gal
Well 37	4700 Crowell Rd	Turlock	weekly	405 gal
Well 38	2919 W Christoffersen Parkway	Turlock	weekly	405 gal
Well 39	3900 Wellington Ln	Turlock	weekly	160 gal
Well 40	501 S Walnut	Turlock	weekly	160 gal
<b>Oakwood Lake Water District</b>				
Wastewater Treatment Plant	4396 Aplicella Ct	Manteca	6x per year	500 gallons
Well 3	3757 W. Woodward Ave	Manteca	6x per year	250 gallons
Well 4	1656 Bella Lago Way	Manteca	6x per year	250 gallons

**BAY AREA CHEMICAL CONSORTIUM  
DELIVERY DETAILS  
BID NO. 13-2024  
SODIUM HYPOCHLORITE**

*The frequency of deliveries and typical delivery size are estimates of anticipated usage for a 12-month period and are given for informational purposes only and are not used in any calculations to determine the lowest overall bid (Section I, Paragraph 2.16 Method of Award).*

<u>Per Region, Agency and Delivery Facility Name and Location</u>			<u>Frequency of Deliveries</u>	<u>Typical Delivery Size</u>
<b>Stanislaus Regional Water Authority</b>				
Stanislaus Regional Water Authority Water Treatment	1235 Aldrich Rd.	Hughson, CA	1-2 times per week	5,000 gallons
<b><u>EAST BAY</u></b>				
<b>Alameda County Water District</b>				
Blending Facility	1111 Mowry Ave	Fremont	1x per 2 weeks	4,000 gallons
Newark Desalination Facility	6833 Redeker Place	Newark	1x per 2 weeks	3,000 gallons
Water Treatment Plant No. 2	42436 Mission Blvd.	Fremont	1-2 times per week	4,000 gallons
<b>City of Hayward</b>				
Water Pollution Control Facility	3700 Enterprise Avenue	Hayward	3-4 times per month	5,000 gallons
<b>City of San Leandro</b>				
City of San Leandro Satellite Station	2.5 miles south of treatment plant	San Leandro	Every 1-2 Weeks During Dry Season	1,000 gallons
Wastewater Treatment Plant	3000 Davis St	San Leandro	Every 1-2 weeks	2,500-5000 gallons
<b>Oro Loma Sanitary District</b>				
Oro Loma Sanitary District	2600 Grant Avenue	San Lorenzo	Weekly	4,000 gallons
<b>Union Sanitary District</b>				
Union Sanitary District	5072 Benson Road	Union City	14-17 x per month	5,000 gallons
<b><u>MARIN SONOMA NAPA</u></b>				
<b>Central Marin Sanitation Agency</b>				
Central Marin Sanitation Agency	1301 Andersen Drive	San Rafael	1x per week; 3-4x per week in wet weather	5,000 gallons
<b>City of Mill Valley - Sewerage Agency of Southern Marin</b>				
Sewerage Agency of Southern Marin	450 Sycamore Ave	Mill Valley	six weeks	4,500 gallons
<b>County of Sonoma</b>				
Airport/Larkfield/Wikiup Wastewater Treatment Plant	800 Aviation Blvd	Santa Rosa	Quarterly	800-1000 gals
Geyserville Wastewater Treatment Plant	155 Hamilton Lane	Geyserville	Quarterly	800-1000 gals
Spring Lake Park	393 Violetti Rd	Santa Rosa	1 per week	600-1000 gals
<b>Las Gallinas Valley Sanitary District</b>				
Las Gallinas Valley Sanitary District Wastewater Treatment Plant	300 Smith Ranch Road	San Rafael	2x per month average	5,000 gallons

**BAY AREA CHEMICAL CONSORTIUM  
DELIVERY DETAILS  
BID NO. 13-2024  
SODIUM HYPOCHLORITE 12.5%**

*The frequency of deliveries and typical delivery size are estimates of anticipated usage for a 12-month period and are given for informational purposes only and are not used in any calculations to determine the lowest overall bid (Section I, Paragraph 2.16 Method of Award).*

<u>Per Region, Agency and Delivery Facility Name and Location</u>				<u>Frequency of Deliveries</u>	<u>Typical Delivery Size</u>
<b>Marin Municipal Water District</b>					
MMWD Bon Tempe	Filter Plant Road	Fairfax		24x per year	not less than 2,000 gallons
MMWD Ignacio Pump Station	13 Hamilton Drive	Novato		11x per year	not less than 2,000 gallons
MMWD San Geronimo	330 San Geronimo Valley Road	Woodacre		34x per year	4,000 gallons
<b>North Marin Water District</b>					
North Marin Water District Deer Island Reclaim Waer Facility	Hwy 37 between Atherton Ave & Hwy 101	Novato		One delivery late spring	1,000 gallons
North Marin Water District Point Reyes Treatment Plant	End of Commodore Webster	Point Reyes Station		Approximately every 6 weeks	200 gallons
<b>Sanitary District No. 5 of Marin County</b>					
	2001 Paradise Drive	Tiburon		1x per month	3,000 gallons
<b>Sausalito Marin City Sanitary District</b>					
Treatment Plant / District Office	1 East Road	Sausalito		1x per month	5,000 gallons, Tanker truck, Receiving hours 6am-1pm M-F
<b><u>NORTH BAY</u></b>					
<b>Central Contra Costa Sanitary District</b>					
CCCSD	5019 Imhoff Place	Martinez		2-3x weekly	5,000 gallons
<b>City of Antioch</b>					
City of Antioch Water Treatment Plant	401 Putnam Street	Antioch		2x weekly	5,000 gallons
<b>City of Brentwood</b>					
Brentwood Wastewater Treatment Plant	2251 Elkins Way	Brentwood, CA		2x per month	5,000 gallons
<b>City of Martinez</b>					
City of Martinez Water Treatment Plant	3003 Pacheco Blvd	Martinez		2x per month	2,500 gallons
<b>City of Pinole (Pinole/Hercules WPCP)</b>					
City of Pinole	11 Tennent Avenue	Pinole		Every 2 weeks	5000 gallons

**BAY AREA CHEMICAL CONSORTIUM  
DELIVERY DETAILS  
BID NO. 13-2024  
SODIUM HYPOCHLORITE 12.5%**

*The frequency of deliveries and typical delivery size are estimates of anticipated usage for a 12-month period and are given for informational purposes only and are not used in any calculations to determine the lowest overall bid (Section I, Paragraph 2.16 Method of Award).*

<u>Per Region, Agency and Delivery Facility Name and Location</u>			<u>Frequency of Deliveries</u>	<u>Typical Delivery Size</u>
<b>Contra Costa Water District</b>				
Bollman Water Treatment Plant	2015 Bates Ave	Concord	approx 40x per year between 7:00 am to 2:00 pm	4,500 - 5,000 gallons
Brentwood Water Treatment Plant	3760 Neroly Rd	Oakley	approx 20x per year	4,500 - 5,000 gallons
Pinehollow Pump Station	Grasswood Ct	Concord	1x per year	2 x 550 gallon tanks
Randall-Bold Water Treatment Plant	3760 Neroly Rd	Oakley	approx 2x during plant shutdowns Nov-Apr	330 gallons
Willow Pass Pump Station	1920 Clayton Way	Concord	Approx 2 times during plant shutdown Nov-Apr	330 gallons
<b>Delta Diablo Sanitation District</b>				
Delta Diablo	2500 Pittsburg-Antioch Hwy	Antioch	2 times per week	4,500 gallons
<b>Diablo Water District</b>				
Blending Facility	2201 Laurel Road	Oakley	Every 2.5 months	1,500 gallons
Chem Feed	3051 Ranch Rd	Bethel Island	Every 2 months	4 drums
Glen Park Well	401 Hill Ave	Oakley	Every 2 months	4 drums
South Park Well	4295 Summer Lakes Drive	Oakley	Every 2 months	2 drums
<b>Ironhouse Sanitary District</b>				
	450 Walnut Meadows Dr	Oakley	Once per quarter	2,000 gallons
<b>Pleasant Hill Recreation &amp; Park District</b>				
Pleasant Hill Aquatic Park	147 Gregory Lane	Pleasant Hill	May-Sept: once/month Oct-April: once every 3 months	650 gallons
<b>Rodeo Sanitary District</b>				
Rodeo Sanitary District	800 San Pablo Avenue	Rodeo	2x month, rarely 3x a month depending on rain/flows, and/or projects.	2,150 gallons
<b>Town of Discovery Bay CSD</b>				
Town of Discovery Bay - Newport WTP	1800 Newport Drive	Discovery Bay	1 x per week winter, 2 x per week summer	500 gal winter, 800-900 gal summer
Town of Discovery Bay -Willow WTP	1800 Willow Lake Road	Discovery Bay	1x per week winter, 2x per week summer	500 gal winter, 800-900 gal summer
<b>West County Wastewater District</b>				
Water County Wastewater District	2377 Garden Tract Road	Richmond	1x week (52 weeks) (could order more due to rain)	5,000 gallons

**BAY AREA CHEMICAL CONSORTIUM  
DELIVERY DETAILS  
BID NO. 13-2024  
SODIUM HYPOCHLORITE**

*The frequency of deliveries and typical delivery size are estimates of anticipated usage for a 12-month period and are given for informational purposes only and are not used in any calculations to determine the lowest overall bid (Section I, Paragraph 2.16 Method of Award).*

<u>Per Region, Agency and Delivery Facility Name and Location</u>			<u>Frequency of Deliveries</u>	<u>Typical Delivery Size</u>
<b><u>PENINSULA</u></b>				
<b>City of South San Francisco</b>				
South San Francisco - San Bruno Water Quality Control Plant	195 Belle Aire Road	South San Francisco	One Load Every 2 Weeks	4,800 gallons
<b>City of Daly City/North San Mateo County Sanitation District</b>				
Daly City Wastewater Plant	153 Lake Merced Blvd	Daly City	Every 7-14 days	4,000-4,500 gallons
<b>City of Millbrae</b>				
Water Pollution Control Plant	400 E. Millbrae Ave	Millbrae	1 every 3-4 weeks	4,800 gallons
<b>City of San Mateo</b>				
City of San Mateo WQCP	2050 Detroit Drive	San Mateo, CA	every 3-4 weeks	Full load
<b>Sewer Authority Mid-Coastside</b>				
	1000 N. Cabrillo Hwy	Half Moon Bay	Monthly	5,000 gallons / month
Montara Pump Station	16th St and Cabrillo Hwy	Montara	Monthly	2,500 gallons / month
Princeton Pump Station	West Point at Stanford Ave	Half Moon Bay	Monthly	2,500 gallons / month
<b><u>SACRAMENTO</u></b>				
<b>Carmichael Water District</b>				
Bajamont Water Treatment Plant	3501 Bajamont Way	Carmichael	9 per year	Full load, approx 5,000 gallons

**BAY AREA CHEMICAL CONSORTIUM  
DELIVERY DETAILS  
BID NO. 13-2024  
SODIUM HYPOCHLORITE 12.5%**

*The frequency of deliveries and typical delivery size are estimates of anticipated usage for a 12-month period and are given for informational purposes only and are not used in any calculations to determine the lowest overall bid (Section I, Paragraph 2.16 Method of Award).*

<u>Per Region, Agency and Delivery Facility Name and Location</u>				<u>Frequency of Deliveries</u>	<u>Typical Delivery Size</u>
<b>City of Roseville</b>					
Parks and Recs - Johnson Pool	100 D Street	Roseville 95661	Jan - Mar 1 time during 3 months; Apr - May 1 time per month; Jun - Sep 1 time per week; Oct - Dec 1 time per month.	400 - 1,200 gallons	
Parks and Recs - Mike Shellito Pool	10210 Fairway Dr	Roseville 95678	Jan - Mar 1 time per month Apr - May 2 times per month; Jun - Sep 2 times per month; Oct - Dec 1 time per month;	400 -500 gallons	
Parks and Recs - Roseville Aquatic Complex	3051 Woodcreek Oaks Blvd	Roseville 95747	Jan - Mar. 1 time per month Apr -May. 1 time per week Jun - Sep. 1 time per week Oct - Dec 1 time per month	800-1,500 gallons	
Pleasant Grove Wastewater Treatment Plant	5150 Westpark Dr	Roseville 95747	1 every 2 weeks Deliveries typically only April - October	Approx 5,000 gallons	
Roseville Energy Park	5120 Phillip Rd	Roseville 95747	10 per year	2500 gallons	
Roseville Water Treatment Plant	9595 Barton Rd	Granite Bay 95746	40x per year (2 per wk in summer, 1-2 per month in winter)	5,000 gallons	
Well 12	1745 Blue Oaks Blvd	Roseville 95747	Bi-Annually	250 gallons	
Well 18	4030 Solarie Drive	Roseville 95747	Bi-Annually	250 gallons	
Well 7	8301 Woodcreek Oaks Blvd	Roseville 95747	Bi-Annually	250 gallons	
Well 8	2100 Hayden Parkway	Roseville 95747	Bi-Annually	250 gallons	
Well 9	2275 Westbrook Boulevard	Roseville 95747	Bi-Annually	250 gallons	
Westside Tank	4501 Westpark Drive	Roseville 95747	Bi-Weekly	400 gallons	
<b>City of Sacramento</b>					
Combined Wastewater Treatment Plant	1391 35th Avenue	Sacramento	Rain dependent - can be multiple orders each week	4,800 gallons	
Pioneer Reservoir	2100 Front Street (cross street is V Street)	Sacramento	Rain dependent - can be multiple orders each week	4,800 gallons	

**BAY AREA CHEMICAL CONSORTIUM  
DELIVERY DETAILS  
BID NO. 13-2024  
SODIUM HYPOCHLORITE 12.5%**

*The frequency of deliveries and typical delivery size are estimates of anticipated usage for a 12-month period and are given for informational purposes only and are not used in any calculations to determine the lowest overall bid (Section I, Paragraph 2.16 Method of Award).*

<u>Per Region, Agency and Delivery Facility Name and Location</u>				<u>Frequency of Deliveries</u>	<u>Typical Delivery Size</u>
<b>City of Yuba City</b>					
Gauche Park City Swimming Pool	421 C Street	Yuba City		Weekly during summer; biweekly in winter	200-250 gals in summer; 125-200 gals in winter
<b>El Dorado Irrigation District</b>					
Deer Creek Wastewater Treatment Plant	1565 Deer Creek Rd	Cameron Park, CA 95682		Quarterly	5,000 gallons
EID Reservoir 1 Water	5575 Gilmore Rd	Pollock Pines, CA 95726		Quarterly	5,000 gallons
EID Reservoir A Water	5560 Sly Park Rd	Pollock Pines, CA 95726		Monthly	5,000 gallons
El Dorado Hills Wastewater Treatment Plant	4625 Latrobe Rd	El Dorado Hills, CA 95762		Bimonthly	5,000 gallons
El Dorado Hills Water Plant	1835 Francisco Dr	El Dorado Hills, CA 95762		Monthly	5,000 gallons
<b>Nevada Irrigation District</b>					
E. George Treatment Plant	11258 Banner Lava Cap Rd	Nevada City		5 loads per year 12.5%	5,000 gallons
Lake of the Pines (LOP) Treatment Plant	12812 Torrey Pines Dr	Auburn		4 loads per year 5.25%, 1 load per year 12.5%	5,000 gallons 5.25% and 5,000 gallons of 12.5%
Lake Wildwood Water Treatment Plant	14149 Beitler Road	Penn Valley		4 loads per year 5.25%, 1 load per year 12.5%. Driver must contact plant for escort.	5,000 gallons 5.25% and 5,000 gallons of 12.5%
Loma Rica Water Treatment Plant	13733 Loma Rica Dr	Grass Valley		5 loads per year 5.25%, 1 load per year 12.5%. Driver must contact plant for escort.	5,000 gallons 5.25% and 5,000 gallons of 12.5%
North Auburn Treatment Plant	12278 Locksley Lane	Auburn		6 loads per year 5.25%, 1 load per year 12.5%	5,000 gallons 5.25% and 5,000 gallons of 12.5%

**BAY AREA CHEMICAL CONSORTIUM  
DELIVERY DETAILS  
BID NO. 13-2024  
SODIUM HYPOCHLORITE 12.5%**

*The frequency of deliveries and typical delivery size are estimates of anticipated usage for a 12-month period and are given for informational purposes only and are not used in any calculations to determine the lowest overall bid (Section I, Paragraph 2.16 Method of Award).*

<u>Per Region, Agency and Delivery Facility Name and Location</u>			<u>Frequency of Deliveries</u>	<u>Typical Delivery Size</u>
<b>Sacramento County Water Agency</b>				
Big Horn Water Treatment Plant	8280 Civic Center Dr	Elk Grove	Average is once per month	3,000 gallons
Dwight Road Water Treatment Plant	3500 Dwight Rd	Elk Grove	Average is once per month	1,2000 gallons
East Elk Grove Water Treatment Plant	9960 Waterman Rd	Elk Grove	Average is once per month	3,000 gallons
Lakeside Water Treatment Plant	2280 Maritime Dr	El kGrove	Average is once per month	3,000 gallons
Poppy Ridge Water Treatment Plant	7510 Poppy Ridge	Elk Grove	Average is once per month	3,000 gallons
Vineyard Surface Water Treatment Plant	10151 Florin Road	Sacramento	Once or twice a week.	Full Tanker Delivery.
<b><u>SOUTH BAY</u></b>				
<b>City of Morgan Hill</b>				
Boys Ranch #2 Well	1000 Burnett Ave	Morgan Hill	1-2x per month	100 - 300 gallons
Boys Ranch #3 Well	1002 Burnett Ave	Morgan Hill	1-2x per month	100 - 300 gallons
Butterfield Well	17935 Calle Hermosa	Morgan Hill	1-2x per month	100 - 300 gallons
Diana #1 Well	200 Diana Ave	Morgan Hill	1-2x per month	100 - 300 gallons
Diana #2 Well	1420 Diana Ave	Morgan Hill	1-2x per month	100 - 300 gallons
Diana #3 Well	1000 Diana Ave	Morgan Hill	1-2x per month	100 - 300 gallons
Diana #4 Well	505 Diana Ave	Morgan Hill	1-2x per month	100 - 300 gallons
Dunne #1 & 2 Wells	100 E. Dunne Ave	Morgan Hill	1-2x per month	100 - 300 gallons
Jackson Well	2150 E. Dunne Ave	Morgan Hill	1-2x per month	100 - 300 gallons
Main #1 and #2 Well	470 E. Main Ave	Morgan Hill	1-2x per month	100 - 300 gallons
Main #3 Well	615 E. Main Ave	Morgan Hill	1-2x per month	100-300 gallons
Nordstrom Well	17002 Murphy Ave	Morgan Hill	1-2x per month	100 - 300 gallons
San Pedro Well	1240 San Pedro Ave	Morgan Hill	1-2x per month	100 - 300 gallons
<b>City of Santa Clara</b>				
DVR Power Plant	850 Duane Ave	Santa Clara, CA 95054	Every 6-8 days	500-800 gallons
<b>City of Sunnyvale</b>				
City of Sunnyvale Wastewater Treatment Plant	1444 Borregas Avenue	Sunnyvale	2-3 times per month	5,000 gallons
<b>City of Watsonville</b>				
Watsonville WWTF	500 Clearwater Lane	Watsonville	1x per month	Full truck load



**BAY AREA CHEMICAL CONSORTIUM  
DELIVERY DETAILS  
BID NO. 13-2024  
SODIUM HYPOCHLORITE 12.5%**

*The frequency of deliveries and typical delivery size are estimates of anticipated usage for a 12-month period and are given for informational purposes only and are not used in any calculations to determine the lowest overall bid (Section I, Paragraph 2.16 Method of Award).*

<u>Per Region, Agency and Delivery Facility Name and Location</u>				<u>Frequency of Deliveries</u>	<u>Typical Delivery Size</u>
<b>San Jose - Santa Clara Regional Wastewater Facility</b>					
San Jose Regional Wastewater Facility	700 Los Esteros Rd	San Jose		4 loads per week	5,000 gallons (full tanker)
<b><u>TRI VALLEY</u></b>					
<b>City of Livermore</b>					
	101 West Jack London Blvd	Livermore		Weekly	5,000 gallons
<b>Dublin San Ramon Services District</b>					
FOD Reservoir 1A	8218 Rhoda Ave	Dublin		14x per year	360 gallons (split between 3 sites - 120 gals each)
FOD Reservoir 3B	7541 Brigadoon Way	Dublin		14x per year	360 gallons (split between 3 sites - 120 gals each)
Regional Wastewater Treatment Facility	7399 Johnson Drive	Pleasanton		70x per year (about 6x per month)	4,400 gallons
Water Recycling Plant (DERWA)	7399 Johnson Drive	Pleasanton		8x per year during summer	4,400 gallons
<b>Zone 7 Water Agency</b>					
Del Valle Water Treatment Plant	901 East Vineyard Ave	Livermore		4 per month	4,800 gallons
MGDP (M4)	5215 Stoneridge Dr	Pleasanton		1 per month	2,500 gallons
Patterson Pass Water Treatment Plant	8750 Patterson Pass Road	Livermore		2 per month	4,800 gallons

## **SECTION III – 3**

**BAY AREA CHEMICAL CONSORTIUM  
PARTICIPATING MEMBER AGENCY CONTACT LIST  
FOR BID NO. 13-2024  
SODIUM HYPOCHLORITE**

**BAY AREA CHEMICAL CONSORTIUM  
PARTICIPATING MEMBER AGENCY CONTACT LIST  
BID NO. 13-2024  
SODIUM HYPOCHLORITE**

**Central Valley**

**CITY OF MERCED**

Wastewater Treatment Facility 10260 Gove Road Merced, CA 95340

Charles Slagter

SlagterC@cityofmerced.org

**CITY OF STOCKTON**

Municipal Utilities Department 2500 Navy Drive Stockton, CA 95206

Kathryn Garcia Program Manager III - Wastewater

Kathryn.Garcia@stocktonca.gov

209-937-8232

**CITY OF TURLOCK**

156 S Broadway, #270 Turlock, CA 95380

David Huff

dhuff@turlock.ca.us

Carlos Guerrero Utilities Manager

cguerrero@turlock.ca.us

Nicole Mann

nmann@turlock.ca.us

Raquel Brasil

rbrasil@turlock.ca.us

**OAKWOOD LAKE WATER DISTRICT**

PO Box 77980 Stockton, CA 95267

Casey Wichert Operations Department

caseywichert@valleyoperators.com

209-483-5525

Bert Michalczyk Consultant

bert.michalczyk@gmail.com

209-239-2481

Lynne Wichert Billing Department

lynnewichert@valleyoperators.com

209-239-2481

**STANISLAUS REGIONAL WATER AUTHORITY**

1235 Aldrich Rd. Hughson, CA 95326

Janice Virgo SRWA Staff Services Assistant

jvirgo@turlock.ca.us

(209)542-4948

Salena Estrada

sestrada@turlock.ca.us

Michael Powell

mpowell@turlock.ca.us

**BAY AREA CHEMICAL CONSORTIUM  
PARTICIPATING MEMBER AGENCY CONTACT LIST  
BID NO. 13-2024  
SODIUM HYPOCHLORITE**

**East Bay**

**ALAMEDA COUNTY WATER DISTRICT**

43885 South Grimmer Blvd Fremont, CA 94538

Mike Wickham	Water Production Manager	mike.wickham@acwd.com	510-552-1459
Cris Pena	Engineering Supervisor	Cris.Pena@acwd.com	510-668-6516
Renee Gonzalez	Buyer	renee.gonzalez@acwd.com	510-668-4294
Thomas Spankowski	Environmental Compliance Engineer	thomas.spankowski@acwd.com	510-668-6533

**CITY OF HAYWARD**

Water Pollution Control Facility 3700 Enterprise Avenue Hayward, CA 94545

Diane Vargas	WPCF Secretary	diane.vargas@hayward-ca.gov	
David Donovan	WPCF Manager	david.donovan@hayward-ca.gov	510-293-5099
Alex Ameri	Public Works Director	alex.ameri@hayward-ca.gov	
Rita Perez	Purchasing and Accounts Payable - Acting Manager	rita.perez@hayward-ca.gov	510-583-4802
Mark Orlandi	Operations Supervisor	mark.orlandi@hayward-ca.gov	510-293-5212

**CITY OF SAN LEANDRO**

Water Pollution Control Plant 3000 Davis Street San Leandro, CA 94577

Sally Perez	Purchasing Technician	sperez@sanleandro.org	510-577-3472
Hayes Morehouse	Water Pollution Control Manager	hmorehouse@sanleandro.org	510-577-3437
Ramya Sankar	Management Analyst	RSankar@sanleandro.org	510-577-3337

**ORO LOMA SANITARY DISTRICT**

2655 Grant Avenue San Lorenzo, CA 94580-1838

Jimmy Dang	GM	jdang@oroloma.org	
Gene Palop	Operations Manager	gpalop@oroloma.org	

**UNION SANITARY DISTRICT**

5072 Benson Road Union City, CA 94587-2508

Skip Calvo	Purchasing Agent	skipc@unionsanitary.ca.gov	510-477-7526
Armando Lopez	Treatment and Disposal Services Manager	Armandol@unionsanitary.ca.gov	510-477-7517

**BAY AREA CHEMICAL CONSORTIUM  
PARTICIPATING MEMBER AGENCY CONTACT LIST  
BID NO. 13-2024  
SODIUM HYPOCHLORITE**

**Marin Sonoma Napa**

**CENTRAL MARIN SANITATION AGENCY**

1301 Andersen Drive San Rafael, CA 94901

Peter Kistenmacher	Technical Services Manager	pkistenmacher@cmsa.us	(415) 459-1455
Jason Dow		jdow@cmsa.us	(415) 459-1455
Jacky Wong		jwong@cmsa.us	(415) 459-1455

**CITY OF MILL VALLEY - SEWERAGE AGENCY OF SOUTHERN MARIN**

26 Corte Madera Avenue Mill Valley, CA 94941

Brian Exberger	Chief Treatment Plant Operator	bexberger@cityofmillvalley.org	(415) 384-4840
Mark Grushayev	WWT Manager	mgrushayev@cityofmillvalley.org	415-388-2402

**COUNTY OF SONOMA**

2300 County Center Dr., Suite A208 Santa Rosa, CA 95403

Garrett Heinz	Buyer	Garrett.Heinz@sonoma-county.org	707 565-1787
Brenda Haas	General Services - Purchasing Division	brenda.haas@sonoma-county.org	707-565-1791

**LAS GALLINAS VALLEY SANITARY DISTRICT**

300 Smith Ranch Road San Rafael, CA 94603

Don Moore	Plant Operations Supervisor	dmoore@lgvsd.org	415-472-1734
Mel Liebmann	Plant Manager	mliebmann@lgvsd.org	915-472-1734

**MARIN MUNICIPAL WATER DISTRICT**

220 Nellen Avenue Corte Madera, CA 94925

Jim Kenney	Superintendent of Operations, Water Treatment	jkenney@marinwater.org	415-945-1501
Lucy Croy	Water Quality Manager	lcroy@marinwater.org	415-945 1590
Danelle Graham	Senior Buyer	dgraham@marinwater.org	415-945-1402

**NAPA SANITATION DISTRICT**

1515 Soscol Ferry Road Napa, CA 94558

Christopher Mosier	Operator III	cmosier@napasan.com	707- 312-1899
Cristopher Henriquez	Operator II	chenriqu@napasan.com	707-312-1595
Gabe Snook	Operations Supervisor	gsnook@napasan.com	707-312-1733
Timothy Healy	General Manager/District Engineer	thealy@napasan.com	707-258-6000

**BAY AREA CHEMICAL CONSORTIUM  
PARTICIPATING MEMBER AGENCY CONTACT LIST  
BID NO. 13-2024  
SODIUM HYPOCHLORITE**

**NORTH MARIN WATER DISTRICT**

999 Rush Creek Place Novato, CA 94945

Robert Clark	Operations/Maintenance Superintendent	rclark@nmwd.com	415-761-8931
Brad Stompe	Operations Supervisor	bstompe@nmwd.com	

**SANITARY DISTRICT NO. 5 OF MARIN COUNTY**

2001 Paradise Drive Tiburon, CA 94920

Tony Rubio	District Manager	trubio@sani5.org	415-435-1501
------------	------------------	------------------	--------------

**SAUSALITO MARIN CITY SANITARY DISTRICT**

1 East Road Sausalito, CA 94965

Kevin Beneda	Kevinb@smcsd.net
Vince Pasquini	vince@smcsd.net
Jeffery Kingston	jeffrey@smcsd.net
Cathy Bondanza	cathy@smcsd.net

**North Bay**

**CENTRAL CONTRA COSTA SANITARY DISTRICT**

5019 Imhoff Place Martinez, CA 94553-4392

Amy Compaglia	Senior Buyer	acompaglia@centralsan.org	925-229-7306
Kevin Mizuno	Finance Manager	kmizuno@centralsan.org	925-229-7119
Alan Weer	Plant Operations Division Manager	aweer@centralsan.org	925-335-7731
Stephanie King	Contracts & Procurement Administrator	sking@centralsan.org	925-229-7307

**CITY OF ANTIOCH**

Water Treatment Plant P.O. Box 5007 Antioch, CA 94531-5007

Benjamin Woodland	Water Treatment Plant Supervisor	BWoodland@antiochca.gov	(925) 779-7029
Marcus Woodland		Mwoodland@antiochca.gov	
Chris Molina		cmolina@antiochca.gov	

**CITY OF BRENTWOOD**

2251 Elkins Way Brentwood, CA 94513

Ryan LaMunyon	Wastewater Treatment Plant Supervisor	rlamunyon@brentwoodca.gov	925.516.6060
Philip McKinney	Wastewater Operations Manager	pmckinney@brentwoodca.gov	925.516.6030

**BAY AREA CHEMICAL CONSORTIUM  
PARTICIPATING MEMBER AGENCY CONTACT LIST  
BID NO. 13-2024  
SODIUM HYPOCHLORITE**

**CITY OF MARTINEZ**

525 Henrietta Street Martinez, CA 94553

Hiren Patel	Water Operations Supervisor	hpatel@cityofmartinez.org	925-372-3588
-------------	-----------------------------	---------------------------	--------------

George Pavlov	Water Superintendent	gpavlov@cityofmartinez.org	925-372-3587
---------------	----------------------	----------------------------	--------------

**CITY OF PINOLE (PINOLE/HERCULES WPCP)**

11 Tennet Avenue Pinole, CA 94564

Josh Binder	Plant Manager	jbinder@ci.pinole.ca.us	(510) 724 - 8964
-------------	---------------	-------------------------	---------------------

Mike Howe	Operations Supervisor	mhowe@ci.pinole.ca.us	(510) 724-9013
-----------	-----------------------	-----------------------	----------------

**CONTRA COSTA WATER DISTRICT**

1331 Concord Ave Concord, CA 94520-4907

Kim Waddy	Buyer	kwaddy@ccwater.com	925-688-8012
-----------	-------	--------------------	--------------

Nicole Quesada	Administrative Analyst	nquesada@ccwater.com	925-625-6602
----------------	------------------------	----------------------	--------------

John Parsons	Water Operations Superintendent	jparsons@ccwater.com	925-625-6603
--------------	---------------------------------	----------------------	--------------

Brian Jackson	Purchasing Officer	bjackson@ccwater.com	925-688-8011
---------------	--------------------	----------------------	--------------

**DELTA DIABLO SANITATION DISTRICT**

2500 Pittsburg-Antioch Hwy. Antioch, CA 94509-1373

Anika Lyons	Finance Manager	anikal@deltadiablo.org	925-756-1924
-------------	-----------------	------------------------	--------------

Judy Pham	Purchasing Supervisor	judyp@deltadiablo.org	925-756-1968
-----------	-----------------------	-----------------------	--------------

**DIABLO WATER DISTRICT**

87 Carol Lane Oakley, CA 94561-0127

Nacho Mendoza	Manager of Water Operations	nmendoza@diablowater.org	925-625-2112
---------------	-----------------------------	--------------------------	--------------

**IRONHOUSE SANITARY DISTRICT**

450 Walnut Meadows Drive Oakley, CA 94561

Thomas Hejza	Plant Supervisor	hejza@isd.us.com	925-809-3033
--------------	------------------	------------------	--------------

Chris Christean	Plant Manager	christean@isd.us.com	925-809-3033
-----------------	---------------	----------------------	--------------

Amie Duran	Administrative Technician	duran@isd.us.com	925-625-2279
------------	---------------------------	------------------	--------------

**BAY AREA CHEMICAL CONSORTIUM  
PARTICIPATING MEMBER AGENCY CONTACT LIST  
BID NO. 13-2024  
SODIUM HYPOCHLORITE**

**PLEASANT HILL RECREATION & PARK DISTRICT**

147 Gregory Lane Pleasant Hill, CA 94523

Korey Riley Aquatics Program Manager	Kriley@PleasantHillRec.com	925-682-0896
--------------------------------------	----------------------------	--------------

**RODEO SANITARY DISTRICT**

800 San Pablo Avenue Rodeo, CA 94572

Steven S. Beall District Manager	bealls@rodeosan.org	510-799-2970 x100
----------------------------------	---------------------	----------------------

Jeff Greer	greerj@rodeosan.org	
------------	---------------------	--

Jim Petalio Grade IV Operator	petalioj@rodeosan.org	510-799-2970
-------------------------------	-----------------------	--------------

Nancy Lefebvre	lefebvre@rodeosan.org	
----------------	-----------------------	--

**TOWN OF DISCOVERY BAY CSD**

1800 Willow Lake Road Discovery Bay, CA 94505-9376

Aaron Goldsworthy Water and Wastewater Manager	agoldsworthy@todb.ca.gov	
--	--------------------------	--

Anthony Harper Project Manager	anthony.harper@veolia.com	
--------------------------------	---------------------------	--

Dina Breitstein	dbreitstein@todb.ca.gov	
-----------------	-------------------------	--

Jeffery Dobretz	jeffrey.dobretz@veolia.com	
-----------------	----------------------------	--

**WEST COUNTY WASTEWATER DISTRICT**

2910 Hilltop Drive Richmond, CA 94806

Aaron Winer Director of Water Quality & Resource Recovery	AWiner@wcwd.org	
--	-----------------	--

Joseph Majarucon Operations Manager	jmajarucon@wcwd.org	
-------------------------------------	---------------------	--

**Peninsula**

**CITY OF SOUTH SAN FRANCISCO**

San Bruno Water Quality Control Plant 195 Belle Air Road South San Francisco, CA 94080

Nicholas Talbot Assistant Plant Superintendent	nicholas.talbot@ssf.net	650-877-8555
--	-------------------------	--------------

**CITY OF DALY CITY/NORTH SAN MATEO COUNTY SANITATION DISTRICT**

153 Lake Merced Blvd Daly City, CA 94015

Brandon Wardle Senior Operator	bwardle@dalycity.org	650-991-8200
--------------------------------	----------------------	--------------

Gregory Krauss	gkrauss@dalycity.org	
----------------	----------------------	--



**BAY AREA CHEMICAL CONSORTIUM  
PARTICIPATING MEMBER AGENCY CONTACT LIST  
BID NO. 13-2024  
SODIUM HYPOCHLORITE**

**CITY OF MILLBRAE**

Water Pollution Control Plant 400 E Millbrae Ave Millbrae, CA 94030

Harry Kwong Chief Operator	hkwong@ci.millbrae.ca.us	650-346-7658
Craig Centis Deputy Director of Public Works	ccentis@ci.millbrae.ca.us	650-259-2376

**CITY OF SAN MATEO**

City of San Mateo WWTP 2050 Detroit Drive San Mateo, CA 94404

Xiongbing Liang Laboratory Supervisor	xliang@cityofsanmateo.org	650-522-7380
Michael Sutter	msutter@cityofsanmateo.org	
Rob Learmonth Planet Manager	rlearmonth@cityofsanmateo.org	
Alonso Barahona Management Analyst II	abarahona@cityofsanmateo.org	650-522-7334

**SEWER AUTHORITY MID-COASTSIDE**

1000 N. Cabrillo Highway Half Moon Bay, CA 94019

George Evans Finance Officer	gevans@samcleanswater.org	650-726-0124
Kishen Prathivadi General Manager	Kishen@samcleanswater.org	650-726-0124

**Sacramento**

**CARMICHAEL WATER DISTRICT**

7837 Fair Oaks Blvd. Carmichael, CA 95608

David Biagi	davidb@carmichaelwd.org	916-679-0457
-------------	-------------------------	--------------

**CITY OF ROSEVILLE**

311 Vernon Street Roseville, CA 95678

Becky Philipp Buyer II	bphilipp@roseville.ca.us	916-746-1110
Shannon Wiest	swiest@roseville.ca.us	916-746-1112

**CITY OF SACRAMENTO**

Department of Utilities 5730 24th Street, Bldg 22 Sacramento, CA 95822

David Herrmann Division Manager, Water Division	dherrmann@cityofsacramento.org	916-808-5652
Dalton Le Administrative Analyst	DMLe@cityofsacramento.org	916-808-6008
Andrew Costan Program Specialist	acostan@cityofsacramento.org	916-808-6339

**BAY AREA CHEMICAL CONSORTIUM  
PARTICIPATING MEMBER AGENCY CONTACT LIST  
BID NO. 13-2024  
SODIUM HYPOCHLORITE**

**CITY OF YUBA CITY**

Public Works Department 701 Northgate Drive Yuba City, CA 95991

Kevin Rivera	Accountant 1	krivera@yubacity.net	530-822-4645
Lance Andes	Water Treatment Chief Plant Operator	landes@yubacity.net	530-822-4636 x3401
Amarjit Kaur	Administrative Analyst II (Finance Dept)	akaur@yubacity.net	530-822-4659
David Newgard	Wastewater Treatment Facility Chief Plant Operator	dnewgard@yubacity.net	530-822-3264 x 3303
Scarlett Harris	Administrative Analyst II	sharris@yubacity.net	530-822-3264 x3301
Terrance Pioro	Water Treatment Plant Supervisor	tpioro@yubacity.net	530-822-4636 x3400
Mike Finnigan	Wastewater Treatment Facility Supervisor	mfinniga@yubacity.net	530-822-3264 x3302

**EL DORADO IRRIGATION DISTRICT**

2890 Mosquito Road Placerville, CA 95667

Ryan Deakyne	Senior Buyer	rdeakyne@eid.org	530-642-4405
--------------	--------------	------------------	--------------

**NEVADA IRRIGATION DISTRICT**

1036 W. Main Street Grass Valley, CA 95945

Coby McCoy	Water Treatment Supervisor	mccoyc@nidwater.com	530 913-9710
	Delivery Dispatcher		530-271-6885
Joan Tortorici	Purchasing Supervisor	tortorici@nidwater.com	530-273-6185
Shad Chittock	Water Treatment Superintendent	chittocks@nidwater.com	530-271-6899

**SACRAMENTO COUNTY WATER AGENCY**

Vineyard Surface Water Treatment Plant 10151 Florin Road Sacramento, CA 95829

Daniel Ruiz	Accounting Technician	RuizDa@saccounty.gov	916 874-1398
Shawn Barnes	Water Treatment Operations Supervisor	barness@saccounty.gov	916-508-0858
Tom Pasterski	Water System Superintendent	pasterskit@saccounty.gov	916-876-6430
Aaron Robertson		robertsona@saccounty.gov	916-875-0746
Jeff Gross		grossj@saccounty.gov	

**BAY AREA CHEMICAL CONSORTIUM  
PARTICIPATING MEMBER AGENCY CONTACT LIST  
BID NO. 13-2024  
SODIUM HYPOCHLORITE**

**South Bay**

**CITY OF MORGAN HILL**

100 Edes Court Morgan Hill, CA 95037-5301

Inga Alonzo Public Utilities Management Analyst	inga.alonzo@morganhill.ca.gov	408-310-4182
---	-------------------------------	--------------

**CITY OF SANTA CLARA**

Purchasing Division 1500 Warburton Avenue Santa Clara, CA 95050

Nick van Haeften Division Manager	nvanhaeften@santaclaraca.gov	408-615-2717
-----------------------------------	------------------------------	--------------

Alex Price Senior Engineer	aprice@santaclaraca.gov	408-615-6051
----------------------------	-------------------------	--------------

Minette Castro	MCastro@SantaClaraCA.gov	
----------------	--------------------------	--

Eugenia Pinheiro	EPinheiro@Santaclaraca.gov	
------------------	----------------------------	--

DeAnna Hilbrants	DHilbrants@SantaClaraCA.gov	
------------------	-----------------------------	--

Grace Dougherty	GDougherty@SantaClaraCA.gov	
-----------------	-----------------------------	--

Michael Lee O&M Manager	mile@santaclaraca.gov	408-615-6577
-------------------------	-----------------------	--------------

**CITY OF SUNNYVALE**

Water Pollution Control Plant 1444 Borregas Avenue Sunnyvale, CA 94088-3707

Bryan Berdeen Operations Manager	bberdeen@sunnyvale.ca.gov	408-730-7261
----------------------------------	---------------------------	--------------

Lisa Vo	lvo@sunnyvale.ca.gov	
---------	----------------------	--

**CITY OF WATSONVILLE**

500 Clearwater Lane Watsonville, CA 95076

Beau Kayser Water Division Manager	beau.kayser@watsonville.gov	831-768-3193
------------------------------------	-----------------------------	--------------

Ryan Smith Wastewater Division Manager	Ryan Smith ryan.smith@cityofwatsonville.org	831-768-3175
--	--	--------------

**SAN JOSE - SANTA CLARA REGIONAL WASTEWATER FACILITY**

700 Los Esteros Road San Jose, CA 95134

Mark Nicholl	Mark.Nicholl@sanjoseca.gov	408-635-6635
--------------	----------------------------	--------------

Tim Lewis Wastewater Facility Operations Manager	tim.lewis@sanjoseca.gov	408-635-2057
--	-------------------------	--------------

Satya Nand	satya.nand@sanjoseca.gov	408-635-2054
------------	--------------------------	--------------

**BAY AREA CHEMICAL CONSORTIUM  
PARTICIPATING MEMBER AGENCY CONTACT LIST  
BID NO. 13-2024  
SODIUM HYPOCHLORITE**

**Tri Valley**

**CITY OF LIVERMORE**

Water Resources/Public Works Department 101 West Jack London Blvd. Livermore, CA 94551

Jimmie Truesdell	WR Operations Manager	jltruesdell@LivermoreCA.gov	925-960-8122
------------------	-----------------------	-----------------------------	--------------

**DUBLIN SAN RAMON SERVICES DISTRICT**

Regional Wastewater Treatment Facility 7399 Johnson Drive Pleasanton, CA 94588

Dan Pettinichio	Senior Water/Wastewater Systems Operator (Potable Water Distribution)	pettinichio@dsrsd.com	925 404-4524
-----------------	--	-----------------------	--------------

Diane Griffin	Operations Compliance Manager	griffin@dsrsd.com	925-875-2324
---------------	-------------------------------	-------------------	--------------

Clint Byrum	Water/Wastewater Systems Superintendent	byrum@dsrsd.com	925-875-2367
-------------	---	-----------------	--------------

Tim Lewis	WWTP Operations Superintendent	tlewis@dsrsd.com	925-875-2300
-----------	--------------------------------	------------------	--------------

**ZONE 7 WATER AGENCY**

100 North Canyons Parkway Livermore, CA 94551

Zeljka Bozic	Buyer I	zbozic@zone7water.com	925 454 5029
--------------	---------	-----------------------	--------------

Karen Bartels	Buyer II	kbartels@zone7water.com	925-454-5039
---------------	----------	-------------------------	--------------


## **SECTION IV**

**BAY AREA CHEMICAL CONSORTIUM  
BID CONTRACT DOCUMENTS  
FOR BID NO. 13-2024  
SODIUM HYPOCHLORITE**

**\*\*\* All of the following pages must be properly completed and submitted  
for the bid to be considered complete. \*\*\***

**BAY AREA CHEMICAL CONSORTIUM  
STANDARD AGREEMENT, PAGE 1 OF 2  
BID NO. 13-2024  
SUPPLY AND DELIVERY OF SODIUM HYPOCHLORITE 12.5%**

I hereby agree to furnish SODIUM HYPOCHLORITE 12.5% identified in the attached bid forms, as solicited by the Bay Area Chemical Consortium (BACC), to one or more of the participating BACC Agencies.

Company: Univar Solutions USA LLC  
Address: 8201 S 212th St.  
City, State, ZIP: Kent, WA 98032  
Phone: 253-872-5040  
Email: jennifer.perras@univarsolutions.com or muniteam-west@univarsolutions.com  
Authorized Representative: Jennifer M. Perras  
Signature:   
Date: 2/16/2024

**WE ACKNOWLEDGE RECEIVING ADDENDUM/ADDENDA NUMBER \_\_\_\_\_ THROUGH \_\_\_\_\_.**

**SPECIFIC DEVIATIONS:**

- ☒ This box must be checked if bidder has any proposed specific deviations. Per Section 2.12 Proposed Deviations from the Specifications by the Bidder, the absence of a proposed change in the specifications will hold the bidder strictly accountable to the specifications as described in the bid document, including any addendum.

Describe the specific deviations below. A copy of the proposed specifications must be attached to this Standard Agreement at the time of submission, with bidder's name clearly shown on each document.

Any order less than 2,000 gal will be charged an LTL fee of \$475.00 per delivery. If a load is split between multiple sites and the delivery volume is less than 2,000 gal one LTL fee will apply.

\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

**STANDARD AGREEMENT, PAGE 2 OF 2**

**BIDDER INFORMATION**

1. Legal Name of Bidder:  
Univar Solutions USA LLC
2. Bidder's Street Address:  
Muni Team-8201 S 212th St., Kent, WA 98032 Branch-2461 Crocker Circle, Fairfield, CA 94533
3. Mailing Address:  
Muni Team-8201 S 212th St., Kent, WA 98032 Invoices-62190 Collections Center Drive, Chicago, IL 60693-0621
4. Business Telephone: 800-777-9587 Fax Number: 408-435-1735
5. Type of Supplier:  
☐ Sole Proprietor      ☐ Partnership      ☐ Corporation      ☒ LLC  
If Corporation, indicate State where incorporated: Illinois
6. Business License Number issued by the City where the Supplier's principal place of business is located.  
Number: 32739 Issuing City: Fresno, CA 93725
7. Supplier Federal Tax Identification Number: 91-1347935
8. Emergency Contact: Name: Brian Wills  
Phone Number: 650-670-7267
9. Order Contact: Name: Customer service  
Address: Phoenix, AZ  
Phone Number: 602-484-4560 Fax Number: 408-435-1735  
Email: CustSolWR@univarsolutions.com
10. References:

<u>Company/Agency Name</u>	<u>Contact Name</u>	<u>Phone Number</u>
1) <u>See attached 2 pages</u>	<u></u>	<u></u>
2) <u></u>	<u></u>	<u></u>
3) <u></u>	<u></u>	<u></u>
11. Chemical Manufacturer's name and address (if different from Bidder):  
K2-950 Loveridge Rd., Pittsburg, CA 94565  
Univar-12522 Los Neitos Rd., Santa Fe Springs, CA 90670  
Univar-525 Seaport Blvd, Redwood City, CA 94063

Univar Solutions USA LLC.  
8201 S. 212th  
Kent, WA 98032-1994  
USA

T 253-872-5000  
F 253-572-5041  
www.univarsolutions.com



## References

1. County & County of San Francisco  
1 Dr. Carlton B Goodlett Place  
San Francisco, CA 94102

Contact: Lin Repola- [linda.repola@sfgov.org](mailto:linda.repola@sfgov.org)  
Phone: 415-554-4564

Supply and Delivery of Bulk Sodium Hypochlorite, Caustic Soda and Sodium Bisulfite servicing for the past 10 years.

2. East Bay Mud  
PO Box  
Oakland, CA 946231

Contact: John Grimes, Purchasing  
Email- [john.grimes@ebmud.com](mailto:john.grimes@ebmud.com)  
Phone: 510-287-0316

Supply and Delivery of Bulk Sodium Hypochlorite, Bulk Caustic Soda, & Bulk Sodium Bisulfite servicing for the past 10years.

3. City of Riverside  
WTP  
San Bernardino, CA 92408

Contact: Shiloh Rogers, Procurement & Contract Specialist  
Email- [SARogers@riverside.gov](mailto:SARogers@riverside.gov)  
Phone 951-826-5562

Supply and Delivery of Sodium Hypochlorite servicing for the past 2 years.



[addressee]  
[date]  
[page #]

4. BACC-Bay Area Chemical Consortium  
Over 100 locations within Northern California

Contact: each city, info listed below.

Supply and Delivery of Sodium Hypochlorite, Caustic Soda, Sodium Bisulfite servicing for the past 6 years.

- City of Stockton, CA – Kathryn Garcia [Kathryn.Garcia@stocktonca.gov](mailto:Kathryn.Garcia@stocktonca.gov)  
Phone: 209-937-8232
- City of Turlock, CA- Lisa Quiroga [equiroga@turlock.ca.us](mailto:equiroga@turlock.ca.us)  
Phone: 209-668-5402
- Marin Municipal, CA- Jim Kenney [jkenney@marinwater.org](mailto:jkenney@marinwater.org)  
Phone: 415-945-1501

5. City of Los Angeles  
Los Angeles, CA

Contact: Katherin Quinn-

Email: [Katherine.Quinn@lacity.org](mailto:Katherine.Quinn@lacity.org)

Phone: 310-648-5665

Supply and Delivery of Sodium Hypochlorite for the past 4 years

6. County Sanitation Districts of Los Angeles County  
PO Box 7998  
Whittier, CA 90607-4998

Contact: Martha Ibarra

Emails: [mibarra@lacsds.org](mailto:mibarra@lacsds.org)

Phone: (562) 908-4288 ext. 1423

For Supply and Delivery of Bulk Sodium Hydroxide (Caustic Soda) 50% and Calcium Hydroxide 45%, have been servicing for 6 years

Over the past 10 years, Univar has participated in 100's of Municipal bids, we have listed the 6 projects represent our capabilities in California.

All of our operational personnel participated in making sure all delivery requirements were met to each customer.

Our customer service department takes care of all orders, they communicate with operations and the customer to make sure all requests are satisfied.

We meet 100% of our contractual obligations; any municipality that is under contract with Univar is serviced first if there is a shortage in the market place.

**Non-Collusion Affidavit  
To Be Executed By Bidder and Submitted With Bid**

Washington  
State of ~~California~~ )  
 ) ss.  
County of King )

Jennifer M. Perras, being first duly sworn, deposes and says that he or she is the  
(Bidder's Authorized Representative)

Sr. Municipal Specialist of Univar Solutions USA LLC the party making the  
(Title of Representative) (Legal Name of Bidder)

foregoing bid that the bid is not made in the interest of, or on behalf of, any undisclosed person, partnership, company, association, organization, or corporation; that the bid is genuine and not collusive or sham; that the bidder has not directly or indirectly induced or solicited any other bidder to put in a false or sham bid, and has not directly or indirectly colluded, conspired, connived, or agreed with any bidder or anyone else to put in a sham bid, or that anyone shall refrain from bidding; that the bidder has not in any manner, directly or indirectly, sought by agreement, communication, or conference with anyone to fix the bid price of the bidder or any other bidder, or to fix any overhead, profit, or cost element of the bid price, or of that of any other bid, or to secure any advantage against the public body awarding the contract of anyone interested in the proposed contract; that all statements contained in the bid are true; and, further, that the bidder has not, directly or indirectly, submitted his or her bid price or any breakdown thereof, or the contents thereof, or divulged information or data relative thereto, or paid, and will not pay, any fee to any corporation, partnership, company association, organization, bid depository, or to any member or agent thereof to effectuate a collusive or sham bid.

I declare under penalty of perjury under the laws of the state of California that the foregoing is true and correct.



Signature of: President, Secretary,  
Manager, Owner, or Representative

Subscribed and sworn to before me this, 16th day of February, 20 24

  
Signature of Notary Public In and For

The County of King

State of Washington

All Signatures Must Be Witnessed By Notary



**BAY AREA CHEMICAL CONSORTIUM  
BID FORM FOR BID NO. 13-2024  
FOR SUPPLY AND DELIVERY OF SODIUM HYPOCHLORITE 12.5%**


Sealed bids must be submitted in a PDF format and bidders must enter bid prices into the electronic bid platform (Line Item page)  
<https://bacwa.org/about-bacc/>

No later than 4:00 PM. PT  
Thursday, February 22, 2024

Legal Name of Bidder:  
Univar Solutions USA LLC

Business Address  
8201 S 212th St.  
Kent, WA 98032

Telephone Number: 253-872-5040  
Facsimile Number: 253-872-5041  
Email Address: [Muni-muniteam-west@univarsolutions.com](mailto:Muni-muniteam-west@univarsolutions.com)

Authorized Representative (Please Print):  
Jennifer M. Perras  
Signature:   
Date: 2/16/2024

**I. All costs except California State sales tax for the purchase of SODIUM HYPOCHLORITE 12.5% must be included in the amount shown entered into the electronic bid platform (Line Item page), including any and all mill assessments, fees, excise taxes, transportation charges, etc. Any exceptions to the bid must be noted under Specific Deviations on the Standard Agreement. Bidders shall submit bids per unit of measure as specified in the electronic bid platform (Line Item page).**

**II. Bidders must submit all of the following, attached to this Bid Form:**

- a. All requirements listed in Section 2.21 Manufacturer's Info.
- b. If applicable, the name, address, and contact information for the third party hauling company as well as an affidavit signed by the Bidder that the third party hauler can and will deliver the chemical to each and every participating BACC Agency.

**III. Bidder Obligations**

By signing this Bid Form and entering into individual purchase orders, purchase agreements and /or contracts with BACC agencies, the bidder expressly agrees to be bound by all the provisions of the bid solicitation, including Sections I-IV.

AFFIDAVIT RE DELIVERY REQUIREMENTS

STATE OF WASHINGTON )  
 )  
COUNTY OF KING )


I, Jennifer Perras, the Municipal Specialist for Univar Solutions USA LLC. ("Univar") being duly sworn, states that I have read RFP#13-2024 and knows its contents and hereby attests that if Univar utilizes the services of a third party hauling company for some or all of its deliveries, Univar will be responsible for ensuring that said hauler can and will deliver the product to each location shown on the bid documents.


Chemical Transfer Co.-3105 El Dorado St., Stockton, CA 95206  
Bulk Transportation- 415 S Lemon Ave., Walnut, CA 91789  
Quality Carriers- 2750 Goodrick Ave, Richmond, CA  
RJ's Transportation-11949 Hawthorne Ave, CA 92345

#209-466-3554  
#909-594-2855  
#510-232-8313  
#909-732-9144

By   
Jennifer M. Perras

SUBSCRIBED AND SWORN to before me this \_\_\_\_ day of February 2024, Jennifer M. Perras.

  
Notary Public for Washington, County of King  
My Commission Expires: 10-10-2026





Univar Inc. is committed to embedding sustainability throughout our business. Univar recognizes that sustainability goes beyond reducing our impacts on the environment and that it involves an all-encompassing social, economic and environmental philosophy. Univar is a global enterprise with a strong ethical approach to business – a responsible corporate citizen. Univar encourages and values sustainable business practices across our value chain, and we support and encourage our suppliers and customers on their journeys to a sustainable future.

To meet our commitment the Sustainability Policy is guided by the principles below:

- Compliance with all applicable legal requirements and to operate in accordance with both government and industry codes of practice and guidance that are appropriate to our activities;
- Minimize any adverse impacts of our operations on the environment or the surrounding communities;
- Engage with our key stakeholders to ensure that our environmental and social efforts remain relevant;
- Communicate our commitment and our ongoing efforts relating to sustainability to our employees and the wider value chain;
- Encourage and support environmentally and socially responsible behavior from our customers and suppliers including those relating to key topics such as climate change or labor practices;
- Consider in our actions the principles of ISO26000 'Guidance on Social Responsibility' to ensure a comprehensive approach towards sustainability;
- Open and transparent reporting on issues that may impact our environment and society annually through a report informed by the Global Reporting Initiative (GRI) standards;
- Provide our supply chain partners with more sustainable choices in the markets that we operate;
- Review performance of sustainability metrics on an ongoing basis to ensure continual improvement.

The principles of this policy are core to our sustainability agenda, shaping our objectives and initiatives.

A handwritten signature in black ink, appearing to read 'P. Hockaday'.

Phil Hockaday  
Vice President, Global  
Environmental, Health and Safety  
Univar Inc.

Effective Date: 5<sup>th</sup> May 2017

## **NACD Responsible Distribution Process Code of Management Practice**

Each member company shall have an active program designed to continuously improve safety and reduce incidents. This Code does not impose upon member companies any obligation to guarantee compliance by third parties, i.e., parties over whom the member companies have no control. This program shall include:

### **I. Risk Management**

- A. Senior management commitment, through policy, communications, and resources, to on-going improvements in chemical distribution safety.
- B. Regular review with suppliers of the hazards of materials.
- C. Identification and implementation of risk reduction measures.

### **II. Compliance Review and Training**

- A. A process for monitoring regulations and industry practices for their application to chemical distribution activities.
- B. A process for implementing applicable regulations and industry practices that apply to chemical distribution activities.
- C. Training for all employees in the implementation of applicable regulations, as well as member company's specific requirements.
- D. A process for review of employee compliance with applicable regulations and member company's specific requirements and review of outside contractor and re-seller compliance with member company's specific requirements.

### **III. Carrier Selection**

- A. A process for selecting carriers to transport chemicals that includes carrier safety and fitness, security, regulatory compliance, and performance review.



IV. Handling and Storage

- A. Procedures for ensuring that containers are appropriate for the chemical being shipped, comply with regulatory requirements, and are free from leaks and visible defects.
- B. Criteria for the cleaning and re-use of transportation equipment and chemical containers, and the proper disposal of cleaning residues.
- C. Procedures for loading and unloading chemicals at the member company's facilities that result in protection of personnel, a reduction in emissions to the environment, and ensures that chemicals are loaded and unloaded into and out of proper storage facilities.
- D. A program for providing manufacturer guidance and information to customers, warehouses, terminals and/or carriers on procedures for loading, unloading, and/or storing chemicals.
- E. A process for selecting owned and contracted facilities and sites for chemical storage or handling that emphasizes safety, fitness and includes reviews.
- F. Documentation of current operating procedures for handling and storing chemicals.
- G. Facility design, construction, maintenance, inspection, and security practices that promote facility integrity, consistent with recognized codes and regulations.
- H. Develop a process for addressing chemical site and chemical transportation security.
- I. Provisions for control of processes and equipment during emergencies resulting from natural events, utility disruptions, and other external conditions.
- J. Procedures to properly label and mark packages and containers.

V. Job Procedures and Training

- A. Identification of the skills and knowledge necessary to perform each job.
- B. Establishment of procedures and work practices for safe operating and maintenance activities.
- C. Training for all personnel to reach and maintain proficiency in safe work practices and the skills and knowledge necessary to perform their job, including confirmation of competence.
- D. Programs designed to assure that personnel in safety critical jobs are fit for duty and are not compromised by external influences, including alcohol and drug abuse.
- E. Outside Contractors: In areas where hazardous materials are present, members shall have a process in place to inform contractors of the known hazards and the emergency action plan.

VI. Waste Management and Conservation Practices

- A. Procedures to ensure that all self-generated waste and empty containers are disposed of in a responsible manner, and in accordance with existing regulations.
- B. A clear commitment by senior management through policy communications, resources, and programs to ongoing waste reductions and pollution prevention at each member facility.
- C. A commitment to institute resource conservation measures.

VII. Emergency Response and Public Preparedness

- A. A process for responding to, reporting on, and investigating chemical distribution incidents and releases involving the member company's chemicals, and implementation of appropriate preventive measures developed from that investigative process.
- B. A system of internal investigation, reporting, appropriate corrective action, and follow-up for each incident and/or near miss that result or could have resulted in chemical incidents or releases.
- C. Procedures for making emergency response information concerning the member company's chemicals available to response agencies.



- D. Communication with state and/or local emergency planning commissions and response organizations on the potential hazards of the member company's chemicals.
- E. Annual review, testing, and assessment of the operability of the member company's written emergency action and fire prevention plan and/or emergency response plan.
- F. Facility tours for first responders to promote emergency preparedness and to provide current knowledge of facility operations.
- G. Coordination of the written facility emergency response plan with the local emergency response team and other facilities. If no community plan exists, the facility should assist with efforts to create one.
- H. Participation in the Local Emergency Planning Committee's process to develop and periodically test the local emergency response plan.

**VIII. Community Outreach**

- A. Interaction with organizations, associations, government officials and/or the public on behalf of NACD's Responsible Distribution Process<sup>SM</sup>.
- B. Information and updated for employees on the Responsible Distribution Process<sup>SM</sup> to encourage key employees to become involved in community outreach efforts.
- C. Advocacy of responsible public policies and regulations for chemical distribution.

**IX. Product Stewardship**

**Customers**

- A. A process to qualify customers as prescribed by governmental regulation.
- B. Member companies should work with customers to foster appropriate dissemination of information on the proper use, handling and disposal of products commensurate with product risk. A member may decide to cease doing business with customers whose practices are clearly inconsistent with the Responsible Distribution Process<sup>SM</sup>.

X. Internal RDP Audits

- A. Member companies shall establish documented procedures for regularly scheduled INTERNAL AUDITS to verify the implementation of policies and procedures supporting the RDP Code of Management Practice. The audits will be used to evaluate the effectiveness of the policies and procedures. Internal Audits shall be done on a yearly basis beginning with successful completion of the Interim Verification Process.
- B. Audits shall be recorded and results brought to the attention of appropriate management personnel who must take timely corrective or preventive action. Annual audit results should be retained until the next Third-party On-Site Verification is completed.

XI. RDP Corrective and Preventive Action

- A. Member companies shall establish a CORRECTIVE AND PREVENTIVE ACTION system for RDP related issues. This system should permit the identification and communication of inadequacies or improvements in each member company's implementation of RDP.
- B. Member companies shall establish and maintain procedures for implementing corrective action and preventive actions arising from internal and external audits or other sources. Any corrective or preventive action taken to resolve the cause or RDP implementation inadequacy shall be appropriate, as determined by member company management, to the magnitude of the cause or inadequacy and commensurate with the risk involved.

**XII. RDP Document and Data Control**

- A. Member companies shall establish and maintain a documented system to control all policies and procedures supporting RDP. In addition, member companies shall maintain a documented system to control the documents and data relating to RDP itself as issued by the National Association of Chemical Distributors (NACD).
- B. Data includes any of the above that is electronically stored and utilized.
- C. These documented procedures shall include provisions for review and approval of any new or revised policies and procedures by the authorized personnel within the member company.
- D. A master list or functionally equivalent document control system identifying the current version of each document shall be established and be readily available to preclude the use of invalid and/or obsolete documents. The system shall ensure that:


Changes to documents and data shall be reviewed and approved by the same function/organization that performed the original review and approval, unless specifically designated otherwise. These functions/organizations shall have access to pertinent background information upon which to base their review and approval. Where practical, the nature of the change shall be identified in the document or appropriate attachments.



## NACD Responsible Distribution Process

### Guiding Principles

1. To recognize and respond to community concerns about chemicals, their handling, and transportation.
2. To make health, safety, security, and environmental considerations a priority in our planning for all existing and new operations, products, processes, and facilities.
3. To inform emergency response officials, employees, customers, and the public of manufacturer's information on chemical-related health or environmental hazards, and the manufacturer's recommendations on protective measures.
4. To work with customers, in accordance with manufacturer's recommendations, on product stewardship including handling, use, transportation, and disposal of chemical products.
5. To operate our plants and facilities in a manner that protects the health and safety of our employees, the public and the environment.
6. To cooperate in resolving problems created by past handling and disposal of hazardous chemicals.
7. To participate with government and others in creating responsible laws, regulations, and practices to help safeguard the community, workplace, and environment.
8. To promote the principles and practices of Responsible Distribution Process<sup>SM</sup> by sharing experiences and offering assistance to others who produce, handle, use, transport, or dispose of chemicals.



## RDP – What Is It?


Univar is a member of the National Association of Chemical Distributors. This trade association developed the Responsible Distribution Process<sup>SM</sup> (RDP), which focuses on the responsible management and distribution of chemicals.

RDP emphasizes continual improvement in the health, safety, security, and environmental performance of all NACD member companies. This includes a commitment to comply with environmental, health and safety regulations; providing critical product safety information to employees, contractors and customers; while working with local communities and neighbors to respond to their needs. RDP consists of a set of Guiding Principles and the Code of Management Practice. This Code includes 47 specific requirements, divided into twelve sections:

- Risk Management
- Compliance Review and Training
- Carrier Selection
- Handling and Storage
- Job Procedures and Training
- Waste Management & Conservation
- Emergency Response/Public Preparedness
- Community Outreach
- Product Stewardship
- Internal RDP Audits
- RDP Corrective & Preventive Action
- RDP Document & Data Control

A key requirement of RDP and a condition of membership in NACD is verification of members' RDP policies and procedures by a third-party firm. Univar received the first Third-Party verification in 1995 and received a compliance certificate. We were re-certified in 2000 and again in 2004.

Univar maintains a leadership position in NACD, and remains firmly committed to the Responsible Distribution Process and its objective of promoting continual improvement in chemical handling and distribution.





**Univar Solutions USA Inc.  
Safety Information**

**I. INTRODUCTION**

**(A) Scope**

Univar USA Inc. (UNIVAR) is committed to conducting its operations in a manner that minimizes the risk to the safety and health of our employees, customers, the public and the environment.

**(B) Purpose**

This Injury & Illness Prevention Program (IIPP) has been developed by UNIVAR for its employees who may be exposed to general and/or chemical hazards. This program meets the requirements of Senate Bill 198 enacted under California Labor Code Section 6401.7 and the General Industry Safety Orders Section 3203.

This IIPP represents only a portion of UNIVAR's Safety and Environmental Program. The program includes several written programs and manuals such as the Operating Standards Manual, Emergency Contingency Plan, Risk Management Program, Process Safety Management Program, Hazard Communication Program, Respiratory Protection Program, Confined Space Entry Program, Lock Out/Tag Out Program, Hot Work Program and Documentation Manual. The IIPP is not intended to be a standalone program but rather a supplement to all of the other current programs. The primary functions of this program are to inform employees of the regulation, highlight areas of occupational hazards, direct them to the proper means of minimizing the identified hazards and define the lines of communication between employees and management.

This IIPP is available for review by employees, government agencies, vendors, contractors or any other parties who have a need to examine the Program. The Program includes:





**Univar Solutions USA Inc.  
Safety Information**

Employer Information:	Name, address, telephone number, type of business and main activity.
Administrator Information:	Person with the authority and responsibility to administer the program.
Safety & Health Hazard Evaluation:	A two step process which includes job classification and occupational hazard analysis.
Standard Operating Procedures/ Operating Standards:	Programs and procedures necessary to ensure employee safety and health in every aspect of their job.
Inspection Program:	Inspections are conducted: (1) when the IIPP is first established; (2) whenever new substances, processes, procedures, or equipment are introduced into the workplace; (3) whenever a new or previously unrecognized hazard is identified; (4) when occupational injuries or illnesses occur; and (5) whenever workplace conditions warrant an inspection. Scheduled daily, weekly and monthly inspections.
Training Program:	Employees receive initial, refresher and ongoing training as required.
Communication:	Provides a means to instruct employees on the hazards associated with each job classification; ensure employees' compliance with standard operating procedures and safe work practices; encourage employees to participate in the safety program and identify areas of concern and/or hazards.
Safety Award Program:	Company program that encourages and rewards employees for working safely.



**Univar Solutions USA Inc.**  
**Safety Information**

**Progressive Disciplinary Action Policy:** Company policy that disciplines employees that do not perform their job functions according to

established policies, procedures and guidelines. These policies, procedures and guidelines have been developed to establish a safe working environment for all of our employees and any deviation from them will not be tolerated.

**Recordkeeping Requirements:** Includes this written program; hazard analysis; the OSHA 300 Log; Standard Operating Procedures; inspections; training; meeting records and disciplinary actions for a period of time prescribed

**Program Reviews:** Review and assess this and other company programs as required to ensure their effectiveness and applicability.



## **UNIVAR SOLUTIONS SECURITY PROGRAM**

As an international distributor of industrial chemicals, a participant in the National Association of Chemical Distributors Responsible Distributor program, and an active member of the communities we serve, Univar Solutions USA Inc. (Univar) has long had policies and procedures in place to ensure the security of our products, facilities, employees and communities. The following summary outlines the major provisions of Univar's Security Program which reflects not only prudent measures to maximize the secure and safe handling of chemicals, but also the security requirements of various federal programs related to management of hazardous materials including DOT hazardous material transportation requirements, DHSCFAT program and Department of Commerce import rules among others. Note that this description is necessarily a broad overview of Univar's security program as various agencies limit the security related information that can be disclosed.

For our business partners that are C-TPAT certified please consider the following outline a demonstration of the degree to which Univar complies with C-TPAT security criteria.

### **BUSINESS PARTNER REQUIREMENT**

Univar has a written and verifiable process for the selection of business partners including manufacturers, product suppliers and vendors. Other internal requirements such as; capability of meeting contractual security requirements and financial soundness are included in the verification process.

### **POINT OF ORIGIN**

Univar ensures its foreign business partners have security criteria in place that enhances the integrity of the shipment at point of origin. Periodic reviews of foreign business partners' processes and facilities are conducted based on risk.

### **CONTAINER SECURITY**

Container integrity is maintained as mandated by international cargo transport laws and regulations.

### **EN ROUTE SECURITY**

Hazardous cargo is secured while in transit. Additionally, products and routes are annually evaluated to assess potential security risks.

### **COMMON CARRIER EVALUATION**

In addition to the above security measures, Univar has taken steps to verify our common carriers' compliance with DOT's HM-232 rules. Each common carrier has been asked to certify their security compliance with regards to HM-232.

### PERSONNEL SECURITY

Personnel security begins with hiring qualified employees. Univar has established policies and procedures to ensure we hire and maintain qualified employees. These policies and procedures include, but are not limited to:

- Pre-employment background checks
- Pre-employment and random drug tests for drivers and warehouse staff
- Policy on "Standards of Conduct" (included in the Employee Handbook)
- Policy on "Confidential Information" (included in the Employee Handbook)
- Checkout procedures for terminating employees
- Referral of illegal or criminal activities to law enforcement

### PHYSICAL ACCESS CONTROLS & SECURITY, PROCEDURAL & IT SECURITY

#### **SECURITY & VULNERABILITY ASSESSMENT**

Due to the hazardous nature of the chemicals we manage and distribute, Univar constantly assesses its security and vulnerability concerning internal or external threats that could potentially disrupt operations or harm our employees, communities or the environment.

Univar's security program addresses the following potential sources of loss or disruption:

- Theft, vandalism, and break-ins
- Theft of confidential business information
- Sabotage of equipment, utilities, and records
- Product contamination and tampering
- Bomb threats
- Civil unrest disrupting plant access and operations
- Workplace violence and assaults

Additionally, Univar has developed a risk-based matrix to identify areas of concern and has taken steps to address those areas of concern.

The initial security evaluations periodically reviewed by the site security official to evaluate the integrity and effectiveness of security policies, procedures and systems.

#### **UNAUTHORIZED ACCESS**

Univar has established minimum facility security guidelines that must be implemented and adhered to by each facility. Those minimum guidelines include but are not limited to:

- Perimeter and warehouse security
- Equipment security
- Access controls for production areas, warehouses, utility facilities, and offices
- Signs to direct visitors and vehicles to the appropriate entry points
- Visitor control

Univar employees have been trained to question unescorted person(s) within the operating areas, and to be watchful for unusual activity on company property or in the immediate surrounding areas.

### **SITE SECURITY COORDINATOR**

Each Univar facility has designated an employee, and an alternate, as the site security coordinator. This person(s) is responsible for performing the following security management functions:

- Prepare and implement a site specific security program consistent with the requirements herein
- Establish relationships with law enforcement and emergency response agencies
- Manage incident reporting procedures, conduct incident investigations, and if necessary, conduct investigations into breaches of company security policy
- Train employees about security awareness
- Address security issues in an emergency, participate in crisis management planning and ensure appropriate execution in emergency
- Periodically reassess the facility's site security program

### **TRAINING**

The Security Coordinator or his/her designee will train site personnel upon hire and every three years thereafter on the site security program. At a minimum, training includes:

- Company security objectives
- Specific site security procedures:
  - Product integrity
  - Personnel security
  - Facility security
  - En-route security
- Employee responsibilities

Should you have any general questions regarding Univar site and transit security program, please contact Jon Webster, Senior Vice President, North America Supply Chain & Operations at (425)241-7138 or Jeff Dixon, Director, International Trade Services at (281)543-8771.

Respectfully,

A handwritten signature in black ink, appearing to read 'Jon Webster'.

---

Jonathan (Jon) Webster  
Senior Vice President  
North America Supply Chain & Operations

### **COMMON CARRIER EVALUATION**

In addition to the above security measures, Univar has taken steps to verify our common carriers' compliance with DOT's HM-232 rules. Each common carrier has been asked to certify their security compliance with regards to HM-232.

Should you have any questions regarding any of the items noted in this security program summary, please feel free to contact your local Univar representative or myself at (425) 889-3776.

Respectfully,

A handwritten signature in black ink, appearing to read 'Ed Higbee', with a long horizontal flourish extending to the right.

Ed Higbee  
Director – Regulatory, Health & Safety



The Public Health and Safety Organization

## NSF Product and Service Listings

These NSF Official Listings are current as of **Tuesday, February 13, 2024** at 12:15 a.m. Eastern Time. Please [contact NSF](#) to confirm the status of any Listing, report errors, or make suggestions.

Alert: NSF is concerned about fraudulent downloading and manipulation of website text. Always confirm this information by clicking on the below link for the most accurate information:

<http://info.nsf.org/Certified/PwsChemicals/Listings.asp?>

[CompanyName=k2&ChemicalName=Sodium+Hypochlorite&](http://info.nsf.org/Certified/PwsChemicals/Listings.asp?CompanyName=k2&ChemicalName=Sodium+Hypochlorite&)

---

### NSF/ANSI/CAN 60 Drinking Water Treatment Chemicals - Health Effects

---

#### K2 Pure Solutions NoCal, L.P.

950 Loveridge Road

Pittsburg, CA 94565

United States

925-203-1190

[Visit this company's website \(http://www.k2pure.com\)](http://www.k2pure.com)

**Facility :** Pittsburg, CA

#### Sodium Hypochlorite[HY]

<i>Trade Designation</i>	<i>Product Function</i>	<i>Max Use</i>
Sodium Hypochlorite	Disinfection & Oxidation	84mg/L
Sodium Hypochlorite 12.5%	Disinfection & Oxidation	84mg/L
Sodium Hypochlorite 13%	Disinfection & Oxidation	79mg/L
Sodium Hypochlorite 13.7%	Disinfection & Oxidation	75mg/L
Sodium Hypochlorite 16%	Disinfection & Oxidation	65mg/L
Sodium Hypochlorite 5.25%	Disinfection & Oxidation	200mg/L

[HY] The residual levels of chlorine (hypochlorite ion and hypochlorous acid), chlorine dioxide, chlorate ion, chloramine and disinfection by-products shall be monitored in the finished drinking water to ensure compliance to all applicable regulations. Also, reference the AWWA B300 (Hypochlorites) standard's Recommendations for the Handling and

Storage of Hypochlorite Solutions appendix for information on preservation techniques for hypochlorite bleach in transit and storage.

---

Number of matching Manufacturers is 1

Number of matching Products is 6

Processing time was 0 seconds



The Public Health and Safety Organization

## NSF Product and Service Listings

These NSF Official Listings are current as of **Tuesday, February 13, 2024** at 12:15 a.m. Eastern Time. Please [contact NSF](#) to confirm the status of any Listing, report errors, or make suggestions.

Alert: NSF is concerned about fraudulent downloading and manipulation of website text. Always confirm this information by clicking on the below link for the most accurate information:

<http://info.nsf.org/Certified/PwsChemicals/Listings.asp?>

[CompanyName=univar&ChemicalName=Sodium+Hypochlorite&](http://info.nsf.org/Certified/PwsChemicals/Listings.asp?CompanyName=univar&ChemicalName=Sodium+Hypochlorite&)

---

### NSF/ANSI/CAN 60 Drinking Water Treatment Chemicals - Health Effects

---

#### Univar Solutions Canada Ltd. DBA Univar Canada Ltd.

64 Arrow Road

North York, ON M9M 2L9

Canada

416-740-5300

**Facility :** Edmonton, Alberta, Canada

#### Sodium Hypochlorite[HY]

<i>Trade Designation</i>	<i>Product Function</i>	<i>Max Use</i>
Bleach 12%	Disinfection & Oxidation	87mg/L
Javex 12%	Disinfection & Oxidation	87mg/L
Sodium Hypochlorite 12%	Disinfection & Oxidation	87mg/L
Sodium Hypochlorite 16%	Disinfection & Oxidation	66mg/L

[HY] The residual levels of chlorine (hypochlorite ion and hypochlorous acid), chlorine dioxide, chlorate ion, chloramine and disinfection by-products shall be monitored in the finished drinking water to ensure compliance to all applicable regulations. Also, reference the AWWA B300 (Hypochlorites) standard's Recommendations for the Handling and Storage of Hypochlorite Solutions appendix for information on preservation techniques for hypochlorite bleach in transit and storage.

NOTE: Only products bearing the NSF Mark on the product, product packaging, and/or documentation shipped with the product are Certified.

**Facility :** Valleyfield, Québec, Canada

**Sodium Hypochlorite[HY]**

<i>Trade Designation</i>	<i>Product Function</i>	<i>Max Use</i>
Sodium Hypochlorite 12%	Disinfection & Oxidation	95mg/L
Sodium Hypochlorite 4%	Disinfection & Oxidation	285mg/L

[HY] The residual levels of chlorine (hypochlorite ion and hypochlorous acid), chlorine dioxide, chlorate ion, chloramine and disinfection by-products shall be monitored in the finished drinking water to ensure compliance to all applicable regulations. Also, reference the AWWA B300 (Hypochlorites) standard's Recommendations for the Handling and Storage of Hypochlorite Solutions appendix for information on preservation techniques for hypochlorite bleach in transit and storage.

NOTE: Only products bearing the NSF Mark on the product, product packaging, and/or documentation shipped with the product are Certified.

---

**Univar Solutions USA Inc.**

17411 NE Union Hill Road  
Redmond, WA 98052  
United States  
425-889-3496

**Facility :** OlinKAS Santa Fe Springs, CA

**Sodium Hypochlorite[HY]**

<i>Trade Designation</i>	<i>Product Function</i>	<i>Max Use</i>
Liquichlor 12.5% Solution	Disinfection & Oxidation Algicide	84mg/L
Liquichlor 5.25% Solution	Disinfection & Oxidation Algicide	200mg/L
Sodium Hypochlorite 12.5%	Disinfection & Oxidation Algicide	84mg/L



Sodium Hypochlorite 5.25%

Disinfection & Oxidation  
Algicide

200mg/L

[HY] The residual levels of chlorine (hypochlorite ion and hypochlorous acid), chlorine dioxide, chlorate ion, chloramine and disinfection by-products shall be monitored in the finished drinking water to ensure compliance to all applicable regulations. Also, reference the AWWA B300 (Hypochlorites) standard's Recommendations for the Handling and Storage of Hypochlorite Solutions appendix for information on preservation techniques for hypochlorite bleach in transit and storage.

**Facility : OlinKAS Augusta, GA****Sodium Hypochlorite[HY]****Trade Designation****Product Function****Max Use**

Liquichlor 12.5% Solution

Disinfection & Oxidation  
Algicide

84mg/L

Sodium Hypochlorite 12.5%

Disinfection & Oxidation  
Algicide

84mg/L

[HY] The residual levels of chlorine (hypochlorite ion and hypochlorous acid), chlorine dioxide, chlorate ion, chloramine and disinfection by-products shall be monitored in the finished drinking water to ensure compliance to all applicable regulations. Also, reference the AWWA B300 (Hypochlorites) standard's Recommendations for the Handling and Storage of Hypochlorite Solutions appendix for information on preservation techniques for hypochlorite bleach in transit and storage.

**Facility : KAS Lemont, IL****Sodium Hypochlorite[HY]****Trade Designation****Product Function****Max Use**

Liquichlor 12.5% Solution

Algicide  
Disinfection & Oxidation

84mg/L

Sodium Hypochlorite 12.5%

Algicide  
Disinfection & Oxidation

84mg/L

[HY] The residual levels of chlorine (hypochlorite ion and hypochlorous acid), chlorine dioxide, chlorate ion, chloramine and disinfection by-products shall be monitored in the finished drinking water to ensure compliance to all applicable regulations. Also,

reference the AWWA B300 (Hypochlorites) standard's Recommendations for the Handling and Storage of Hypochlorite Solutions appendix for information on preservation techniques for hypochlorite bleach in transit and storage.

---

## Univar Solutions USA Inc. DBA Univar Solutions USA

3075 Highland Parkway  
Suite 200  
Downers Grove, IL 60515  
United States  
425-889-3400

**Facility :** # 1 St. Louis, MO

### Sodium Hypochlorite[HY]

<i>Trade Designation</i>	<i>Product Function</i>	<i>Max Use</i>
Liquichlor 12.5%	Disinfection & Oxidation	40mg/L
Sodium Hypochlorite	Disinfection & Oxidation	40mg/L
Sodium Hypochlorite 12.5%	Disinfection & Oxidation	40mg/L

[HY] The residual levels of chlorine (hypochlorite ion and hypochlorous acid), chlorine dioxide, chlorate ion, chloramine and disinfection by-products shall be monitored in the finished drinking water to ensure compliance to all applicable regulations. Also, reference the AWWA B300 (Hypochlorites) standard's Recommendations for the Handling and Storage of Hypochlorite Solutions appendix for information on preservation techniques for hypochlorite bleach in transit and storage.

NOTE: Only products bearing the "NSF 60" designation are Certified by NSF International.

**Facility :** Distribution Center - Phoenix 27th Ave., AZ

### Sodium Hypochlorite[HY]

<i>Trade Designation</i>	<i>Product Function</i>	<i>Max Use</i>
Sodium Hypochlorite 12.5%	Disinfection & Oxidation	84mg/L
Sodium Hypochlorite 5.25%	Disinfection & Oxidation	200mg/L

[HY] The residual levels of chlorine (hypochlorite ion and hypochlorous acid), chlorine dioxide, chlorate ion, chloramine and disinfection by-products shall be monitored in the finished drinking water to ensure compliance to all applicable regulations. Also, reference the AWWA B300 (Hypochlorites) standard's Recommendations for the Handling and Storage of Hypochlorite Solutions appendix for information on preservation techniques for hypochlorite bleach in transit and storage.

NOTE: Only products bearing the "NSF 60" designation are Certified by NSF International.

## Facility : Commerce, CA

### Sodium Hypochlorite[HY]

<i>Trade Designation</i>	<i>Product Function</i>	<i>Max Use</i>
Liquichlor 12.5%	Disinfection & Oxidation	84mg/L
Liquichlor 12.5% Solution	Disinfection & Oxidation	84mg/L

[HY] The residual levels of chlorine (hypochlorite ion and hypochlorous acid), chlorine dioxide, chlorate ion, chloramine and disinfection by-products shall be monitored in the finished drinking water to ensure compliance to all applicable regulations. Also, reference the AWWA B300 (Hypochlorites) standard's Recommendations for the Handling and Storage of Hypochlorite Solutions appendix for information on preservation techniques for hypochlorite bleach in transit and storage.

NOTE: Only products bearing the "NSF 60" designation are Certified by NSF International.

## Facility : Distribution Center - Santa Fe Springs, CA

### Sodium Hypochlorite[HY]

<i>Trade Designation</i>	<i>Product Function</i>	<i>Max Use</i>
Sodium Hypochlorite 10%	Disinfection & Oxidation	105mg/L
Sodium Hypochlorite 12.5%	Disinfection & Oxidation	84mg/L
Sodium Hypochlorite 5.25%	Disinfection & Oxidation	200mg/L

[HY] The residual levels of chlorine (hypochlorite ion and hypochlorous acid), chlorine dioxide, chlorate ion, chloramine and disinfection by-products shall be monitored in the finished drinking water to ensure compliance to all applicable regulations. Also, reference the AWWA B300 (Hypochlorites) standard's Recommendations for the Handling and

Storage of Hypochlorite Solutions appendix for information on preservation techniques for hypochlorite bleach in transit and storage.

NOTE: Only products bearing the "NSF 60" designation are Certified by NSF International.

### **Facility : Redwood City, CA**

#### **Sodium Hypochlorite[HY]**

<b>Trade Designation</b>	<b>Product Function</b>	<b>Max Use</b>
Sodium Hypochlorite 12.5%	Disinfection & Oxidation	84mg/L

[HY] The residual levels of chlorine (hypochlorite ion and hypochlorous acid), chlorine dioxide, chlorate ion, chloramine and disinfection by-products shall be monitored in the finished drinking water to ensure compliance to all applicable regulations. Also, reference the AWWA B300 (Hypochlorites) standard's Recommendations for the Handling and Storage of Hypochlorite Solutions appendix for information on preservation techniques for hypochlorite bleach in transit and storage.

NOTE: Only products bearing the "NSF 60" designation are Certified by NSF International.

### **Facility : Visalia, CA**

#### **Sodium Hypochlorite[HY]**

<b>Trade Designation</b>	<b>Product Function</b>	<b>Max Use</b>
Sodium Hypochlorite 12.5%	Disinfection & Oxidation	84mg/L

[HY] The residual levels of chlorine (hypochlorite ion and hypochlorous acid), chlorine dioxide, chlorate ion, chloramine and disinfection by-products shall be monitored in the finished drinking water to ensure compliance to all applicable regulations. Also, reference the AWWA B300 (Hypochlorites) standard's Recommendations for the Handling and Storage of Hypochlorite Solutions appendix for information on preservation techniques for hypochlorite bleach in transit and storage.

NOTE: Only products bearing the "NSF 60" designation are Certified by NSF International.

### **Facility : Jacksonville, FL**

**Sodium Hypochlorite[HY]**

<b>Trade Designation</b>	<b>Product Function</b>	<b>Max Use</b>
Liquichlor 10%	Disinfection & Oxidation	55mg/L
Liquichlor 12.5%	Disinfection & Oxidation	44mg/L
Sodium Hypochlorite 10%	Disinfection & Oxidation	55mg/L
Sodium Hypochlorite 12.5%	Disinfection & Oxidation	44mg/L

[HY] The residual levels of chlorine (hypochlorite ion and hypochlorous acid), chlorine dioxide, chlorate ion, chloramine and disinfection by-products shall be monitored in the finished drinking water to ensure compliance to all applicable regulations. Also, reference the AWWA B300 (Hypochlorites) standard's Recommendations for the Handling and Storage of Hypochlorite Solutions appendix for information on preservation techniques for hypochlorite bleach in transit and storage.

NOTE: Only products bearing the "NSF 60" designation are Certified by NSF International.

**Facility : Tampa, FL****Sodium Hypochlorite[HY]**

<b>Trade Designation</b>	<b>Product Function</b>	<b>Max Use</b>
Liquichlor 10%	Disinfection & Oxidation	105mg/L
Liquichlor 12.5%	Disinfection & Oxidation	94mg/L
Sodium Hypochlorite	Disinfection & Oxidation	94mg/L
Sodium Hypochlorite 10%	Disinfection & Oxidation	105mg/L
Sodium Hypochlorite 12.5%	Disinfection & Oxidation	94mg/L

[HY] The residual levels of chlorine (hypochlorite ion and hypochlorous acid), chlorine dioxide, chlorate ion, chloramine and disinfection by-products shall be monitored in the finished drinking water to ensure compliance to all applicable regulations. Also, reference the AWWA B300 (Hypochlorites) standard's Recommendations for the Handling and Storage of Hypochlorite Solutions appendix for information on preservation techniques for hypochlorite bleach in transit and storage.

NOTE: Only products bearing the "NSF 60" designation are Certified by NSF International.

**Facility : Distribution Center - Dallas, GA**

**Sodium Hypochlorite[HY]**

<i>Trade Designation</i>	<i>Product Function</i>	<i>Max Use</i>
Sodium Hypochlorite 10%	Disinfection & Oxidation	105mg/L
Sodium Hypochlorite 12.5%	Disinfection & Oxidation	84mg/L

[HY] The residual levels of chlorine (hypochlorite ion and hypochlorous acid), chlorine dioxide, chlorate ion, chloramine and disinfection by-products shall be monitored in the finished drinking water to ensure compliance to all applicable regulations. Also, reference the AWWA B300 (Hypochlorites) standard's Recommendations for the Handling and Storage of Hypochlorite Solutions appendix for information on preservation techniques for hypochlorite bleach in transit and storage.

NOTE: Only products bearing the "NSF 60" designation are Certified by NSF International.

**Facility : Norcross, GA****Sodium Hypochlorite[HY]**

<i>Trade Designation</i>	<i>Product Function</i>	<i>Max Use</i>
Liquichlor 12.5%	Disinfection & Oxidation	84mg/L
Sodium Hypochlorite 12.5%	Disinfection & Oxidation	84mg/L

[HY] The residual levels of chlorine (hypochlorite ion and hypochlorous acid), chlorine dioxide, chlorate ion, chloramine and disinfection by-products shall be monitored in the finished drinking water to ensure compliance to all applicable regulations. Also, reference the AWWA B300 (Hypochlorites) standard's Recommendations for the Handling and Storage of Hypochlorite Solutions appendix for information on preservation techniques for hypochlorite bleach in transit and storage.

NOTE: Only products bearing the "NSF 60" designation are Certified by NSF International.

**Facility : Distribution Center - Nampa, ID****Sodium Hypochlorite[HY]**

<i>Trade Designation</i>	<i>Product Function</i>	<i>Max Use</i>
Liquichlor 12.5% Solution	Disinfection & Oxidation	84mg/L
Sodium Hypochlorite 12.5%	Disinfection & Oxidation	84mg/L

[HY] The residual levels of chlorine (hypochlorite ion and hypochlorous acid), chlorine dioxide, chlorate ion, chloramine and disinfection by-products shall be monitored in the finished drinking water to ensure compliance to all applicable regulations. Also, reference the AWWA B300 (Hypochlorites) standard's Recommendations for the Handling and Storage of Hypochlorite Solutions appendix for information on preservation techniques for hypochlorite bleach in transit and storage.

NOTE: Only products bearing the "NSF 60" designation are Certified by NSF International.

### **Facility :** Bedford Park, IL

#### **Sodium Hypochlorite**[HY]

<i>Trade Designation</i>	<i>Product Function</i>	<i>Max Use</i>
Sodium Hypochlorite 12.5%	pH Adjustment	84mg/L

[HY] The residual levels of chlorine (hypochlorite ion and hypochlorous acid), chlorine dioxide, chlorate ion, chloramine and disinfection by-products shall be monitored in the finished drinking water to ensure compliance to all applicable regulations. Also, reference the AWWA B300 (Hypochlorites) standard's Recommendations for the Handling and Storage of Hypochlorite Solutions appendix for information on preservation techniques for hypochlorite bleach in transit and storage.

NOTE: Only products bearing the "NSF 60" designation are Certified by NSF International.

### **Facility :** Distribution Center, Geismar, LA

#### **Sodium Hypochlorite**[HY]

<i>Trade Designation</i>	<i>Product Function</i>	<i>Max Use</i>
Liquichlor 12.5% Solution	Disinfection & Oxidation	39mg/L
Sodium Hypochlorite 12.5%	Disinfection & Oxidation	39mg/L

[HY] The residual levels of chlorine (hypochlorite ion and hypochlorous acid), chlorine dioxide, chlorate ion, chloramine and disinfection by-products shall be monitored in the finished drinking water to ensure compliance to all applicable regulations. Also, reference the AWWA B300 (Hypochlorites) standard's Recommendations for the Handling and Storage of Hypochlorite Solutions appendix for information on preservation techniques for hypochlorite bleach in transit and storage.

NOTE: Only products bearing the "NSF 60" designation are Certified by NSF International.

**Facility :** St. Paul Terrace Court, MN

**Sodium Hypochlorite**[HY]

<i>Trade Designation</i>	<i>Product Function</i>	<i>Max Use</i>
Liquichlor 12.5% Solution	Disinfection & Oxidation	23mg/L
Sodium Hypochlorite 12.5%	Disinfection & Oxidation	23mg/L

[HY] The residual levels of chlorine (hypochlorite ion and hypochlorous acid), chlorine dioxide, chlorate ion, chloramine and disinfection by-products shall be monitored in the finished drinking water to ensure compliance to all applicable regulations. Also, reference the AWWA B300 (Hypochlorites) standard's Recommendations for the Handling and Storage of Hypochlorite Solutions appendix for information on preservation techniques for hypochlorite bleach in transit and storage.

NOTE: Only products bearing the "NSF 60" designation are Certified by NSF International.

**Facility :** Charlotte, NC

**Sodium Hypochlorite**[HY]

<i>Trade Designation</i>	<i>Product Function</i>	<i>Max Use</i>
Liquichlor 12.5% Solution	Disinfection & Oxidation	84mg/L

[HY] The residual levels of chlorine (hypochlorite ion and hypochlorous acid), chlorine dioxide, chlorate ion, chloramine and disinfection by-products shall be monitored in the finished drinking water to ensure compliance to all applicable regulations. Also, reference the AWWA B300 (Hypochlorites) standard's Recommendations for the Handling and Storage of Hypochlorite Solutions appendix for information on preservation techniques for hypochlorite bleach in transit and storage.

NOTE: Only products bearing the "NSF 60" designation are Certified by NSF International.

**Facility :** Distribution Center - Walbridge, OH



**Sodium Hypochlorite[HY]**

<b>Trade Designation</b>	<b>Product Function</b>	<b>Max Use</b>
Liquichlor 12.5%	Disinfection & Oxidation	78mg/L
Sodium Hypochlorite 12.5%	Disinfection & Oxidation	78mg/L

[HY] The residual levels of chlorine (hypochlorite ion and hypochlorous acid), chlorine dioxide, chlorate ion, chloramine and disinfection by-products shall be monitored in the finished drinking water to ensure compliance to all applicable regulations. Also, reference the AWWA B300 (Hypochlorites) standard's Recommendations for the Handling and Storage of Hypochlorite Solutions appendix for information on preservation techniques for hypochlorite bleach in transit and storage.

NOTE: Only products bearing the "NSF 60" designation are Certified by NSF International.

**Facility : Portland, OR****Sodium Hypochlorite[HY]**

<b>Trade Designation</b>	<b>Product Function</b>	<b>Max Use</b>
Liquichlor 12.5%	Disinfection & Oxidation	84mg/L

[HY] The residual levels of chlorine (hypochlorite ion and hypochlorous acid), chlorine dioxide, chlorate ion, chloramine and disinfection by-products shall be monitored in the finished drinking water to ensure compliance to all applicable regulations. Also, reference the AWWA B300 (Hypochlorites) standard's Recommendations for the Handling and Storage of Hypochlorite Solutions appendix for information on preservation techniques for hypochlorite bleach in transit and storage.

NOTE: Only products bearing the "NSF 60" designation are Certified by NSF International.

**Facility : Altoona, PA****Sodium Hypochlorite[HY]**

<b>Trade Designation</b>	<b>Product Function</b>	<b>Max Use</b>
Liquichlor 12.5%	Disinfection & Oxidation	45mg/L
Liquichlor 5.25%	Disinfection & Oxidation	107mg/L
Sodium Hypochlorite Solution 12.5%	Disinfection & Oxidation	45mg/L

Sodium Hypochlorite Solution 5.25%

Disinfection &amp; Oxidation

107mg/L

[HY] The residual levels of chlorine (hypochlorite ion and hypochlorous acid), chlorine dioxide, chlorate ion, chloramine and disinfection by-products shall be monitored in the finished drinking water to ensure compliance to all applicable regulations. Also, reference the AWWA B300 (Hypochlorites) standard's Recommendations for the Handling and Storage of Hypochlorite Solutions appendix for information on preservation techniques for hypochlorite bleach in transit and storage.

NOTE: Only products bearing the "NSF 60" designation are Certified by NSF International.

### Facility : Bunola, PA

#### Sodium Hypochlorite[HY]

<i>Trade Designation</i>	<i>Product Function</i>	<i>Max Use</i>
Liquichlor 12.5%	Disinfection & Oxidation	45mg/L
Liquichlor 5.25%	Disinfection & Oxidation	107mg/L
Sodium Hypochlorite Solution 12.5%	Disinfection & Oxidation	45mg/L
Sodium Hypochlorite Solution 5.25%	Disinfection & Oxidation	107mg/L

[HY] The residual levels of chlorine (hypochlorite ion and hypochlorous acid), chlorine dioxide, chlorate ion, chloramine and disinfection by-products shall be monitored in the finished drinking water to ensure compliance to all applicable regulations. Also, reference the AWWA B300 (Hypochlorites) standard's Recommendations for the Handling and Storage of Hypochlorite Solutions appendix for information on preservation techniques for hypochlorite bleach in transit and storage.

NOTE: Only products bearing the "NSF 60" designation are Certified by NSF International.

### Facility : Middletown, PA

#### Sodium Hypochlorite[HY]

<i>Trade Designation</i>	<i>Product Function</i>	<i>Max Use</i>
Liquichlor 10%	Disinfection & Oxidation	75mg/L
Liquichlor 12.5%	Disinfection & Oxidation	60mg/L
Liquichlor 5.25%	Disinfection & Oxidation	142mg/L
Liquichlor 9.2%	Disinfection & Oxidation	81mg/L
Sodium Hypochlorite Solution 10%	Disinfection & Oxidation	75mg/L

Sodium Hypochlorite Solution 12.5%	Disinfection & Oxidation	60mg/L
Sodium Hypochlorite Solution 5.25%	Disinfection & Oxidation	142mg/L
Sodium Hypochlorite Solution 9.2%	Disinfection & Oxidation	81mg/L

[HY] The residual levels of chlorine (hypochlorite ion and hypochlorous acid), chlorine dioxide, chlorate ion, chloramine and disinfection by-products shall be monitored in the finished drinking water to ensure compliance to all applicable regulations. Also, reference the AWWA B300 (Hypochlorites) standard's Recommendations for the Handling and Storage of Hypochlorite Solutions appendix for information on preservation techniques for hypochlorite bleach in transit and storage.

NOTE: Only products bearing the "NSF 60" designation are Certified by NSF International.

## Facility : Providence, RI

### Sodium Hypochlorite[HY]

<i>Trade Designation</i>	<i>Product Function</i>	<i>Max Use</i>
Liquichlor 10%	Disinfection & Oxidation	105mg/L
Liquichlor 12.5%	Disinfection & Oxidation	84mg/L
Liquichlor 5.25%	Disinfection & Oxidation	200mg/L

[HY] The residual levels of chlorine (hypochlorite ion and hypochlorous acid), chlorine dioxide, chlorate ion, chloramine and disinfection by-products shall be monitored in the finished drinking water to ensure compliance to all applicable regulations. Also, reference the AWWA B300 (Hypochlorites) standard's Recommendations for the Handling and Storage of Hypochlorite Solutions appendix for information on preservation techniques for hypochlorite bleach in transit and storage.

NOTE: Only products bearing the "NSF 60" designation are Certified by NSF International.

## Facility : Spartanburg, SC

### Sodium Hypochlorite[HY]

<i>Trade Designation</i>	<i>Product Function</i>	<i>Max Use</i>
Liquichlor 12.5% Solution	Disinfection & Oxidation	84mg/L

[HY] The residual levels of chlorine (hypochlorite ion and hypochlorous acid), chlorine dioxide, chlorate ion, chloramine and disinfection by-products shall be monitored in the finished drinking water to ensure compliance to all applicable regulations. Also, reference the AWWA B300 (Hypochlorites) standard's Recommendations for the Handling and Storage of Hypochlorite Solutions appendix for information on preservation techniques for hypochlorite bleach in transit and storage.

NOTE: Only products bearing the "NSF 60" designation are Certified by NSF International.

### **Facility : Chester, VA**

#### **Sodium Hypochlorite[HY]**

<i><b>Trade Designation</b></i>	<i><b>Product Function</b></i>	<i><b>Max Use</b></i>
Liquichlor 12.5%	Disinfection & Oxidation	58mg/L
Liquichlor 5.25%	Disinfection & Oxidation	138mg/L

[HY] The residual levels of chlorine (hypochlorite ion and hypochlorous acid), chlorine dioxide, chlorate ion, chloramine and disinfection by-products shall be monitored in the finished drinking water to ensure compliance to all applicable regulations. Also, reference the AWWA B300 (Hypochlorites) standard's Recommendations for the Handling and Storage of Hypochlorite Solutions appendix for information on preservation techniques for hypochlorite bleach in transit and storage.

NOTE: Only products bearing the "NSF 60" designation are Certified by NSF International.

### **Facility : Kent, WA**

#### **Sodium Hypochlorite**

<i><b>Trade Designation</b></i>	<i><b>Product Function</b></i>	<i><b>Max Use</b></i>
Liquichlor 12.5%	Disinfection & Oxidation	84 mg/L

NOTE: Only products bearing the "NSF 60" designation are Certified by NSF International.

### **Facility : Cincinnati Dues Drive, OH**

**Sodium Hypochlorite[HY]**

<i>Trade Designation</i>	<i>Product Function</i>	<i>Max Use</i>
Liquichlor 10% Solution	Disinfection & Oxidation	75mg/L
Liquichlor 12.5% Solution	Disinfection & Oxidation	60mg/L
Liquichlor 5.25% Solution	Disinfection & Oxidation	142mg/L
Sodium Hypochlorite Solution 12.5%	Disinfection & Oxidation	60mg/L

[HY] The residual levels of chlorine (hypochlorite ion and hypochlorous acid), chlorine dioxide, chlorate ion, chloramine and disinfection by-products shall be monitored in the finished drinking water to ensure compliance to all applicable regulations. Also, reference the AWWA B300 (Hypochlorites) standard's Recommendations for the Handling and Storage of Hypochlorite Solutions appendix for information on preservation techniques for hypochlorite bleach in transit and storage.

NOTE: Only products bearing the "NSF 60" designation are Certified by NSF International.

**Facility :** Dallas Bekay Street, TX

**Sodium Hypochlorite[HY]**

<i>Trade Designation</i>	<i>Product Function</i>	<i>Max Use</i>
Sodium Hypochlorite 12.5%	Disinfection & Oxidation	84mg/L

[HY] The residual levels of chlorine (hypochlorite ion and hypochlorous acid), chlorine dioxide, chlorate ion, chloramine and disinfection by-products shall be monitored in the finished drinking water to ensure compliance to all applicable regulations. Also, reference the AWWA B300 (Hypochlorites) standard's Recommendations for the Handling and Storage of Hypochlorite Solutions appendix for information on preservation techniques for hypochlorite bleach in transit and storage.

NOTE: Only products bearing the "NSF 60" designation are Certified by NSF International.

**Facility :** Houston, TX

**Sodium Hypochlorite[HY]**

<i>Trade Designation</i>	<i>Product Function</i>	<i>Max Use</i>
Liquichlor 10% Solution	Disinfection & Oxidation	65 mg/L
Liquichlor 12.5% Solution	Disinfection & Oxidation	52 mg/L

[HY] The residual levels of chlorine (hypochlorite ion and hypochlorous acid), chlorine dioxide, chlorate ion, chloramine and disinfection by-products shall be monitored in the finished drinking water to ensure compliance to all applicable regulations. Also, reference the AWWA B300 (Hypochlorites) standard's Recommendations for the Handling and Storage of Hypochlorite Solutions appendix for information on preservation techniques for hypochlorite bleach in transit and storage.

NOTE: Only products bearing the "NSF 60" designation are Certified by NSF International.

---

Univar Solutions USA Inc. DBA  
Univar USA Inc.  
17425 Northeast Union Hill Road  
Redmond, WA 98052  
United States  
425-889-3400

**Facility :** # 11 USA

Sodium Hypochlorite[HY]		
Trade Designation	Product Function	Max Use
Liquichlor 12.5%	Disinfection & Oxidation	84mg/L
Sodium Hypochlorite 12.5%	Disinfection & Oxidation	84mg/L

[HY] The residual levels of chlorine (hypochlorite ion and hypochlorous acid), chlorine dioxide, chlorate ion, chloramine and disinfection by-products shall be monitored in the finished drinking water to ensure compliance to all applicable regulations. Also, reference the AWWA B300 (Hypochlorites) standard's Recommendations for the Handling and Storage of Hypochlorite Solutions appendix for information on preservation techniques for hypochlorite bleach in transit and storage.

---

Univar Solutions USA Inc. DBA  
Univar USA Inc.  
17425 Northeast Union Hill Road  
Redmond, WA 98052  
United States

425-889-3400

**Facility : # 18 USA****Sodium Hypochlorite[HY]**

<i>Trade Designation</i>	<i>Product Function</i>	<i>Max Use</i>
BCS Sodium Hypochlorite Solution (12.5%)	Disinfection & Oxidation	84mg/L
Liquichlor 12.5% Solution	Disinfection & Oxidation	84mg/L

[HY] The residual levels of chlorine (hypochlorite ion and hypochlorous acid), chlorine dioxide, chlorate ion, chloramine and disinfection by-products shall be monitored in the finished drinking water to ensure compliance to all applicable regulations. Also, reference the AWWA B300 (Hypochlorites) standard's Recommendations for the Handling and Storage of Hypochlorite Solutions appendix for information on preservation techniques for hypochlorite bleach in transit and storage.

---

**Univar Solutions USA Inc. DBA  
Univar USA Inc.**

17425 Northeast Union Hill Road

Redmond, WA 98052

United States

425-889-3496

**Facility : # 2 Houston, TX****Sodium Hypochlorite[HY]**

<i>Trade Designation</i>	<i>Product Function</i>	<i>Max Use</i>
Liquichlor	Disinfection & Oxidation	62mg/L
Liquichlor 10%	Disinfection & Oxidation	62mg/L
Liquichlor 12.5%	Disinfection & Oxidation	50mg/L
Liquichlor Max	Disinfection & Oxidation	50mg/L
Sodium Hypochlorite 10%	Disinfection & Oxidation	62mg/L
Sodium Hypochlorite 12.5%	Disinfection & Oxidation	50mg/L

[HY] The residual levels of chlorine (hypochlorite ion and hypochlorous acid), chlorine dioxide, chlorate ion, chloramine and disinfection by-products shall be monitored in the finished drinking water to ensure compliance to all applicable regulations. Also, reference the AWWA B300 (Hypochlorites) standard's Recommendations for the Handling and

Storage of Hypochlorite Solutions appendix for information on preservation techniques for hypochlorite bleach in transit and storage.

---

Univar Solutions USA Inc. DBA  
Univar USA Inc.  
17411 Northeast Union Hill Road  
Redmond, WA 98052  
United States  
425-889-3496

**Facility :** # 25 Dayton, OH

**Sodium Hypochlorite[HY]**

<i>Trade Designation</i>	<i>Product Function</i>	<i>Max Use</i>
Liquichlor 12.5% Solution	Disinfection & Oxidation	84mg/L
Sodium Hypochlorite 12.5%	Disinfection & Oxidation	84mg/L

[HY] The residual levels of chlorine (hypochlorite ion and hypochlorous acid), chlorine dioxide, chlorate ion, chloramine and disinfection by-products shall be monitored in the finished drinking water to ensure compliance to all applicable regulations. Also, reference the AWWA B300 (Hypochlorites) standard's Recommendations for the Handling and Storage of Hypochlorite Solutions appendix for information on preservation techniques for hypochlorite bleach in transit and storage.

NOTE: Only products bearing the "NSF 60" designation are Certified by NSF International.

---

Univar Solutions USA Inc. DBA  
Univar USA Inc.  
3075 Highland Parkway  
Suite 200  
Downers Grove, IL 60515  
United States  
425-889-3400

**Facility :** San Antonio, TX CarbonFree



**Sodium Hypochlorite[HY]**

<i>Trade Designation</i>	<i>Product Function</i>	<i>Max Use</i>
Liquichlor 10% Solution	Disinfection & Oxidation Algicide Bactericide	105mg/L
Liquichlor 12.5% Solution	Disinfection & Oxidation Algicide Bactericide	84mg/L
Sodium Hypochlorite 10%	Disinfection & Oxidation Algicide Bactericide	105mg/L
Sodium Hypochlorite 12.5%	Disinfection & Oxidation Algicide Bactericide	84mg/L

[HY] The residual levels of chlorine (hypochlorite ion and hypochlorous acid), chlorine dioxide, chlorate ion, chloramine and disinfection by-products shall be monitored in the finished drinking water to ensure compliance to all applicable regulations. Also, reference the AWWA B300 (Hypochlorites) standard's Recommendations for the Handling and Storage of Hypochlorite Solutions appendix for information on preservation techniques for hypochlorite bleach in transit and storage.

## Univar Solutions USA Inc. DBA Univar USA Inc.

17411 Northeast Union Hill Road

Redmond, WA 98052

United States

425-889-3496

**Facility :** RN Willow Springs, IL

**Sodium Hypochlorite[HY]**

<i>Trade Designation</i>	<i>Product Function</i>	<i>Max Use</i>
Liquichlor 12.5% Solution	Disinfection & Oxidation Bactericide Algicide	84mg/L
Sodium Hypochlorite 12.5%	Disinfection & Oxidation Bactericide Algicide	84mg/L

[HY] The residual levels of chlorine (hypochlorite ion and hypochlorous acid), chlorine dioxide, chlorate ion, chloramine and disinfection by-products shall be monitored in the finished drinking water to ensure compliance to all applicable regulations. Also, reference the AWWA B300 (Hypochlorites) standard's Recommendations for the Handling and Storage of Hypochlorite Solutions appendix for information on preservation techniques for hypochlorite bleach in transit and storage.

---

## Univar Solutions USA Inc. DBA Univar USA Inc.

3075 highland Parkway  
Suite 200  
Downers Grove, IL 60515  
United States  
425-372-1529

### Facility : # 28 USA

#### Sodium Hypochlorite[HY]

<i>Trade Designation</i>	<i>Product Function</i>	<i>Max Use</i>
Sodium Hypochlorite 12.5%	Bactericide Disinfection & Oxidation	80mg/L
Liquichlor 12.5%	Bactericide Disinfection & Oxidation	80mg/L

[HY] The residual levels of chlorine (hypochlorite ion and hypochlorous acid), chlorine dioxide, chlorate ion, chloramine and disinfection by-products shall be monitored in the finished drinking water to ensure compliance to all applicable regulations. Also, reference the AWWA B300 (Hypochlorites) standard's Recommendations for the Handling and Storage of Hypochlorite Solutions appendix for information on preservation techniques for hypochlorite bleach in transit and storage.

### Facility : # 29 USA

#### Sodium Hypochlorite[HY]

<i>Trade Designation</i>	<i>Product Function</i>	<i>Max Use</i>
--------------------------	-------------------------	----------------

Liquichlor 12.5%	Bactericide	80mg/L
	Disinfection & Oxidation	
Sodium Hypochlorite 12.5%	Bactericide	80mg/L
	Disinfection & Oxidation	

[HY] The residual levels of chlorine (hypochlorite ion and hypochlorous acid), chlorine dioxide, chlorate ion, chloramine and disinfection by-products shall be monitored in the finished drinking water to ensure compliance to all applicable regulations. Also, reference the AWWA B300 (Hypochlorites) standard's Recommendations for the Handling and Storage of Hypochlorite Solutions appendix for information on preservation techniques for hypochlorite bleach in transit and storage.

---

## Univar USA Inc.

17425 Northeast Union Hill Road  
Redmond, WA 98052  
United States  
425-889-3400

### Facility : # 8 USA

#### Sodium Hypochlorite[HY]

<i>Trade Designation</i>	<i>Product Function</i>	<i>Max Use</i>
Liquichlor 12.5%	Disinfection & Oxidation	99mg/L

[HY] The residual levels of chlorine (hypochlorite ion and hypochlorous acid), chlorine dioxide, chlorate ion, chloramine and disinfection by-products shall be monitored in the finished drinking water to ensure compliance to all applicable regulations. Also, reference the AWWA B300 (Hypochlorites) standard's Recommendations for the Handling and Storage of Hypochlorite Solutions appendix for information on preservation techniques for hypochlorite bleach in transit and storage.

### Facility : # 13 USA

#### Sodium Hypochlorite[HY]

<i>Trade Designation</i>	<i>Product Function</i>	<i>Max Use</i>
Liquichlor 12.5%	Disinfection & Oxidation	99mg/L

[HY] The residual levels of chlorine (hypochlorite ion and hypochlorous acid), chlorine dioxide, chlorate ion, chloramine and disinfection by-products shall be monitored in the finished drinking water to ensure compliance to all applicable regulations. Also, reference the AWWA B300 (Hypochlorites) standard's Recommendations for the Handling and Storage of Hypochlorite Solutions appendix for information on preservation techniques for hypochlorite bleach in transit and storage.

---

## Univar USA Inc.

17425 Northeast Union Hill Road  
Redmond, WA 98052  
United States  
425-889-3400

### Facility : # 10 USA

#### Sodium Hypochlorite[HY]

<i>Trade Designation</i>	<i>Product Function</i>	<i>Max Use</i>
Liquichlor 12.5%	Disinfection & Oxidation	84mg/L
Sodium Hypochlorite 12.5%	Disinfection & Oxidation	84mg/L

[HY] The residual levels of chlorine (hypochlorite ion and hypochlorous acid), chlorine dioxide, chlorate ion, chloramine and disinfection by-products shall be monitored in the finished drinking water to ensure compliance to all applicable regulations. Also, reference the AWWA B300 (Hypochlorites) standard's Recommendations for the Handling and Storage of Hypochlorite Solutions appendix for information on preservation techniques for hypochlorite bleach in transit and storage.

---

## Univar USA Inc.

17425 Northeast Union Hill Road  
Redmond, WA 98052  
United States  
425-889-3496

### Facility : # 12 USA

**Sodium Hypochlorite[HY]**

<b>Trade Designation</b>	<b>Product Function</b>	<b>Max Use</b>
Liquichlor 12.5% Solution	Disinfection & Oxidation	84mg/L
Liquichlor 5.25% Solution	Disinfection & Oxidation	200mg/L

[HY] The residual levels of chlorine (hypochlorite ion and hypochlorous acid), chlorine dioxide, chlorate ion, chloramine and disinfection by-products shall be monitored in the finished drinking water to ensure compliance to all applicable regulations. Also, reference the AWWA B300 (Hypochlorites) standard's Recommendations for the Handling and Storage of Hypochlorite Solutions appendix for information on preservation techniques for hypochlorite bleach in transit and storage.

**Facility : # 17 Saugus, CA****Sodium Hypochlorite[HY]**

<b>Trade Designation</b>	<b>Product Function</b>	<b>Max Use</b>
Liquichlor 12.5% Solution	Disinfection & Oxidation	84mg/L
Liquichlor 5.25% Solution	Disinfection & Oxidation	200mg/L

[HY] The residual levels of chlorine (hypochlorite ion and hypochlorous acid), chlorine dioxide, chlorate ion, chloramine and disinfection by-products shall be monitored in the finished drinking water to ensure compliance to all applicable regulations. Also, reference the AWWA B300 (Hypochlorites) standard's Recommendations for the Handling and Storage of Hypochlorite Solutions appendix for information on preservation techniques for hypochlorite bleach in transit and storage.

---

Number of matching Manufacturers is 13

Number of matching Products is 110

Processing time was 1 seconds





4526766356  
K2#156940  
50215

## Certificate of Analysis

Product: **Sodium Hypochlorite 12.5**  
K2 Lot Number: 240210-B1  
Date of Manufacture: 2/10/24

Characteristic	Unit	Lower Limit	Upper Limit	Value
Sodium Hypochlorite (NaOCl)	Wt%	12.5		12.7
Specific Gravity @ 20°C				1.193
Density @ 20°C	g/mL			1.191
Total Alkalinity (NaOH)	Wt%	0.1	1.0	0.5
Sodium Carbonate (Na <sub>2</sub> CO <sub>3</sub> )	Wt%	0.0	1.0	0.1
Iron (Fe)	ppm		1.0	<1.0
Nickel (Ni)	ppm		0.1	<0.1
Bromate (BrO <sub>3</sub> )	mg/L		24	12
Insoluble Matter	Wt%		0.15	<0.15
Color				clear greenish yellow
Odor				mild chlorine odor
pH				12.5

### Environmental Status:

RCRA List: N/A  
SARA 313 List: N/A  
California Prop 65 List: N/A  
EPA Registration Number: 550-198  
DOT Proper Shipping Name: Hypochlorite Solutions, 8, UN1791, PGIII  
(RQ 100 Lbs) = 80 Gallons 12.5% Solution

Date of Delivery: 02/12/24  
Shipper ID: \_\_\_\_\_



Certified to  
NSF/ANSI 60

This product has been certified according to NSF/ANSI 60 at a maximum use level in drinking water of 84 mg/L  
K2 Pure Solutions, 950 Loveridge Road - Pittsburg, CA 94565 - Phone 925-203-1199



**Safety Data Sheet****LIQUICHLOR® 12.5% SOLUTION**

Version 1.1

Revision Date: 02/01/2023

**SECTION 1. PRODUCT AND COMPANY IDENTIFICATION****Product name** : LIQUICHLOR® 12.5% SOLUTION**Recommended use of the chemical and restrictions on use**

Recommended use : refer to EPA registered label for specific uses

**Manufacturer or supplier's details****Company** : Univar Solutions USA, Inc.**Address** 3075 Highland Pkwy Suite 200

Downers Grove, IL 60515

United States of America (USA)

**Emergency telephone number:**

Transport North America: CHEMTREC (1-800-424-9300)

CHEMTREC INTERNATIONAL Tel # 703-527-3887

**Additional Information:** : Responsible Party: Product Compliance Department

E-mail: SDSNA@univarsolutions.com

SDS Requests: 1-855-429-2661

Website: www.univarsolutions.com

**SECTION 2. HAZARDS IDENTIFICATION****GHS Classification**

Corrosive to metals : Category 1

Skin corrosion : Category 1

Serious eye damage : Category 1

**GHS label elements**

Hazard pictograms :



Signal word : Danger

Hazard statements : H290 May be corrosive to metals.  
H314 Causes severe skin burns and eye damage.Precautionary statements : **Prevention:**  
P234 Keep only in original container.  
P264 Wash skin thoroughly after handling.  
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.**Response:**

P301 + P330 + P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower.

P304 + P340 + P310 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/ doctor.

## Safety Data Sheet

### LIQUICHLOR® 12.5% SOLUTION

Version 1.1

Revision Date: 02/01/2023

P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/ doctor.

P363 Wash contaminated clothing before reuse.

P390 Absorb spillage to prevent material damage.

#### Storage:

P405 Store locked up.

P406 Store in corrosive resistant container with a resistant inner liner.

#### Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

#### Other hazards

None known.

### SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

#### Hazardous components

CAS-No.	Chemical name	Weight percent
7681-52-9	Sodium hypochlorite	12.5
1310-73-2	Sodium hydroxide	0 - 5

Actual concentration is withheld as a trade secret

Any Concentration shown as a range is due to batch variation.

Synonyms : Bleach,

### SECTION 4. FIRST AID MEASURES

- General advice : Show this safety data sheet to the doctor in attendance.  
Move out of dangerous area.  
Consult a physician.  
Show this safety data sheet to the doctor in attendance.  
Do not leave the victim unattended.
- If inhaled : Take victim immediately to hospital.  
Move to fresh air.  
If breathing has stopped, apply artificial respiration.  
If unconscious, place in recovery position and seek medical advice.  
If symptoms persist, call a physician.
- In case of skin contact : In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes.  
Remove contaminated clothing. If irritation develops, get medical attention.  
Burns must be treated by a physician.
- In case of eye contact : In case of eye contact  
Immediately flush eye(s) with plenty of water.  
Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.



## Safety Data Sheet

### LIQUICHLOR® 12.5% SOLUTION

Version 1.1

Revision Date: 02/01/2023

If swallowed	<p>If easy to do, remove contact lens, if worn.          If eye irritation persists, consult a specialist.          Take victim immediately to hospital.          : Take victim immediately to hospital.          Do NOT induce vomiting.          Rinse mouth with water.          If victim is fully conscious, give a cupful of water.          If a person vomits when lying on his back, place him in the recovery position.</p>
--------------	---

#### SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media	: Carbon dioxide (CO2) Foam Dry powder
Unsuitable extinguishing media	: High volume water jet
Specific hazards during fire-fighting	: Do not allow run-off from fire fighting to enter drains or water courses.
Hazardous combustion products	: No hazardous combustion products are known
Further information	: Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.
Special protective equipment for firefighters	: Wear self-contained breathing apparatus for firefighting if necessary.

#### SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	: Use personal protective equipment.
Environmental precautions	: Prevent product from entering drains. Prevent further leakage or spillage if safe to do so. If the product contaminates rivers and lakes or drains inform respective authorities.
Methods and materials for containment and cleaning up	: Neutralise with acid. Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Keep in suitable, closed containers for disposal.

#### SECTION 7. HANDLING AND STORAGE

Advice on protection against fire and explosion	: Normal measures for preventive fire protection.
Advice on safe handling	: Do not breathe vapours/dust.

## Safety Data Sheet

### LIQUICHLOR® 12.5% SOLUTION

Version 1.1

Revision Date: 02/01/2023

Avoid contact with skin and eyes.  
For personal protection see section 8.  
Smoking, eating and drinking should be prohibited in the application area.  
To avoid spills during handling keep bottle on a metal tray.  
Dispose of rinse water in accordance with local and national regulations.

Conditions for safe storage : Keep container tightly closed in a dry and well-ventilated place.  
Containers which are opened must be carefully resealed and kept upright to prevent leakage.  
Observe label precautions.  
Electrical installations / working materials must comply with the technological safety standards.

## SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Components with workplace control parameters

CAS-No.	Components	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
7681-52-9	Sodium hypochlorite	STEL	2 mg/m3	US WEEL
1310-73-2	Sodium hydroxide	C	2 mg/m3	ACGIH
		C	2 mg/m3	NIOSH REL
		TWA	2 mg/m3	OSHA Z-1
		C	2 mg/m3	OSHA P0
		C	2 mg/m3	CAL PEL

### Personal protective equipment

Respiratory protection : General and local exhaust ventilation is recommended to maintain vapor exposures below recommended limits. Where concentrations are above recommended limits or are unknown, appropriate respiratory protection should be worn. Follow OSHA respirator regulations (29 CFR 1910.134) and use NIOSH/MSHA approved respirators. Protection provided by air purifying respirators against exposure to any hazardous chemical is limited. Use a positive pressure air supplied respirator if there is any potential for uncontrolled release, exposure levels are unknown, or any other circumstance where air purifying respirators may not provide adequate protection.

### Hand protection

Remarks : The suitability for a specific workplace should be discussed with the producers of the protective gloves.

Eye protection : Eye wash bottle with pure water  
Tightly fitting safety goggles  
Wear face-shield and protective suit for abnormal processing problems.

Skin and body protection : Impervious clothing  
Choose body protection according to the amount and concentration of the dangerous substance at the work place.

Hygiene measures : When using do not eat or drink.  
When using do not smoke.  
Wash hands before breaks and at the end of workday.

**Safety Data Sheet****LIQUICHLOR® 12.5% SOLUTION**

Version 1.1

Revision Date: 02/01/2023

**SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

Appearance	: liquid
Colour	: clear yellow
Odour	: Chlorine
Odour Threshold	: No data available
pH	: 11.5 - 13
Freezing Point (Melting point/freezing point)	: -20 - -15 °C (-4 - 5 °F)
Boiling Point ( )	: 230 °F (230 °F) Decomposition: Decomposition temperature
Flash point	: Not Flammable
Evaporation rate	: No data available
Flammability (solid, gas)	: No data available
Upper explosion limit	: No data available
Lower explosion limit	: No data available
Vapour pressure	: 12 - 17.5 mmHg @ 20 °C (68 °F)
Relative vapour density	: No data available
Relative density	: 1.17 @ 20 °C (68 °F) Reference substance: (water = 1)
Density	: 1.17 g/cm3
Solubility(ies)	
Water solubility	: completely soluble
Solubility in other solvents	: No data available
Partition coefficient: n-octanol/water	: No data available
Auto-ignition temperature	: No data available
Thermal decomposition	: No data available

**SECTION 10. STABILITY AND REACTIVITY**

Reactivity	: No dangerous reaction known under conditions of normal use.
Chemical stability	: Stable
Possibility of hazardous reactions	: No hazards to be specially mentioned.
Conditions to avoid	: Keep away from heat, flame, sparks and other ignition sources.
Incompatible materials	: Acids Combustible material Halogenated compounds Metals metal salts Organic materials

**Safety Data Sheet****LIQUICHLOR® 12.5% SOLUTION**

Version 1.1

Revision Date: 02/01/2023

organic nitro compounds  
Zinc**SECTION 11. TOXICOLOGICAL INFORMATION****Acute toxicity****Components:****7681-52-9:**

Acute oral toxicity : LD50 (Rat, male): &gt; 2,000 mg/kg

**1310-73-2:**

Acute oral toxicity : LD50 (Rabbit): 325 mg/kg

**Skin corrosion/irritation****Components:****7681-52-9:**

Species: Rabbit

Result: Causes burns.

**1310-73-2:**

Species: Rabbit

Result: Causes severe burns.

**Serious eye damage/eye irritation****Components:****7681-52-9:**

Species: Rabbit

Result: Risk of serious damage to eyes.

**1310-73-2:**

Species: Rabbit

Result: Risk of serious damage to eyes.

**Carcinogenicity****IARC**

No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

**OSHA**

No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

**NTP**

No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

**Safety Data Sheet****LIQUICHLOR® 12.5% SOLUTION**

Version 1.1

Revision Date: 02/01/2023

**STOT - single exposure****Components:****7681-52-9:**

Assessment: The substance or mixture is classified as specific target organ toxicant, single exposure, category 3 with respiratory tract irritation.

**Further information****Product:**

Remarks: No data available

---

**SECTION 12. ECOLOGICAL INFORMATION****Ecotoxicity****Components:****7681-52-9:**

- |   |   |   |
|---|---|---|
| Toxicity to fish                                    | : | LC50 ( <i>Salmo gairdneri</i> (Rainbow Fish)): 0.06 mg/l<br>Exposure time: 96 h<br>Test Type: flow-through test |
|   |   | LC50 ( <i>Pimephales promelas</i> (fathead minnow)): 5.9 mg/l<br>Exposure time: 96 h<br>Test Type: static test  |
| Toxicity to daphnia and other aquatic invertebrates | : | EC50 ( <i>Daphnia magna</i> (Water flea)): 0.141 mg/l<br>Exposure time: 48 h<br>Test Type: flow-through test    |
|   |   | EC50 ( <i>Ceriodaphnia dubia</i> ): 0.035 mg/l<br>Exposure time: 48 h<br>Test Type: flow-through test           |
| Toxicity to algae                                   | : | IC50: 0.023 mg/l<br>Exposure time: 7 d<br>Test Type: flow-through test  |
| M-Factor (Acute aquatic toxicity)                   | : | 10  |
| Acute aquatic toxicity- Assessment                  | : | Very toxic to aquatic life.   |
| Chronic aquatic toxicity- Assessment                | : | Toxic to aquatic life with long lasting effects.  |

**Persistence and degradability**

No data available

**Bioaccumulative potential**

No data available

## Safety Data Sheet

### LIQUICHLOR® 12.5% SOLUTION

Version 1.1

Revision Date: 02/01/2023

#### Mobility in soil

No data available

#### Other adverse effects

##### Product:

Ozone-Depletion Potential : Regulation: 40 CFR Protection of Environment; Part 82 Protection of Stratospheric Ozone - CAA Section 602 Class I Substances  
Remarks: This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

Additional ecological information : An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.  
Very toxic to aquatic life.  
Harmful to aquatic life with long lasting effects.

## SECTION 13. DISPOSAL CONSIDERATIONS

#### Disposal methods

Waste from residues : Dispose of in accordance with all applicable local, state and federal regulations.  
For assistance with your waste management needs - including disposal, recycling and waste stream reduction, contact Univar Solutions ChemCare: 1-800-637-7922

Contaminated packaging : Empty remaining contents.  
Dispose of as unused product.  
Do not re-use empty containers.

## SECTION 14. TRANSPORT INFORMATION

#### DOT (Department of Transportation):

UN1791, Hypochlorite solutions, 8, III, Marine Pollutant (SODIUM HYPOCHLORITE)

#### IATA (International Air Transport Association):

UN1791, Hypochlorite solution, 8, III

#### IMDG (International Maritime Dangerous Goods):

UN1791, HYPOCHLORITE SOLUTION, 8, III, Marine Pollutant (SODIUM HYPOCHLORITE)

## SECTION 15. REGULATORY INFORMATION

#### EPCRA - Emergency Planning and Community Right-to-Know Act

##### CERCLA Reportable Quantity

Components	CAS-No.	Component RQ (lbs)	Calculated product RQ (lbs)
------------	---------	--------------------	-----------------------------

## Safety Data Sheet

### LIQUICHLOR® 12.5% SOLUTION

Version 1.1

Revision Date: 02/01/2023

Sodium hypochlorite	7681-52-9	100	800
Sodium hydroxide	1310-73-2	1000	20000

#### SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

**SARA 311/312 Hazards** : Corrosive to metals  
Skin corrosion or irritation  
Serious eye damage or eye irritation

**SARA 302** : This material does not contain any components with a section 302 EHS TPQ.

**SARA 313** : This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

#### Clean Air Act

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 112 (40 CFR 61).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 111 SOCMII Intermediate or Final VOC's (40 CFR 60.489).

#### Clean Water Act

The following Hazardous Substances are listed under the U.S. CleanWater Act, Section 311, Table 116.4A:

7681-52-9 Sodium hypochlorite  
1310-73-2 Sodium hydroxide

The following Hazardous Chemicals are listed under the U.S. CleanWater Act, Section 311, Table 117.3:

7681-52-9 Sodium hypochlorite  
1310-73-2 Sodium hydroxide

This product does not contain any toxic pollutants listed under the U.S. Clean Water Act Section 307

#### Massachusetts Right To Know

7681-52-9 Sodium hypochlorite  
1310-73-2 Sodium hydroxide

#### Pennsylvania Right To Know

7732-18-5 Water  
7681-52-9 Sodium hypochlorite  
1310-73-2 Sodium hydroxide

**California Prop 65** : This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

#### The components of this product are reported in the following inventories:

TSCA : On TSCA Inventory  
DSL : All components of this product are on the Canadian DSL  
AICS : On the inventory, or in compliance with the inventory

## Safety Data Sheet

### LIQUICHLOR® 12.5% SOLUTION


Version 1.1

Revision Date: 02/01/2023

NZIoC	: Not in compliance with the inventory
ENCS	: On the inventory, or in compliance with the inventory
KECI	: On the inventory, or in compliance with the inventory
PICCS	: On the inventory, or in compliance with the inventory
IECSC	: On the inventory, or in compliance with the inventory

#### SECTION 16. OTHER INFORMATION

##### NFPA:



##### HMIS III:

HEALTH	3/
FLAMMABILITY	0
PHYSICAL HAZARD	1

0 = not significant, 1 = Slight,  
2 = Moderate, 3 = High  
4 = Extreme, \* = Chronic

The information accumulated is based on the data of which we are aware and is believed to be correct as of the date hereof. Since this information may be applied under conditions beyond our control and with which we may be unfamiliar and since data made become available subsequently to the date hereof, we do not assume any responsibility for the results of its use. Recipients are advised to confirm in advance of need that the information is current, applicable, and suitable to their circumstances. This SDS has been prepared by Univar Solutions Product Compliance Department (1-855-429-2661) [SDSNA@univarsolutions.com](mailto:SDSNA@univarsolutions.com).

Revision Date : 02/01/2023

##### Material number:

16179440, 16173035, 16172686, 16173104, 16185315, 16172598, 16146040, 16151002, 16149524, 16158615, 16145640, 16148059, 16144666, 16147989, 16163791, 16180800, 16164756, 16164592, 16164731, 16164730, 16203820, 16203821, 16203184, 16194505, 16158853, 16151253, 16149870, 16148071, 16148060, 16147684, 16145965, 16145895, 16145890, 16145584, 16145144, 16145142, 16145140, 16145138, 16145137, 16145133, 16145130, 16145079, 16159810, 16150495, 16149123, 16147041, 16145471, 16144665, 16145772, 16148183, 16145046, 16143737, 16135287, 16163624, 16148721, 16155765, 16158840, 16145484, 16166710, 16148748, 16148260, 16166763, 16166591, 16145834, 16166014, 16159793, 16162934, 16165524, 16165444, 16165066, 16137823, 16137455, 16137753, 16147687, 16144215, 16150496, 16149504, 16145673, 16149243, 16136536, 16160181, 16160290, 16144046, 16145139, 16150462, 16149046, 16149516, 16148083, 16150461, 16135216, 16156005, 16151878, 16151501, 16150223, 16149931, 16148522,



## Safety Data Sheet

### LIQUICHLOR® 12.5% SOLUTION

Version 1.1

Revision Date: 02/01/2023

16148259, 16147092, 16145877, 16145876

Key or legend to abbreviations and acronyms used in the safety data sheet			
ACGIH	American Conference of Government Industrial Hygienists	LD50	Lethal Dose 50%
AICS	Australia, Inventory of Chemical Substances	LOAEL	Lowest Observed Adverse Effect Level
DSL	Canada, Domestic Substances List	NFPA	National Fire Protection Agency
NDSL	Canada, Non-Domestic Substances List	NIOSH	National Institute for Occupational Safety & Health
CNS	Central Nervous System	NTP	National Toxicology Program
CAS	Chemical Abstract Service	NZIoC	New Zealand Inventory of Chemicals
EC50	Effective Concentration	NOAEL	No Observable Adverse Effect Level
EC50	Effective Concentration 50%	NOEC	No Observed Effect Concentration
EGEST	EOSCA Generic Exposure Scenario Tool	OSHA	Occupational Safety & Health Administration
EOSCA	European Oilfield Specialty Chemicals Association	PEL	Permissible Exposure Limit
EINECS	European Inventory of Existing Chemical Substances	PICCS	Philippines Inventory of Commercial Chemical Substances
MAK	Germany Maximum Concentration Values	PRNT	Presumed Not Toxic
GHS	Globally Harmonized System	RCRA	Resource Conservation Recovery Act
>=	Greater Than or Equal To	STEL	Short-term Exposure Limit
IC50	Inhibition Concentration 50%	SARA	Superfund Amendments and Reauthorization Act.
IARC	International Agency for Research on Cancer	TLV	Threshold Limit Value
IECSC	Inventory of Existing Chemical Substances in China	TWA	Time Weighted Average
ENCS	Japan, Inventory of Existing and New Chemical Substances	TSCA	Toxic Substance Control Act
KECI	Korea, Existing Chemical Inventory	UVCB	Unknown or Variable Composition, Complex Reaction Products, and Biological Materials
<=	Less Than or Equal To	WHMIS	Workplace Hazardous Materials Information System
LC50	Lethal Concentration 50%		



# CERTIFICATE OF LIABILITY INSURANCE

DATE(MM/DD/YYYY)  
05/31/2023

THIS CERTIFICATE IS ISSUED AS A MATTER OF INFORMATION ONLY AND CONFERS NO RIGHTS UPON THE CERTIFICATE HOLDER. THIS CERTIFICATE DOES NOT AFFIRMATIVELY OR NEGATIVELY AMEND, EXTEND OR ALTER THE COVERAGE AFFORDED BY THE POLICIES BELOW. THIS CERTIFICATE OF INSURANCE DOES NOT CONSTITUTE A CONTRACT BETWEEN THE ISSUING INSURER(S), AUTHORIZED REPRESENTATIVE OR PRODUCER, AND THE CERTIFICATE HOLDER.

**IMPORTANT:** If the certificate holder is an ADDITIONAL INSURED, the policy(ies) must have ADDITIONAL INSURED provisions or be endorsed. If SUBROGATION IS WAIVED, subject to the terms and conditions of the policy, certain policies may require an endorsement. A statement on this certificate does not confer rights to the certificate holder in lieu of such endorsement(s).

<b>PRODUCER</b> Aon Risk Services Central, Inc. Philadelphia PA Office 100 North 18th Street 15th Floor Philadelphia PA 19103 USA	<b>CONTACT NAME:</b>	
	<b>PHONE (A/C. No. Ext):</b> (866) 283-7122	<b>FAX (A/C. No.):</b> 800-363-0105
<b>INSURED</b> Univar Solutions USA Inc. 3075 Highland Parkway Suite 200 Downers Grove IL 60515 USA	<b>E-MAIL ADDRESS:</b>	
	<b>INSURER(S) AFFORDING COVERAGE</b>	
	<b>NAIC #</b>	
	<b>INSURER A:</b> Illinois Union Insurance Company	27960
	<b>INSURER B:</b> ACE American Insurance Company	22667
	<b>INSURER C:</b> ACE Fire Underwriters Insurance Co.	20702
<b>INSURER D:</b> Indemnity Insurance Co of North America	43575	
<b>INSURER E:</b>		
<b>INSURER F:</b>		

Holder Identifier :

**COVERAGES****CERTIFICATE NUMBER:** 570099686202**REVISION NUMBER:**

THIS IS TO CERTIFY THAT THE POLICIES OF INSURANCE LISTED BELOW HAVE BEEN ISSUED TO THE INSURED NAMED ABOVE FOR THE POLICY PERIOD INDICATED. NOTWITHSTANDING ANY REQUIREMENT, TERM OR CONDITION OF ANY CONTRACT OR OTHER DOCUMENT WITH RESPECT TO WHICH THIS CERTIFICATE MAY BE ISSUED OR MAY PERTAIN, THE INSURANCE AFFORDED BY THE POLICIES DESCRIBED HEREIN IS SUBJECT TO ALL THE TERMS, EXCLUSIONS AND CONDITIONS OF SUCH POLICIES. LIMITS SHOWN MAY HAVE BEEN REDUCED BY PAID CLAIMS.

Limits shown are as requested

INSR LTR	TYPE OF INSURANCE	ADDL INSD	SUBR WVD	POLICY NUMBER	POLICY EFF (MM/DD/YYYY)	POLICY EXP (MM/DD/YYYY)	LIMITS
B	<input checked="" type="checkbox"/> <b>COMMERCIAL GENERAL LIABILITY</b> <input type="checkbox"/> CLAIMS-MADE <input checked="" type="checkbox"/> OCCUR  GEN'L AGGREGATE LIMIT APPLIES PER: <input checked="" type="checkbox"/> POLICY <input type="checkbox"/> PRO-JECT <input type="checkbox"/> LOC OTHER:			XSLG47313600 SIR applies per policy terms & conditions	06/01/2023	06/01/2024	EACH OCCURRENCE \$3,000,000 DAMAGE TO RENTED PREMISES (Ea occurrence) \$3,000,000 MED EXP (Any one person) Excluded PERSONAL & ADV INJURY \$3,000,000 GENERAL AGGREGATE \$3,000,000 PRODUCTS - COMP/OP AGG \$3,000,000
B	<b>AUTOMOBILE LIABILITY</b> <input checked="" type="checkbox"/> ANY AUTO <input type="checkbox"/> OWNED AUTOS ONLY <input type="checkbox"/> HIRED AUTOS ONLY <input type="checkbox"/> SCHEDULED AUTOS <input type="checkbox"/> NON-OWNED AUTOS ONLY			ISA H10708436 Commercial Auto	06/01/2023	06/01/2024	COMBINED SINGLE LIMIT (Ea accident) \$5,000,000 BODILY INJURY (Per person) BODILY INJURY (Per accident) PROPERTY DAMAGE (Per accident)
A	<input checked="" type="checkbox"/> <b>UMBRELLA LIAB</b> <input checked="" type="checkbox"/> OCCUR <input type="checkbox"/> EXCESS LIAB <input type="checkbox"/> CLAIMS-MADE DED <input checked="" type="checkbox"/> RETENTION \$5,000,000			XCEG27380566010	06/01/2023	06/01/2024	EACH OCCURRENCE \$4,000,000 AGGREGATE \$4,000,000
D	<b>WORKERS COMPENSATION AND EMPLOYERS' LIABILITY</b> ANY PROPRIETOR / PARTNER / EXECUTIVE OFFICER/MEMBER EXCLUDED? (Mandatory in NH) If yes, describe under DESCRIPTION OF OPERATIONS below			WLRC70313443 AOS SCFC70313327 WI	06/01/2023	06/01/2024	<input checked="" type="checkbox"/> PER STATUTE <input type="checkbox"/> OTH-ER E.L. EACH ACCIDENT \$1,000,000 E.L. DISEASE-EA EMPLOYEE \$1,000,000 E.L. DISEASE-POLICY LIMIT \$1,000,000
C			N/A		06/01/2023	06/01/2024	
A	<b>Environmental Site Liability</b>			PPLG71507944002 Pollution-ClaimsMade Form SIR applies per policy terms & conditions	06/01/2022	06/01/2025	Aggregate \$16,000,000 Ea Condition \$1,000,000 SIR \$1,000,000

DESCRIPTION OF OPERATIONS / LOCATIONS / VEHICLES (ACORD 101, Additional Remarks Schedule, may be attached if more space is required)  
Evidence of Insurance.

**CERTIFICATE HOLDER****CANCELLATION**

Univar Solutions USA Inc. 3075 Highland Parkway Suite 200 Downers Grove IL 60515 USA	SHOULD ANY OF THE ABOVE DESCRIBED POLICIES BE CANCELLED BEFORE THE EXPIRATION DATE THEREOF, NOTICE WILL BE DELIVERED IN ACCORDANCE WITH THE POLICY PROVISIONS.
	AUTHORIZED REPRESENTATIVE  <i>Aon Risk Services Central, Inc.</i>

Certificate No : 570099686202



# ADDITIONAL REMARKS SCHEDULE

Page \_ of \_

AGENCY Aon Risk Services Central, Inc.		NAMED INSURED Univar Solutions USA Inc.	
POLICY NUMBER See Certificate Number: 570099686202			
CARRIER See Certificate Number: 570099686202	NAIC CODE	EFFECTIVE DATE:	

## ADDITIONAL REMARKS

**THIS ADDITIONAL REMARKS FORM IS A SCHEDULE TO ACORD FORM,**  
**FORM NUMBER:** ACORD 25 **FORM TITLE:** Certificate of Liability Insurance

INSURER(S) AFFORDING COVERAGE	NAIC #
INSURER	
INSURER	
INSURER	
INSURER	

## ADDITIONAL POLICIES

If a policy below does not include limit information, refer to the corresponding policy on the ACORD certificate form for policy limits.

INSR LTR	TYPE OF INSURANCE	ADDL INSD	SUBR WVD	POLICY NUMBER	POLICY EFFECTIVE DATE (MM/DD/YYYY)	POLICY EXPIRATION DATE (MM/DD/YYYY)	LIMITS	
	AUTOMOBILE LIABILITY							
B				MMT H10708540 Truckers Liability	06/01/2023	06/01/2024	Combined Single Limi	\$5,000,000
	WORKERS COMPENSATION							
B		N/A		WCUC70313364 Excess WC--CA OH OR,WA SIR applies per policy terms & conditions	06/01/2023	06/01/2024		
	OTHER							
	Claims Made Form							