

Complete Streets Checklist

Implementation of MTC's Complete Streets Policy, Resolution 4493, Adopted 3/25/22

Background

Since 2006, MTC's Complete Streets (CS) Policy has promoted the development of transportation facilities that can be used by all modes. In March 2022, MTC updated its CS policy (Resolution 4493) with the goal of ensuring that people biking, walking, rolling, and taking transit are safely accommodated within the transportation network. This policy works to advance Plan Bay Area 2050 objectives of achieving mode shift, safety, equity, and vehicle miles traveled and greenhouse gas emission reductions, as well as state & local compliance with applicable CS-related laws, policies, and practices, specifically the California Complete Street Act of 2008 (Gov. Code Sections 65040.2 and 65302) and applicable local policies such as the CS resolutions adopted before January 16, 2016 (as part of MTC's OBAG 2 requirements.)

Requirements

MTC's CS Policy requires that all projects (with a total project cost of \$250,000 or more) applying for regional discretionary transportation funding – or requesting regional endorsement or approval through MTC – must submit a Complete Streets Checklist (Checklist) to MTC.

Please note that projects claiming exceptions to the CS Policy must complete the Exceptions section on the Checklist, including the BPAC review, and provide a Department Director-level signature. Please fill out Contact Information and Project Information and then move to Statement of Exception, which is the last section.

Additional information and guidance for completing this Checklist can be found at the MTC Administrative Guidance: Complete Streets Policy Guidance for public agency staff implementing MTC Resolution 4493 at

https://mtc.ca.gov/planning/transportation/complete-streets

This form may be downloaded at <u>https://mtc.ca.gov/planning/transportation/complete-streets</u>.

Submittal

Completed Checklists should be submitted online via this form.

PROJECT INFORMATION

Project Name/Title: MacArthur Superior Roundabout

Project Area/Location(s):

Intersection of MacArthur Boulevard and Superior Avenue in San Leandro, California

PROJECT DESCRIPTION: (300-word limit) Please indicate project phase (Planning, PE, ENV, ROW, CON, O&M)

The MacArthur Boulevard Roundabout project proposes to install a concrete roundabout including a protected bikeway and pedestrian crossing improvements at the intersection of MacArthur Boulevard and Superior Avenue in San Leandro, California. The project is currently in 95% design has completed environmental clearance from NEPA and CEQA and right-of-way decertification by Caltrans.

May attach additional project documents, cross sections, plan view, or other supporting materials.

Project Plan Exhibit

	CONTACT INFORMAT	ION
Contact Name & Title: Erwin Ching, Engineering Manager	Contact Email: eching@sanleandro.org	Contact Phone: 510-577-3439
Agency: City of San Leandro	·	
Do you think your proje	ect qualifies for a Statement of Ex	ception? (see qualifying list in pg. 4
• No		

Торіс	Topic CS Policy Consideration		NO	Required Description
1. Bicycle, Pedestrian and Transit Planning	Does Project implement relevant Plans, or other locally adopted recommendations? Plan examples include: • City/County General + Area Plans • Bicycle, Pedestrian & Transit Plan • Community-Based Transportation Plan • ADA Transition Plan • Station Access Plan • Short-Range Transit Plan • Vision Zero/Systematic Safety Plan			The Project improvements are consistent with the City's Bicycle and Pedestrian Master Plan and have been identified as a medium-ranked priority corridor with a recommendation to install a separated bikeway through MacArthur Blvd. Additionally, it is consistent with locally adopted plans including the Local Roadway Safety Plan and Vision Zero Policy.

	Торіс	CS Policy Consideration	YES	NO	Required Description
2.	Active Transportati on Network	Does the project area contain segments of the regional Active Transportation (AT) Network? [See AT Network map on the <u>MTC Complete Streets webpage.</u>]			The Project is not located within the AT. MacArthur Boulevard has a ADT of 10,000 and a 85 th percentile speed of 39 mph. Based on the NACTO "Designing for All Ages and Abilities Contextual Guidance for High- Comfort Bicycle Facilities", it is recommended to install a separated bikeway as proposed. Pedestrian improvements are in accordance with PROWAG design for ADA ramps, sidewalks, and crossing improvements.
3.	Safety and Comfort	A. Is the Project on a known High Injury Network (HIN) or has a local traffic safety analysis found a high incidence of bicyclist/ pedestrian-involved crashes within the project area?			
		 B. Does the project seek to improve bicyclist and/or pedestrian conditions? If the project includes a bikeway, was a Level of Traffic Stress (LTS), or similar user experience analyses conducted? 			The Project will improve pedestrian facilities by constructing ADA curb ramps, pedestrian crossing improvements, and bicycle facilities that will provide All Ages and Abilities (AAA) bikeway, by improving the intersection to implement a separate bikeway facility. The City has received feedback at various Public Meetings of unsafe vehicle speeds through the intersection but there was no user experience analyses conducted but a physical separation between bicyclists and

	Торіс	CS Policy Consideration	YES	NO	Required Description
					vehicles will reduce LTS and improve bicycle safety.
4.	Transit Coordination	A. Are there existing public transit facilities (stop or station) in the project area?			AC Transit Route 34 and 35 will be affected
		B. Have all potentially affected transit agencies had the opportunity to review this project?			See <u>Email</u> . Coordination with AC Transit was performed early in the design phase.
		C. Is there a MTC <u>Mobility Hub</u> within the project area?			If yes, please describe outreach to mobility providers, and Project's Hub-supportive elements, found in <u>MTC's Mobility Hub</u> <u>Implementation</u> <u>Playbook</u>
5.	Design	Does the project meet professional design standards or guidelines appropriate for bicycle and/or pedestrian facilities?			Bicycle facilities meet NACTO's Urban Design for Selecting All Ages and Abilities Bikeway design guidelines and pedestrian facilities meet PROWAG design guidelines
6.	Equity	Will Project improve active transportation in an Equity Priority Community (EPC)?		NO	
7.	BPAC Review	Has a local (city or county) Bicycle and Pedestrian Advisory Commission (BPAC) reviewed this checklist. The CS Checklist MTC review will begin once the BPAC meeting has occurred.			San Leandro BPAC will review the checklist at the next meeting on April 30, 2025. Summary notes will be provided.

The proposed Project complies with California
Complete Street Act of 2008 (Gov. Code Sections
65040.2 and 65302, MTC Complete Streets Policy
(Reso. 4493), and locally adopted Complete Streets
resolutions (adopted as OBAG 2 (Reso. 4202)
requirement, Resolution 4202).Image: Complete Streets
Complete Streets

If no, complete Statement of Exception and obtain necessary signature.

Statement of Exception	YES	Provide Documentation or Explanation
 The affected roadway is legally prohibited for use by bicyclists and/or pedestrians. 		If yes, please cite language and agency citing prohibited use.
 The costs of providing Complete Streets improvements are excessively disproportionate to the need or probable use (defined as more than 20 percent for Complete Streets elements of the total project cost). 		If claimed, the agency must include proportionate alternatives and still provide safe accommodation of people biking, walking, and rolling.
 There is a documented Alternative Plan to implement Complete Streets and/or on a nearby parallel route. 		Describe Alternative Plan/Project
 Conditions exist in which policy requirements may not be able to be met, such as fire and safety specifications, spatial conflicts on the roadway with transit or environmental concerns, defined as abutting conservation land or severe topological constraints. 		Describe condition(s) that prohibit implementation of CS policy requirements

SIGNATURES / NOTIFICATIONS

TRANSIT

The project sponsor shall communicate and coordinate with all transit agencies with operations affected by the proposed project. If a project includes a transit stop/station, or is located along a transit route, the Checklist must include written documentation (e.g. email) with the affected transit agency(ies) to confirm transit agency coordination and acknowledgement of the project. A CS Checklist Transit Agency Contact List is available for reference.

DEPARTMENT DIRECTOR-LEVEL SIGNATURE FOR EXCEPTIONS

Exceptions must be signed by a Department Director-level agency representative, or their designee, and not the Project Manager. Insert electronic signature or sign below:

Full Name:		
Title:		
Date:		
Signature:		

ATTACHMENT 1 – All Ages and Abilities and Guidelines

1. All Ages and Abilities

Designing for All Ages & Abilities, Contextual Guidance for High-Comfort Bicycle Facilities, National Association of Transportation Officials, December 2017

Projects on the AT Network shall incorporate design principles based on designing for "All Ages and Abilities," contextual guidance provided by the National Association of City Transportation Officials (NACTO), and consistent with state and national best practices. A facility that serves "all ages and abilities" is one that effectively serves the mobility needs of children, older adults, and people with disabilities and in doing so, works for everyone else. The all ages and abilities approach also strives to serve all users, regardless of age, ability, ethnicity, race, sex, income, or disability, by embodying national and international best practices related to traffic calming, speed reduction, and **roadway design to increase user safety and comfort. This approach also includes the** use of traffic calming elements or facilities separated from motor vehicle traffic, both of which can offer a greater feeling of safety and appeal to a wider spectrum of the public.

Design best practices for safe street crossings, pedestrian facilities, and Americans with Disabilities Act (ADA) accessibility at transit stops, and bicycle/micromobility facilities on the AT Network should be incorporated throughout the entirety of the project. The Proposed Public Rights-of-Way Accessibility Guidelines (PROWAG) by the U.S. Access Board should also be referenced during design. (See table on next page for guidelines)

2. Design Guidance

Examples of applicable design guidance documents include (but are not limited to): American Association of State Highway and Transportation Officials (AASHTO) – A Policy on Geometric Design of Highway and Streets, Guide for the Development of Bicycle Facilities, Guide for the Planning, Design, and Operation of Pedestrian Facilities; Public Right-of-Way Accessibility Guide (PROWAG); Manual on Uniform Traffic Control Devices (MUTCD); Americans with Disabilities Act Accessibility Guidelines (ADAAG); National Association of City Transportation Officials (NACTO) – Urban Bikeway Design Guide.

Contextual Guidance for Selecting All Ages & Abilities Bikeways					
	R				
Target Motor Vehicle Speed ⁺ Target Max. Motor Vehicle Volume (ADT)		Motor Vehicle Lanes	Key Operational Considerations	All Ages & Abilities Bicycle Facility	
Any		Any	Any of the following: high curbside activity, frequent buses, motor vehicle congestion, or turning conflicts [‡]	Protected Bicycle Lane	
< 10 mph	Less relevant	No centerline,	Pedestrians share the roadway	Shared Street	
≤ 20 mph	≤ 1,000 - 2,000	or single lane one-way	< 50 motor vehicles per hour in	Bicycle Boulevard	
	≤ 500 – 1,500		the peak direction at peak hour		
	≤ 1,500 – 3,000	Single lane		Conventional or Buffered Bicycle Lane, or Protected Bicycle Lane	
≤ 25 mph	≤ 3,000 – 6,000	each direction, or single lane one-way		Buffered or Protected Bicycle Lane	
	Greater than 6,000				
	Any	Multiple lanes per direction		Protected Bicycle Lane	
		Single lane each direction		Protected Bicycle Lane, or Reduce Speed	
Greater than 26 mph†	≤ 6,000	Multiple lanes per direction	Low curbside activity, or low congestion pressure	Protected Bicycle Lane, or Reduce to Single Lane & Reduce Speed	
	Greater than 6,000	Any	Any	Protected Bicycle Lane, or Bicycle Path	
High-speed limited access roadways, natural corridors, or geographic edge conditions with limited conflicts		Any	High pedestrian volume	Bike Path with Separate Walkway or Protected Bicycle Lane	
		Ally	Low pedestrian volume	Shared-Use Path or Protected Bicycle Lane	

* While posted or 85th percentile motor vehicle speed are commonly used design speed targets, 95th percentile speed captures high-end speeding, which causes greater stress to bicyclists and more frequent passing events. Setting target speed based on this threshold results in a higher level of bicycling comfort for the full range of riders.

[†] Setting 25 mph as a motor vehicle speed threshold for providing protected bikeways is consistent with many cities' traffic safety and Vision Zero policies. However, some cities use a 30 mph posted speed as a threshold for protected bikeways, consistent with providing Level of Traffic Stress level 2 (LTS 2) that can effectively reduce stress and accommodate more types of riders.¹⁶

⁺Operational factors that lead to bikeway conflicts are reasons to provide protected bike lanes regardless of motor vehicle speed and volume.

Figure 1 Designing for All Ages & Abilities, NACTO https://nacto.org/wp-content/uploads/2017/12/NACTO_Designing-for-All-Ages-Abilities.pdf