CSLB #980409 DIR 1000004282 www.source-mme.com Toll Free 1-888-484-9968

January 4, 2022

City of San Leandro 14200 Chapman Road San Leandro, CA 94578 Tel: 510-577-6020 DPollart@sanleandro.org

Attention: Debbie Pollart

We are pleased to provide the following quotation on the Multihog C Series Multi-Purpose Vehicle that can be purchased through the Sourcewell program (Contract No. 030619-MUL) for your review.

One (1) Each Multihog CV 350 Compact Multi-Purpose Sweeper complete with the following standard features:

## Basic Machine:

- 75HP Tier IV diesel engine
- Gross Vehicle Weight 7,716 Lbs.
- Permanent 4 Wheel Hydrostatic Drive
- 3 Speed Transmission
- 2 Drive Modes Road and Work
- Independent Spring and Damper Suspension
- Spacious, Panoramic Driver Cab with Cushioned Mounting System
- High Back Air Suspension Driver Seat with 3-Point Seatbelt and Head Rest
- Adjustable Seat Mounted, Multifunction Control Armrest with Twin Miniature Joysticks for Ease of Operation and Control for Improved Driver Comfort
- 7" High Resolution Color Screen with Anti-Glare Technology
- Low Level of Vibration
- Low Driver Noise Level
- Rear View Mirrors
- 25 mph Travel Speed
- 150 amp Alternator
- Disk Brakes
- Multi-Disc Parking Brakes with Automatic Activation upon Leaving the Driver Seat or Turning the Engine Off
- Adjustable Steering with 2 Tilt Adjustments of Steering Column and Telescopic Height Adjustment of Steering Wheel
- Interior Light
  - Variable Flow Load Sensing Hydraulic Supply, 0 -100 litres Per Min with a Maximum 225 bar Pressure Depending on Flow Setting. (See flow/ pressure graph for exact flow and pressure capability)
- Maximum Flow to Front is 100 l/m
- Maximum Flow to Rear is 60 l/m
- Combined Maximum Flow to Front and Rear is 100 l/m
- 2 Double Acting Hydraulic Functions to the Front
- 1 Double Acting Hydraulic Function to the Rear



January 4, 2022 City of San Leandro Multihog CV 350 Quote Page 2

- Front Mounted Hydraulic Lift Arms with Independent Controls and 750kg Combined Lift Capacity
- Emergency Release Brake System, to Override Parking Brake and Allow Movement of Machine in the Event of Breakdown
- In Cab Pollen Filter
- Cab Heating
- Cab Doors with Opening Windows
- Heavy Duty Cooling System for Engine, Charge Air and Oil Cooling with Twin Variable Speed Fans
- On Board Diagnostics Hopper
- 1.5m³ Vacuum Hopper
- Suction Hood and Suction hose

## Including the following selected options:

- Standard White Removable Panels, Black Chassis, Cabin and Tanks
- Cruise Control
- In-Cab, Electronic Ground Pressure Control for Front Mounted Sweeping Brushes
- · Addition of Reversing Fans to Heavy Duty Cooling System for Engine
- Air Conditioning
- Fire Extinguisher
- High-Pressure Wash-Down Pump and Lance with Retractable Hose Reel with 32' of Hose Maximum pressure – 170 bar. Maximum Flow - 22 l/m
- 4x4 Central Lock
- LED Front Work Lights
- LED Rear Hopper Work Lights
- 3 Camera Kit Reversing Camera with Camera Mounted on Rear of Hopper Lid, Second Camera to the Front of the Suction Hood and Third Camera to the Rear of the Suction Hood
- LED Flashers Front
- LED Flashers Mounted on Rear of Suction Hopper
- Wander Hose (16 Feet)
- Vacuum Gauge Mounted in Driver's Cabin
- Standard Brush Arm Assembly (Pair)
- Front Attachment Harness
- Rear Axle Overload Sensor
- Clean Water Low Level Indicator
- Frame to Demount Suction Hopper from Machine
- Front A-Frame Adapter to Carry Front Mounted Attachments Cat 0 Kommunal
- BFG All Terrain LT245/75/16 Tires with Intermediate Mudguards
- Flood Lights, Front Broom & Side Locations
- Rear Facing Arrow Stick
- Limb Guards for Unprotected Lighting



January 4, 2022 City of San Leandro Multihog CV 350 Quote Page 3

Sourcewell Price F.O.B. San Leandro, CA	\$161,341.59
10.75% Estimated Sales Tax	17,344.22
CA Tire Fee (4 @ \$1.75 Each)	7.00
Total	\$178,692.81

- City's Purchase Order to be prepared and sent directly to the Sourcewell Contract
  Assignee: Municipal Maintenance Equipment, Inc. 4634 Mayhew Road Sacramento, CA 95827
  Tel: 916-922-1101 Fax: 916-922-1034 Tim Powers tpowers@source-mme.com
- Quotation includes delivery and on-site training.
- Due to California emissions requirements, special permits may be required on diesel engines.
  MME cannot provide these permits and we recommend you contact your local Air Resources
  Management District for the specific requirements.
- Normal delivery 210-270 days A.R.O. depending on production schedule.
- Sales tax applicable at time of delivery will be shown on invoice.
- Terms: per Sourcewell Program

Thank you for your interest in this fine product line. Should you have any questions or need additional information, please let us know. We look forward to being of service.

Sincerely,

Municipal Maintenance Equipment, Inc.

James Wheeler, General Manager