



CSLB #980409
DIR 1000004282
www.trustmme.com
Toll Free 1-888-484-9968

March 2, 2026

City of San Leandro
14200 Chapman Road
San Leandro, CA. 94578

Tel: 510-577-370
FBarajas@sanleandro.org

Attention: Freddy Barajas, Fleet Supervisor

We are pleased to provide the enclosed contract pricing from the Sourcewell program Contract No. 120721-RVL RapidView IBAK CCTV Inspection System for your review.

One (1) Each RapidView IBAK HD Mainline + E450 Gas CCTV Inspection System with the following components:

V4004025

ORPHEUS HD Pan & Tilt Camera WITH TRANSMITTER:

- Pan&Tilt, Zoom Camera of 6" pipelines
- Full HD 1920x1080 Resolution, HD-SDI Standard (patent pending)
- 160x Zoom (10x Optical, 16x Digital)
- Pan-able zoom optics
- High-power LED lighting with gap lighting
- Intelligent Auto-Focus
- Innovative HUD display
- Includes installed 33hz transmitter

V0494050

ORION 3.0 Zoom HD/SD Adaptive PAN & TILT CAMERA:

- Pan, Tilt and Zoom for 4" and up
- May be used on tractor or pushrod
- Auto-uprighting, LED Lighting and 33 kHz Transmitter for locate
- High resolution and superior picture quality
- Laser diameter, deformation, defect and object measurement
(third party software required - not included)

904055000

Adapter 8 HD - 10 HD:

- For plug-in installation of IBAK ORION 3
- for Camera Connection CB 3.2 S HD
- for Camera Connection CC 2.1 HD
- for Camera Connection CC 4.1 HD
- for Camera Connection CC 5.1 HD

March 2, 2026

City of San Leandro

RapidView IBAK HD Mainline + E450 Gas CCTV Inspection System Sourcewell Quotation

Page 2

V9052009

T66.1 HD Camera Tractor:

- For use with HD camera cable/systems
- For camera operation in pipelines 4" and larger
- Zero turn radius, full steering with ATC (Automatic Tilt Compensation)
- Incl. test adapter, tool set and lowering claw.
- Includes 4", 6" and 8" wheelsets
- REQUIRES Camera Connection (Sold Separately)

V9052021

Camera Connection Type 2-8 SD/HD for SD cameras and ORION 3 (SD or HD modes):

- Solid front connector for camera on T66.1 HD or T66.1
- Accepts Standard Definition cameras (ORION, NANO) and the ORION 3 SD/HD Camera.
- If used on a T66.1 HD the ORION 3 will operate in HD mode.

V9052023

Camera Connection Type 4-8 SD/HD for SD cameras and ORION 3 (SD or HD modes)

- Manual lift front for camera on T66.1 HD or T66.1
- Accepts Standard Definition cameras (ORION, NANO) and the ORION 3 SD/HD Camera.
- If used on a T66.1 HD the ORION 3 will operate in HD mode.

V9049001

T76 HD TRACTOR:

- HD Version required for HD System operation
- Mainline tractor for use in pipelines 5" and up
- Zero turn radius, full steering with ATC (Automatic Tilt Compensation)
- Includes lowering claw, toolset and 5"/6"/8"/10" wheelsets
- T76 can be used as the chassis for the LISY 3.2 / 4.2 HD Extension
- Requires a HD Camera Base module for normal mainline operations
- Add the Remote Elevator (904116031) to help in larger pipelines

V9040013

HD Camera Base Module for T76/86 Tractor:

- Required for operation of T76/86 HD as mainline tractor
- Includes 33kHz and 512Hz transmitters for location

904116031

Remote Elevator for T76/86:

- Raises the camera to allow centering in pipeline
- Lifts camera above water line in pipes with flow

March 2, 2026

City of San Leandro

RapidView IBAK HD Mainline + E450 Gas CCTV Inspection System Sourcewell Quotation

Page 3

V1971108

BS10XR Control Unit for CCTV Systems:

- for IBAK inspection systems HD, PANORAMO and LISY
- for IBAK camera systems up to 500 m cable length
- with control console BP 10X.2 and control module BE 7-10 R operation of the camera and tractor functions with 2 multifunctional joysticks, incl. emergency stop
- intercom system with loudspeaker and microphone

**Touch monitor is required.

RAM-2461U

VESA 75 Mounting Plate With Ball - C Size

RAM-201U-B

Double Socket Arm - C Size Short (3.5"/89mm)

RAM-TRACK-EXA-9BU

9BU 9" Modulare Aluminum Black Tough Track

RAP-354U-TRA1

Track Ball With T-Bolt Attachment - C Size

10TS7M

10 Inch Touch Screen

GV-N710D3-2GL

Graphics Card With HDMI Output

V8056001

KW507 00/12/FO4 HD/4K Synchronized Cable Reel:

- fully automatic cable winch
- for camera cable 00/12/FO4 HD/4K (not included)
- for operation with operating systems BS 10X R(500m) and BSX Pro (600m)
- for HD camera systems and PANORAMO 4K
- with swivel boom, steel rope winch and workplace light – digital length counter (switchable between m and feet)
- incl. winch remote control unit

80073400

Camera Cable 00/12/FO 4 4K HD/4K 500m/1640ft:

- For KW507

904350020

Cable Deflection Pulley KUV 2.7 with rope and holder (50ft of rope)

March 2, 2026

City of San Leandro

RapidView IBAK HD Mainline + E450 Gas CCTV Inspection System Sourcewell Quotation

Page 4

802617031A

Cable Deflection Pulley (Adjustable) KW305/505:

- Attaches to the boom for off-manhole setups
- Rotates for proper alignment to manhole

901601040

Pressure Test Set

CLAWADAPTER

Claw Adapter:

- Attaches to fiberglass extension poles and holds the tractor lowering claw
- Useful for helping raise and lower the system out of the manhole

V0001017

19" Industrial PC

These specifications or greater:

- Ruggedized Rack Mount Cabinet
- Intel Quad Core Processor
- 16 GB RAM
- 256 GB Solid State Drive for Applications / OS
- 2 TB Hard Drive for Data
- Keyboard and Optical Mouse
- Operating system Windows 11 Professional

*** NO Video Capture Device Included (to be supplied by software vendor)

V4702467

VM4C9 Full HD MPEG Encoder Card:

- Only sold for use with IKAS Evolution. If using a 3rd party software, please contact your software vendor.

VZ000700

E450 GAS CHASSIS for 16' BOX, 176" WB, 7.3L V8 Premium Rated Engine, 6-Speed Automatic Transmission with Overdrive w/ Tow- Haul Mode, includes; Remote Keyless Entry, 40-Gallon Fuel Tank, Grey Vinyl Seats and Flooring, Cruise Control, Power Group, Air Conditioning and AM/FM Stereo.

RapidView LLC (Vendor) reserves the right to increase the price of vehicle chassis, trailers, and all-terrain vehicles in proportion to any increase of costs to the VENDOR between the date of acceptance of the order and the date of delivery (including without limitation costs relating to exchange rates, model year changes, manufacturer price increases, labor, materials, transport and taxes).

March 2, 2026

City of San Leandro

RapidView IBAK HD Mainline + E450 Gas CCTV Inspection System Sourcewell Quotation

Page 5

VZ000602

FRP Cargo 16' Box:

- Dim: 16'x8'x6'6"
- Chassis purchased separately, call for required chassis specifications
- Includes installation of box on approved chassis
- Dual swing open rear doors
- Aluminum plank flooring for easy cleaning and higher traction

VZ000621

Inspection Conversion for 16' Commercial RapidView FRP Box or Trailer:

- Walk-thru design with partition wall and door
- Tinted glass viewing window in bulkhead wall
- 12v LED lighting
- Roof Air
- Rear back up camera
- Exterior shore power package with extension cord
- Auxiliary battery and charging system installed with generator and MEPs systems

FRONT OFFICE:

- Carpeted walls in Studio
- Laminated base cabinetry
- Laminate countertops in studio
- Vibration resistant electronics cabinet with rear door access to outside of truck for easy installation and troubleshooting
- Bench seat over generator

WORKSPACE:

- Heavy-duty, 5 drawer toolbox
- Monitor mount in workspace for installing monitor (monitor sold separately)
- 14 Gallon pressurized wash down system
- Butcher block workbench
- Rugged FRP cabinets
- Closet with aluminum storage shelves
- Rugged FRP overhead cabinets with easy-open hardware

SAFETY:

- Directional arrow board at rear
- Strobe light mounted on front roof
- LED side markers on Box

VZP000101

Generator EFI Gas 5.5Kw, 120VAC

March 2, 2026

City of San Leandro

RapidView IBAK HD Mainline + E450 Gas CCTV Inspection System Sourcewell Quotation

Page 6

Equip Sales

Misc. Equipment Sales

- Modify Office to Include 2 Upright Closets on Both Sides of Generator Bench

Equip Sales

- Misc. Equipment Sales
- Outlets in Both Closets

Equip Sales

Misc. Equipment Sales

- Open Face Tripod and Sign Storage

Equip Sales

Misc. Equipment Sales

- Front Bumper Cone Holder

VZ000810

Premium Safety Light Package (UPGRADE)

- Traffic advisor mounted on front and rear of vehicle
- High intensity surface mount LEDs mounted on the grill, rear pillars, and each side
- One high-intensity LED high profile beacon light mounted on roof
- Two Super LED rear work lights mounted on rear of vehicle
- Please note: this is an upgrade package - some lights on the standard conversion are replaced.

Equip Change

Equipment Change - Modifications to Premium Light Package Above

- Add 2 Beacons for a Total of 4. One Mounted On Each Corner. Also Upgrade Beacons to L32 Low Profile

Equip Change

Equipment Change - Modifications to Premium Light Package Above

- Add 2 Strokes. This Will Allow for 2 on Each Side of Box Body. One Mounted Low and One High (In-Line With Each Other).

Equip Sales

Misc. Equipment Sales:

- Add Branch Guards to Light Bars

Equip Sales

Misc. Equipment Sales

- Qty 2 - Scene Lights. 1 Each Side of Box. Mounted Towards the Front and Towards the Top.

March 2, 2026

City of San Leandro

RapidView IBAK HD Mainline + E450 Gas CCTV Inspection System Sourcewell Quotation

Page 7

Equip Sales

Misc. Equipment Sales

- Grey Water Tank

Equip Change

Equipment Change

- Increase Washdown Tank to 25 Gallons

Equip Sales

Misc. Equipment Sales

- Hide Retractable Hose Reel

Equip Sales

Misc. Equipment Sales

- QTY 2 - Pull Out Drawer - Rear Bumper

VZOP000107

Exterior water fill

VZOP000102

Box bathroom Addition - requires 16' Box

- Holding Tank
 - Toilet
 - Privacy door
 - Installed in work area
- *Replaces closet in standard conversion

VZ000817

Powered Retractable Rear Canopy

- Protects from rain or sun
- Easy, push-button extension and retraction

VZ000703

Small sink in counter top

*** FOLD DOWN STYLE ***

VZM000102

Monitor, 22" Widescreen

VZM000105

Monitor Mount - Triple

March 2, 2026

City of San Leandro

RapidView IBAK HD Mainline + E450 Gas CCTV Inspection System Sourcewell Quotation

Page 8

VZ000306

KW Reel cabinet, (W-22", L-39" & H-34"), with a slide out tray for the LISY Synchro drum and one locking drawer with a divider. All aluminum drawer construction.

U-DO-89 Hose Guide 3in - Replaces V-665-0004 669-1915-1

M-ADJ-1 Adjustable Top Manhole Roller

(4) M-STD-6 6' Single Male X Female Standard Fiberglass Pole

M-FPB-4 4 Piece Pole Holder

Portable System Including One (1) Each of the Following:

V4017014

BP 3 Control Rugged Tablet:

- For control of MiniLite 3 HD and MainLite 2 HD
- Daylight readable screen
- 12" high-resolution touch-screen
- Windows operating system with 1TB hard drive
- Includes Bluetooth, Wi-Fi and USB port
- Integrated front and rear cameras
- Includes IKAS Recorder
- Includes rigid handle for tablet
- Requires BP3 Docking Station

V8045203

BP3 MainLite Docking Station V2 for BP3 Control Rugged Tablet:

- For MainLite 2 HD
- Durable aluminum construction
- Locking mechanism for mounting on MainLite frame
- Includes 2 joystick for camera and tractor control
- Requires BP3 Control Rugged Tablet V4017014

V8052003

KT157 Portable Reel:

- Includes adapter with C-ball and C-ball holder, medium (140 mm) to mount the docking station V2 of the BP 3 control panel
- Use with the BP 3 docking station V2 and a rugged tablet
- Holds up to 500 ft. (150m) of 00/13/FO HD cable
- Manual cable rewind

80073900

KT157 Cable 00/13/FO HD 500' (150m)



March 2, 2026

City of San Leandro

RapidView IBAK HD Mainline + E450 Gas CCTV Inspection System Sourcewell Quotation

Page 9

Sourcewell Price F.O.B. San Leandro, CA	\$438,131.13
10.75% Estimated Sales Tax	47,099.10
CA Tire Fee (6 @ \$1.75 Each)	10.50
Total	<u>\$485,240.73</u>

City's Purchase Order to be prepared and sent directly to the Sourcewell Contract Assignee:

Municipal Maintenance Equipment, Inc. 4634 Mayhew Road Sacramento, CA 95827

Tel: 916-922-1101 Fax: 916-922-1034 Nancy Steffan – nsteffan@source-mme.com

- Municipal Maintenance Equipment, Inc. is the local dealer and will provide warranty support and future service for the RapidView IBAK products.
- Sales tax applicable at time of delivery will be shown on invoice.
- Pricing includes delivery and training.
- Normal delivery 90-120 A.R.O. depending on stock availability at time of order.
- Terms: per Sourcewell Program.
- Quotation valid for 30 days.

Thank you for your interest in this fine product. Should you have any questions or need additional information, please let us know. We look forward to being of service.

Sincerely,

Municipal Maintenance Equipment, Inc.



James Wheeler,
President